

Получить консультацию и заказать	ТЕЛ +7(495) 127-79-12, +7(495) 725-18-48			Помощь в подборе БЫСТРЫЙ ЗАКАЗ
	e-mail: info@streamediagroup.com , manager@streamediagroup.com			
Серия	товарная группа	Модель	Краткие характеристики	Статус
Aquam5	302245003	Aquam5-5T-H6-H6	Un-managed, 5*10/100M Base-TX M12 connector, 110VDC dual redundant power inputs	RFD
Aquam5	302245001	Aquam5-5T-LV-LV	Un-managed, 5 10/100Base-TX M12 ports, 18-30VAC/12-48VDC(18-30VAC/9-60VDC) dual redundant power inputs ,IP65	RFD
Aquam5	302245002	Aquam5-H-5T-LV-LV	Un-managed, 5 10/100Base-TX M12 ports, 18-30VAC/12-48VDC(18-30VAC/9-60VDC) dual redundant power inputs ,IP67	RFD
Aquam5G	302245201	Aquam5G-5GE-L13-L13	Un-managed, 5*10/100/1000M Base-TX M12 connector, 24VDC dual redundant power inputs	RFD
Aquam5G	302245202	Aquam5G-5GE-H6-H6	Un-managed, 5*10/100/1000M Base-TX M12 connector, 110VDC dual redundant power inputs	RFD
Aquam5S	302245502	Aquam5S-5P-WV-WV	Un-managed, 5*10/100M Base-TX M12 PoE connector, 24-110VDC dual redundant power inputs	RFD
Aquam8	302243002	Aquam8-N-8T-LV-LV	Un-managed, 8 10/100Base-TX M12 ports, 18-30VAC/12-48VDC(18-30VAC/9-60VDC) dual redundant power inputs, IP65, Neutral	RFD
Aquam8	302243003	Aquam8-H-8T-LV-LV	Un-managed, 8 10/100Base-TX M12 ports, 18-30VAC/12-48VDC(18-30VAC/9-60VDC) dual redundant power inputs, IP67	RFD
Aquam8	302243005	Aquam8-8T-H6-H6	Un-managed, 8*10/100M Base-TX M12 connector, 110VDC dual redundant power inputs	RFD
Aquam8	302243001	Aquam8-8T-LV-LV	Un-managed, 8 10/100Base-TX M12 ports, 18-30VAC/12-48VDC(18-30VAC/9-60VDC) dual redundant power inputs, IP65	RFD
Aquam8	302243004	Aquam8-NH-8T-LV-LV	Un-managed, 8 10/100Base-TX M12 ports, 18-30VAC/12-48VDC(18-30VAC/9-60VDC) dual redundant power inputs, IP67, Neutral	RFD
Aquam8012A	302242615	Aquam8012A-4GE8P-WV-WV	4 10/100/1000Base-TX ports, 8 10/100Base-TX ports including 8 802.3at POE ports, 24-110VDC(16.8-154VDC) dual redundant power inputs	RFD
Aquam8012A	302242651	Aquam8012A-3GE9T-H6-H6-LV	3 10/100/1000Base-TX ports, 9 10/100Base-TX ports, 72-110VDC(50.4-137.5VDC) dual redundant power inputs w/o cooling fin	RFD
Aquam8012A	302242659	Aquam8012A-B-3GE9T-L14-L14-LV	3 10/100/1000Base-TX ports including 2 ports with Bypass, 9 10/100Base-TX ports, 48VDC(33.6-60VDC) dual redundant power inputs w/o cooling fin	RFD
Aquam8012A	302242653	Aquam8012A-3GE9T-L14-L14-LV	3 10/100/1000Base-TX ports, 9 10/100Base-TX ports, 48VDC(33.6-60VDC) dual redundant power inputs w/o cooling fin	RFD
Aquam8012A	302242620	Aquam8012A-4GE8T-L13-L13	4 10/100/1000Base-TX ports, 8 10/100Base-TX ports, 24VDC(16.8-30VDC) dual redundant power inputs	RFD
Aquam8012A	302242648	Aquam8012A-9T-H6-H6-LV	9 10/100Base-TX ports, 72-110VDC(50.4-137.5VDC) dual redundant power inputs w/o cooling fin	RFD
Aquam8012A	302242614	Aquam8012A-4GE8T-L14-L14	4 10/100/1000Base-TX ports, 8 10/100Base-TX ports, 48VDC(33.6-60VDC) dual redundant power inputs	RFD
Aquam8012A	302242655	Aquam8012A-4GE8T-L13-L13-LV	4 10/100/1000Base-TX ports, 8 10/100Base-TX ports, 24VDC(16.8-30VDC) dual redundant power inputs w/o cooling fin	RFD
Aquam8012A	302242611	Aquam8012A-3GE9T-L14-L14	3 10/100/1000Base-TX ports, 9 10/100Base-TX ports, 48VDC(33.6-60VDC) dual redundant power inputs	RFD
Aquam8012A	302242602	Aquam8012A-9T-H6-H6	9 10/100Base-TX ports, 72-110VDC(50.4-137.5VDC) dual redundant power inputs	RFD
Aquam8012A	302242649	Aquam8012A-9T-L13-L13-LV	9 10/100Base-TX ports, 24VDC(16.8-30VDC) dual redundant power inputs w/o cooling fin	RFD
Aquam8012A	302242612	Aquam8012A-3GE9P-WV-WV	3 10/100/1000Base-TX ports, 9 10/100Base-TX ports including 9 802.3at POE ports, 24-110VDC(16.8-154VDC) dual redundant power inputs	RFD
Aquam8012A	302242657	Aquam8012A-B-3GE9T-H6-H6-LV	3 10/100/1000Base-TX ports including 2 ports with Bypass, 9 10/100Base-TX ports, 72-110VDC(50.4-137.5VDC) dual redundant power inputs w/o cooling fin	RFD
Aquam8012A	302242654	Aquam8012A-4GE8T-H6-H6-LV	4 10/100/1000Base-TX ports, 8 10/100Base-TX ports, 72-110VDC (50.4-137.5VDC) dual redundant power inputs w/o cooling fin	RFD
Aquam8012A	302242658	Aquam8012A-B-3GE9T-L13-L13-LV	3 10/100/1000Base-TX ports including 2 ports with Bypass, 9 10/100Base-TX ports, 24VDC(16.8-30VDC) dual redundant power inputs w/o cooling fin	RFD
Aquam8012A	302242656	Aquam8012A-4GE8T-L14-L14-LV	4 10/100/1000Base-TX ports, 8 10/100Base-TX ports, 48VDC(33.6-60VDC) dual redundant power inputs w/o cooling fin	RFD
Aquam8012A	302242652	Aquam8012A-3GE9T-L13-L13-LV	3 10/100/1000Base-TX ports, 9 10/100Base-TX ports, 24VDC(16.8-30VDC) dual redundant power inputs w/o cooling fin	RFD
Aquam8012A	302242662	Aquam8012A-B-4GE8T-L14-L14-LV	4 10/100/1000Base-TX ports including 4 ports with Bypass, 8 10/100Base-TX ports, 48VDC(33.6-60VDC) dual redundant power inputs w/o cooling fin	RFD

Aquam8012A	302242603	Aquam8012A-9T-L14-L14	9 10/100Base-TX ports , 48VDC(33.6-60VDC) dual redundant power inputs	RFD
Aquam8012A	302242604	Aquam8012A-B-3GE9T-H6-H6	3 10/100/1000Base-TX ports including 2 ports with Bypass, 9 10/100Base-TX ports, 72-110VDC(50.4-137.5VDC) dual redundant power inputs	RFD
Aquam8012A	302242607	Aquam8012A-B-4GE8T-H6-H6	4 10/100/1000Base-TX ports including 4 ports with Bypass, 8 10/100Base-TX ports, 72-110VDC(50.4-137.5VDC) dual redundant power inputs	RFD
Aquam8012A	302242616	Aquam8012A-9T-L13-L13	9 10/100Base-TX ports, 24VDC(16.8-30VDC) dual redundant power inputs	RFD
Aquam8012A	302242609	Aquam8012A-B-4GE8P-WV-WV	4 10/100/1000Base-TX ports including 4 ports with Bypass, 8 10/100Base-TX ports including 8 802.3at POE ports, 24-110VDC(16.8-154VDC) dual redundant power inputs	RFD
Aquam8012A	302242650	Aquam8012A-9T-L14-L14-LV	9 10/100Base-TX ports , 48VDC(33.6-60VDC) dual redundant power inputs w/o cooling fin	RFD
Aquam8012A	302242661	Aquam8012A-B-4GE8T-L13-L13-LV	4 10/100/1000Base-TX ports including 4 ports with Bypass, 8 10/100Base-TX ports, 24VDC(16.8-30VDC) dual redundant power inputs w/o cooling fin	RFD
Aquam8012A	302242610	Aquam8012A-3GE9T-H6-H6	3 10/100/1000Base-TX ports, 9 10/100Base-TX ports, 72-110VDC(50.4-137.5VDC) dual redundant power inputs	RFD
Aquam8012A	302242601	Aquam8012A-9P-WV-WV	9 10/100Base-TX ports including 9 802.3at POE ports, 24-110VDC(16.8-154VDC) dual redundant power inputs	RFD
Aquam8012A	302242613	Aquam8012A-4GE8T-H6-H6	4 10/100/1000Base-TX ports, 8 10/100Base-TX ports, 72-110VDC(50.4-137.5VDC) dual redundant power inputs	RFD
Aquam8012A	302242606	Aquam8012A-B-3GE9P-WV-WV	3 10/100/1000Base-TX ports including 2 ports with Bypass, 9 10/100Base-TX ports including 9 802.3at POE ports, 24-110VDC(16.8-154VDC) dual redundant power inputs	RFD
Aquam8012A	302242619	Aquam8012A-3GE9T-L13-L13	3 10/100/1000Base-TX ports, 9 10/100Base-TX ports, 24VDC(16.8-30VDC) dual redundant power inputs	RFD
Aquam8012A	302242660	Aquam8012A-B-4GE8T-H6-H6-LV	4 10/100/1000Base-TX ports including 4 ports with Bypass, 8 10/100Base-TX ports, 72-110VDC(50.4-137.5VDC) dual redundant power inputs w/o cooling fin	RFD
Aquam8012A	302242605	Aquam8012A-B-3GE9T-L14-L14	3 10/100/1000Base-TX ports including 2 ports with Bypass, 9 10/100Base-TX ports, 48VDC(33.6-60VDC) dual redundant power inputs	RFD
Aquam8012A	302242618	Aquam8012A-B-4GE8T-L13-L13	4 10/100/1000Base-TX ports including 4 ports with Bypass, 8 10/100Base-TX ports, 24VDC(16.8-30VDC) dual redundant power inputs	RFD
Aquam8012A	302242617	Aquam8012A-B-3GE9T-L13-L13	3 10/100/1000Base-TX ports including 2 ports with Bypass, 9 10/100Base-TX ports, 24VDC(16.8-30VDC) dual redundant power inputs	RFD
Aquam8012A-1U	302242621	Aquam8012A-1U-2GE8T-H2-H2	Layer 2 managed, 2 10/100/1000Base-TX ports, 8 10/100Base-TX ports, 110VDC, dual redundant power inputs	RFD
Aquam8012A-1U	302242622	Aquam8012A-1U-10T-H2-H2	Layer 2 managed, 10 10/100Base-TX ports, 110VDC, dual redundant power inputs	RFD
Aquam8112	302242838	Aquam8112-B-4GE8T-PP-L2-L2	Layer 2 managed, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 8*10/100M Base-TX pushpull M12 connector ports, 24VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8112	302242811	Aquam8112-B-4GE8P-H6-H6	Layer 2 managed, 4*10/100/1000M Base-T(X) M12 connector prots, 8*10/100M Base-TX M12 connector PoE ports, 110VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8112	302242805	Aquam8112-B-4GE8T-H6-H6	Layer 2 managed, 4*10/100/1000M Base-T(X) M12 connector prots, 8*10/100M Base-TX M12 connector ports, 110VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8112	302242812	Aquam8112-B-4GE8P-L2-L2	Layer 2 managed, 4*10/100/1000M Base-T(X) M12 connector prots, 8*10/100M Base-TX M12 connector PoE ports, 24VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8112	302242943	Aquam8112-4GE8P-PP-L2-L2	Layer 2 managed, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 8*10/100M Base-TX pushpull M12 connector PoE ports, 24VDC dual redundant power inputs.	RFD
AQUAM8112	302242954	Aquam8112-1U-B-12GE-H6-H6	Layer 2 managed, 8 10/100/1000Base-T(X) ports and 4 10/100/1000Base-T(X) ports with Bypass. 110VDC dual redundant power inputs	RFA
Aquam8112	302242809	Aquam8112-4GE8P-H6-H6	Layer 2 managed, 4*10/100/1000M Base-T(X) M12 connector prots, 8*10/100M Base-TX M12 connector PoE ports, 110VDC dual redundant power inputs.	RFD
Aquam8112	302242944	Aquam8112-B-4GE8P-PP-H6-H6	Layer 2 managed, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 8*10/100M Base-TX pushpull M12 connector PoE ports, 110VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8112	302242803	Aquam8112-4GE8T-H6-H6	Layer 2 managed, 4*10/100/1000M Base-T(X) M12 connector prots, 8*10/100M Base-TX M12 connector ports, 110VDC dual redundant power inputs.	RFD
Aquam8112	302242940	Aquam8112-8P-PP-H6-H6	Layer 2 managed, 8*10/100M Base-TX pushpull M12 connector PoE ports, 110VDC dual redundant power inputs	RFD
AQUAM8112	302242986	Aquam8112-1U-B-12GE-H6-H6	M23 power connector. Layer 2 managed, 8 10/100/1000Base-T(X) ports and 4 10/100/1000Base-T(X) ports with Bypass. 110VDC dual redundant power inputs	RFA

Aquam8112	302242808	Aquam8112-8P-L2-L2	Layer 2 managed, 8*10/100M Base-TX M12 connector PoE ports, 24VDC dual redundant power inputs	RFD
Aquam8112	302242939	Aquam8112-B-4GE8T-PP-H6-H6	Layer 2 managed, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 8*10/100M Base-TX pushpull M12 connector ports, 110VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8112	302242802	Aquam8112-8T-L2-L2	Layer 2 managed, 8*10/100M Base-TX M12 connector ports, 24VDC dual redundant power inputs	RFD
AQUAM8112	302242987	Aquam8112-1U-B-4GE8GP-H6-H6	M23 power connector. Layer 2 managed, 8 10/100/1000Base-T(X) PoE ports and 4 10/100/1000Base-T(X) ports with Bypass. 110VDC dual redundant power inputs	RFA
Aquam8112	302242938	Aquam8112-4GE8T-PP-L2-L2	Layer 2 managed, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 8*10/100M Base-TX pushpull M12 connector ports, 24VDC dual redundant power inputs.	RFD
Aquam8112	302242804	Aquam8112-4GE8T-L2-L2	Layer 2 managed, 4*10/100/1000M Base-T(X) M12 connector prots, 8*10/100M Base-TX M12 connector ports, 24VDC dual redundant power inputs.	RFD
Aquam8112	302242941	Aquam8112-8P-PP-L2-L2	Layer 2 managed, 8*10/100M Base-TX pushpull M12 connector PoE ports, 24VDC dual redundant power inputs	RFD
Aquam8112	302242936	Aquam8112-8T-PP-L2-L2	Layer 2 managed, 8*10/100M Base-TX pushpull M12 connector ports, 24VDC dual redundant power inputs	RFD
Aquam8112	302242801	Aquam8112-8T-H6-H6	Layer 2 managed, 8*10/100M Base-TX M12 connector ports, 110VDC dual redundant power inputs	RFD
Aquam8112	302242942	Aquam8112-4GE8P-PP-H6-H6	Layer 2 managed, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 8*10/100M Base-TX pushpull M12 connector PoE ports, 110VDC dual redundant power inputs.	RFD
Aquam8112	302242810	Aquam8112-4GE8P-L2-L2	Layer 2 managed, 4*10/100/1000M Base-T(X) M12 connector prots, 8*10/100M Base-TX M12 connector PoE ports, 24VDC dual redundant power inputs.	RFD
AQUAM8112	302242955	Aquam8112-1U-B-4GE8GP-H6-H6	Layer 2 managed, 8 10/100/1000Base-T(X) PoE ports and 4 10/100/1000Base-T(X) ports with Bypass. 110VDC dual redundant power inputs	RFA
Aquam8112	302242806	Aquam8112-B-4GE8T-L2-L2	Layer 2 managed, 4*10/100/1000M Base-T(X) M12 connector prots, 8*10/100M Base-TX M12 connector ports, 24VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8112	302242945	Aquam8112-B-4GE8P-PP-L2-L2	Layer 2 managed, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 8*10/100M Base-TX pushpull M12 connector PoE ports, 24VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8112	302242935	Aquam8112-8T-PP-H6-H6	Layer 2 managed, 8*10/100M Base-TX pushpull M12 connector ports, 110VDC dual redundant power inputs	RFD
Aquam8112	302242937	Aquam8112-4GE8T-PP-H6-H6	Layer 2 managed, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 8*10/100M Base-TX pushpull M12 connector ports, 110VDC dual redundant power inputs.	RFD
Aquam8112	302242807	Aquam8112-8P-H6-H6	Layer 2 managed, 8*10/100M Base-TX M12 connector PoE ports, 110VDC dual redundant power inputs	RFD
Aquam8120	302242816	Aquam8120-4GE16T-L2-L2	Layer 2 managed, 4*10/100/1000M Base-T(X) M12 connector prots, 16*10/100M Base-TX M12 connector ports, 24VDC dual redundant power inputs.	RFD
Aquam8120	302242818	Aquam8120-B-4GE16T-L2-L2	Layer 2 managed, 4*10/100/1000M Base-T(X) M12 connector prots, 16*10/100M Base-TX M12 connector ports, 24VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8120	302242824	Aquam8120-B-4GE16P-L2-L2	Layer 2 managed, 4*10/100/1000M Base-T(X) M12 connector prots, 16*10/100M Base-TX M12 connector PoE ports, 24VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8120	302242823	Aquam8120-B-4GE16P-H6-H6	Layer 2 managed, 4*10/100/1000M Base-T(X) M12 connector prots, 16*10/100M Base-TX M12 connector PoE ports, 110VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8120	302242822	Aquam8120-4GE16P-L2-L2	Layer 2 managed, 4*10/100/1000M Base-T(X) M12 connector prots, 16*10/100M Base-TX M12 connector PoE ports, 24VDC dual redundant power inputs.	RFD
Aquam8120	302242926	Aquam8120-4GE16T-PP-H6-H6	Layer 2 managed, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 16*10/100M Base-TX pushpull M12 connector ports, 110VDC dual redundant power inputs.	RFD
Aquam8120	302242821	Aquam8120-4GE16P-H6-H6	Layer 2 managed, 4*10/100/1000M Base-T(X) M12 connector prots, 16*10/100M Base-TX M12 connector PoE ports, 110VDC dual redundant power inputs.	RFD
Aquam8120	302242924	Aquam8120-16T-PP-H6-H6	Layer 2 managed, 16*10/100M Base-TX pushpull M12 connector ports, 110VDC dual redundant power inputs	RFD
Aquam8120	302242934	Aquam8120-B-4GE16P-PP-L2-L2	Layer 2 managed, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 16*10/100M Base-TX pushpull M12 connector PoE ports, 24VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8120	302242928	Aquam8120-B-4GE16T-PP-H6-H6	Layer 2 managed, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 16*10/100M Base-TX pushpull M12 connector ports, 110VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8120	302242930	Aquam8120-16P-PP-H6-H6	Layer 2 managed, 16*10/100M Base-TX pushpull M12 connector PoE ports, 110VDC dual redundant power inputs	RFD
Aquam8120	302242820	Aquam8120-16P-L2-L2	Layer 2 managed, 16*10/100M Base-TX M12 connector PoE ports, 24VDC dual redundant power inputs	RFD

Aquam8120	302242839	Aquam8120-B-4GE16P-PP-H6-H6	Layer 2 managed, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 16*10/100M Base-TX pushpull M12 connector PoE ports, 110VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8120	302242815	Aquam8120-4GE16T-H6-H6	Layer 2 managed, 4*10/100/1000M Base-T(X) M12 connector prots, 16*10/100M Base-TX M12 connector ports, 110VDC dual redundant power inputs.	RFD
Aquam8120	302242813	Aquam8120-16T-H6-H6	Layer 2 managed, 16*10/100M Base-TX M12 connector ports, 110VDC dual redundant power inputs	RFD
Aquam8120	302242819	Aquam8120-16P-H6-H6	Layer 2 managed, 16*10/100M Base-TX M12 connector PoE ports, 110VDC dual redundant power inputs	RFD
Aquam8120	302242931	Aquam8120-16P-PP-L2-L2	Layer 2 managed, 16*10/100M Base-TX pushpull M12 connector PoE ports, 24VDC dual redundant power inputs	RFD
Aquam8120	302242925	Aquam8120-16T-PP-L2-L2	Layer 2 managed, 16*10/100M Base-TX pushpull M12 connector ports, 24VDC dual redundant power inputs	RFD
Aquam8120	302248283	Aquam8120-EC-B-4GE16T-H6-H6	Layer 2 managed, 4*10/100/1000M Base-T(X) M12 connector prots, 16*10/100M Base-TX M12 connector ports, supports Bypass. PCB board without power supply board.	RFD
Aquam8120	302242814	Aquam8120-16T-L2-L2	Layer 2 managed, 16*10/100M Base-TX M12 connector ports, 24VDC dual redundant power inputs	RFD
Aquam8120	302242933	Aquam8120-4GE16P-PP-L2-L2	Layer 2 managed, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 16*10/100M Base-TX pushpull M12 connector PoE ports, 24VDC dual redundant power inputs.	RFD
Aquam8120	302242929	Aquam8120-B-4GE16T-PP-L2-L2	Layer 2 managed, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 16*10/100M Base-TX pushpull M12 connector ports, 24VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8120	302242817	Aquam8120-B-4GE16T-H6-H6	Layer 2 managed, 4*10/100/1000M Base-T(X) M12 connector prots, 16*10/100M Base-TX M12 connector ports, 110VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8120	302242932	Aquam8120-4GE16P-PP-H6-H6	Layer 2 managed, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 16*10/100M Base-TX pushpull M12 connector PoE ports, 110VDC dual redundant power inputs.	RFD
Aquam8120	302242927	Aquam8120-4GE16T-PP-L2-L2	Layer 2 managed, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 16*10/100M Base-TX pushpull M12 connector ports, 24VDC dual redundant power inputs.	RFD
Aquam8128	302242916	Aquam8128-B-4GE24T-PP-H6-H6	Layer 2 managed, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 24*10/100M Base-TX pushpull M12 connector ports, 110VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8128	302242914	Aquam8128-4GE24T-PP-H6-H6	Layer 2 managed, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 24*10/100M Base-TX pushpull M12 connector ports, 110VDC dual redundant power inputs.	RFD
Aquam8128	302242835	Aquam8128-B-4GE24P-H6-H6	Layer 2 managed, 4*10/100/1000M Base-T(X) M12 connector prots, 24*10/100M Base-TX M12 connector PoE ports, 110VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8128	302242830	Aquam8128-B-4GE24T-L2-L2	Layer 2 managed, 4*10/100/1000M Base-T(X) M12 connector prots, 24*10/100M Base-TX M12 connector ports, 24VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8128	302242922	Aquam8128-B-4GE24P-PP-H6-H6	Layer 2 managed, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 24*10/100M Base-TX pushpull M12 connector PoE ports, 110VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8128	302242829	Aquam8128-B-4GE24T-H6-H6	Layer 2 managed, 4*10/100/1000M Base-T(X) M12 connector prots, 24*10/100M Base-TX M12 connector ports, 110VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8128	302242913	Aquam8128-24T-PP-L2-L2	Layer 2 managed, 24*10/100M Base-TX pushpull M12 connector ports, 24VDC dual redundant power inputs	RFD
Aquam8128	302242915	Aquam8128-4GE24T-PP-L2-L2	Layer 2 managed, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 24*10/100M Base-TX pushpull M12 connector ports, 24VDC dual redundant power inputs.	RFD
Aquam8128	302242918	Aquam8128-24P-PP-H6-H6	Layer 2 managed, 24*10/100M Base-TX pushpull M12 connector PoE ports, 110VDC dual redundant power inputs	RFD
Aquam8128	302242832	Aquam8128-24P-L2-L2	Layer 2 managed, 24*10/100M Base-TX M12 connector PoE ports, 24VDC dual redundant power inputs	RFD
Aquam8128	302242831	Aquam8128-24P-H6-H6	Layer 2 managed, 24*10/100M Base-TX M12 connector PoE ports, 110VDC dual redundant power inputs	RFD
Aquam8128	302242917	Aquam8128-B-4GE24T-PP-L2-L2	Layer 2 managed, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 24*10/100M Base-TX pushpull M12 connector ports, 24VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8128	302242923	Aquam8128-B-4GE24P-PP-L2-L2	Layer 2 managed, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 24*10/100M Base-TX pushpull M12 connector PoE ports, 24VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8128	302242921	Aquam8128-4GE24P-PP-L2-L2	Layer 2 managed, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 24*10/100M Base-TX pushpull M12 connector PoE ports, 24VDC dual redundant power inputs.	RFD
Aquam8128	302242825	Aquam8128-24T-H6-H6	Layer 2 managed, 24*10/100M Base-TX M12 connector ports, 110VDC dual redundant power inputs	RFD
Aquam8128	302242826	Aquam8128-24T-L2-L2	Layer 2 managed, 24*10/100M Base-TX M12 connector ports, 24VDC dual redundant power inputs	RFD

Aquam8128	302242833	Aquam8128-4GE24P-H6-H6	Layer 2 managed, 4*10/100/1000M Base-T(X) M12 connector prots, 24*10/100M Base-TX M12 connector PoE ports, 110VDC dual redundant power inputs.	RFD
Aquam8128	302242920	Aquam8128-4GE24P-PP-H6-H6	Layer 2 managed, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 24*10/100M Base-TX pushpull M12 connector PoE ports, 110VDC dual redundant power inputs.	RFD
Aquam8128	302242919	Aquam8128-24P-PP-L2-L2	Layer 2 managed, 24*10/100M Base-TX pushpull M12 connector PoE ports, 24VDC dual redundant power inputs	RFD
Aquam8128	302242912	Aquam8128-24T-PP-H6-H6	Layer 2 managed, 24*10/100M Base-TX pushpull M12 connector ports, 110VDC dual redundant power inputs	RFD
Aquam8128	302242834	Aquam8128-4GE24P-L2-L2	Layer 2 managed, 4*10/100/1000M Base-T(X) M12 connector prots, 24*10/100M Base-TX M12 connector PoE ports, 24VDC dual redundant power inputs.	RFD
Aquam8128	302242828	Aquam8128-4GE24T-L2-L2	Layer 2 managed, 4*10/100/1000M Base-T(X) M12 connector prots,24*10/100M Base-TX M12 connector ports, 24VDC dual redundant power inputs.	RFD
Aquam8128	302242827	Aquam8128-4GE24T-H6-H6	Layer 2 managed, 4*10/100/1000M Base-T(X) M12 connector prots, 24*10/100M Base-TX M12 connector ports, 110VDC dual redundant power inputs.	RFD
Aquam8128	302242836	Aquam8128-B-4GE24P-L2-L2	Layer 2 managed, 4*10/100/1000M Base-T(X) M12 connector prots, 24*10/100M Base-TX M12 connector PoE ports, 24VDC dual redundant power inputs. supports Bypass.	RFD
Aquam8512A	302242523	Aquam8512A-4GE8T-H6-H6	4 10/100/1000Base-TX ports, 8 10/100Base-TX ports, 72-110VDC(50.4-137.5VDC) dual redundant power inputs	RFD
Aquam8512A	302242516	Aquam8512A-B-3GE9P-WV-WV	3 10/100/1000Base-TX ports including 2 ports with Bypass, 9 10/100Base-TX ports including 9 802.3at POE ports, 24-110VDC(16.8-154VDC) dual redundant power inputs	RFD
Aquam8512A	302242548	Aquam8512A-3GE9T-H6-H6-LV	3 10/100/1000Base-TX ports, 9 10/100Base-TX ports, 72-110VDC(50.4-137.5VDC) dual redundant power inputs w/o cooling fin	RFD
Aquam8512A	302242545	Aquam8512A-9T-H6-H6-LV	9 10/100Base-TX ports, 72-110VDC(50.4-137.5VDC) dual redundant power inputs w/o cooling fin	RFD
Aquam8512A	302242527	Aquam8512A-B-3GE9T-L13-L13	3 10/100/1000Base-TX ports including 2 ports with Bypass , 9 10/100Base-TX ports, 24VDC(16.8-30VDC) dual redundant power inputs	RFD
Aquam8512A	302242519	Aquam8512A-B-4GE8P-WV-WV	4 10/100/1000Base-TX ports including 4 ports with Bypass, 8 10/100Base-TX ports including 8 802.3at POE ports, 24-110VDC(16.8-154VDC) dual redundant power inputs	RFD
Aquam8512A	302242517	Aquam8512A-B-4GE8T-H6-H6	4 10/100/1000Base-TX ports including 4 ports with Bypass, 8 10/100Base-TX ports, 72-110VDC(50.4-137.5VDC) dual redundant power inputs	RFD
Aquam8512A	302242512	Aquam8512A-9T-H6-H6	9 10/100Base-TX ports, 72-110VDC(50.4-137.5VDC) dual redundant power inputs	RFD
Aquam8512A	302242556	Aquam8512A-B-3GE9T-L14-L14-LV	3 10/100/1000Base-TX ports including 2 ports with Bypass, 9 10/100Base-TX ports, 48VDC(33.6-60VDC) dual redundant power inputs w/o cooling fin	RFD
Aquam8512A	302242513	Aquam8512A-9T-L14-L14	9 10/100Base-TX ports, 48VDC(33.6-60VDC) dual redundant power inputs	RFD
Aquam8512A	302242546	Aquam8512A-9T-L13-L13-LV	9 10/100Base-TX ports, 24VDC(16.8-30VDC) dual redundant power inputs w/o cooling fin	RFD
Aquam8512A	302242557	Aquam8512A-B-4GE8T-H6-H6-LV	4 10/100/1000Base-TX ports including 4 ports with Bypass, 8 10/100Base-TX ports, 72-110VDC(50.4-137.5VDC) dual redundant power inputs w/o cooling fin	RFD
Aquam8512A	302242555	Aquam8512A-B-3GE9T-L13-L13-LV	3 10/100/1000Base-TX ports including 2 ports with Bypass, 9 10/100Base-TX ports, 24VDC(16.8-30VDC) dual redundant power inputs w/o cooling fin	RFD
Aquam8512A	302242511	Aquam8512A-9P-WV-WV	9 10/100Base-TX ports including 9 802.3at POE ports, 24-110VDC(16.8-154VDC) dual redundant power inputs	RFD
Aquam8512A	302242515	Aquam8512A-B-3GE9T-L14-L14	3 10/100/1000Base-TX ports including 2 ports with Bypass, 9 10/100Base-TX ports, 48VDC(33.6-60VDC) dual redundant power inputs	RFD
Aquam8512A	302242518	Aquam8512A-B-4GE8T-L14-L14	4 10/100/1000Base-TX ports including 4 ports with Bypass,8 10/100Base-TX ports, 48VDC(33.6-60VDC) dual redundant power inputs	RFD
Aquam8512A	302242528	Aquam8512A-B-4GE8T-L13-L13	4 10/100/1000Base-TX ports including 4 ports with Bypass , 8 10/100Base-TX ports, 24VDC(16.8-30VDC) dual redundant power inputs	RFD
Aquam8512A	302242549	Aquam8512A-3GE9T-L13-L13-LV	3 10/100/1000Base-TX ports, 9 10/100Base-TX ports, 24VDC(16.8-30VDC) dual redundant power inputs w/o cooling fin	RFD
Aquam8512A	302242558	Aquam8512A-B-4GE8T-L13-L13-LV	4 10/100/1000Base-TX ports including 4 ports with Bypass, 8 10/100Base-TX ports, 24VDC(16.8-30VDC) dual redundant power inputs w/o cooling fin	RFD
Aquam8512A	302242550	Aquam8512A-3GE9T-L14-L14-LV	3 10/100/1000Base-TX ports, 9 10/100Base-TX ports, 48VDC(33.6-60VDC) dual redundant power inputs w/o cooling fin	RFD
Aquam8512A	302242524	Aquam8512A-4GE8T-L14-L14	4 10/100/1000Base-TX ports, 8 10/100Base-TX ports, 48VDC(33.6-60VDC) dual redundant power inputs	RFD
Aquam8512A	302242554	Aquam8512A-B-3GE9T-H6-H6-LV	3 10/100/1000Base-TX ports including 2 ports with Bypass, 9 10/100Base-TX ports, 72-110VDC(50.4-137.5VDC) dual redundant power inputs w/o cooling fin	RFD

Aquam8512A	302242559	Aquam8512A-B-4GE8T-L14-L14-LV	4 10/100/1000Base-TX ports including 4 ports with Bypass, 8 10/100Base-TX ports, 48VDC(33.6-60VDC) dual redundant power inputs w/o cooling fin	RFD
Aquam8512A	302242520	Aquam8512A-3GE9T-H6-H6	3 10/100/1000Base-TX ports, 9 10/100Base-TX ports, 72-110VDC(50.4-137.5VDC) dual redundant power inputs	RFD
Aquam8512A	302242530	Aquam8512A-4GE8T-L13-L13	4 10/100/1000Base-TX ports, 8 10/100Base-TX ports, 24VDC(16.8-30VDC) dual redundant power inputs	RFD
Aquam8512A	302242514	Aquam8512A-B-3GE9T-H6-H6	3 10/100/1000Base-TX ports including 2 ports with Bypass, 9 10/100Base-TX ports, 72-110VDC(50.4-137.5VDC) dual redundant power inputs	RFD
Aquam8512A	302242522	Aquam8512A-3GE9P-WV-WV	3 10/100/1000Base-TX ports, 9 10/100Base-TX ports including 8 802.3at POE ports, 24-110VDC(16.8-154VDC) dual redundant power inputs	RFD
Aquam8512A	302242551	Aquam8512A-4GE8T-H6-H6-LV	4 10/100/1000Base-TX ports, 8 10/100Base-TX ports, 72-110VDC(50.4-137.5VDC) dual redundant power inputs w/o cooling fin	RFD
Aquam8512A	302242521	Aquam8512A-3GE9T-L14-L14	3 10/100/1000Base-TX ports, 9 10/100Base-TX ports, 48VDC(33.6-60VDC) dual redundant power inputs	RFD
Aquam8512A	302242529	Aquam8512A-3GE9T-L13-L13	3 10/100/1000Base-TX ports, 9 10/100Base-TX ports, 24VDC(16.8-30VDC) dual redundant power inputs	RFD
Aquam8512A	302242547	Aquam8512A-9T-L14-L14-LV	9 10/100Base-TX ports , 48VDC(33.6-60VDC) dual redundant power inputs w/o cooling fin	RFD
Aquam8512A	302242525	Aquam8512A-4GE8P-WV-WV	4 10/100/1000Base-TX ports, 8 10/100Base-TX ports including 8 802.3at POE ports, 24-110VDC(16.8-154VDC) dual redundant power inputs	RFD
Aquam8512A	302242526	Aquam8512A-9T-L13-L13	9 10/100Base-TX ports, 24VDC(16.8-30VDC) dual redundant power inputs	RFD
Aquam8512A	302242552	Aquam8512A-4GE8T-L13-L13-LV	4 10/100/1000Base-TX ports, 8 10/100Base-TX ports, 24VDC(16.8-30VDC) dual redundant power inputs w/o cooling fin	RFD
Aquam8512A	302242553	Aquam8512A-4GE8T-L14-L14-LV	4 10/100/1000Base-TX ports, 8 10/100Base-TX ports, 48VDC(33.6-60VDC) dual redundant power inputs w/o cooling fin	RFD
Aquam8512A-1U	302242531	Aquam8512A-1U-2GE8T-H2-H2	Layer 3 managed, 2 10/100/1000Base-TX ports, 8 10/100Base-TX ports, 110VDC, dual redundant power inputs	RFD
Aquam8512A-1U	302242532	Aquam8512A-1U-10T-H2-H2	Layer 3 managed, 10 10/100Base-TX ports, 110VDC, dual redundant power inputs	RFD
Aquam8612	302242755	Aquam8612-B-4GE8T-H6-H6	Layer 3 managed, 4*10/100/1000M Base-T(X) M12 connector ports, 8*10/100M Base-TX M12 connector ports, 110VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8612	302242895	Aquam8612-NAT-B-4GE8P-PP-L2-L2	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) pushpull M12 connector ports, 8*10/100M Base-TX pushpull M12 connector PoE ports, 24VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8612	302242887	Aquam8612-NAT-4GE8T-PP-L2-L2	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) pushpull M12 connector ports, 8*10/100M Base-TX pushpull M12 connector ports, 24VDC dual redundant power inputs.	RFD
Aquam8612	302242703	Aquam8612-NAT-4GE8T-H6-H6	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) M12 connector ports, 8*10/100M Base-TX M12 connector ports, 110VDC dual redundant power inputs.	RFD
Aquam8612	302242752	Aquam8612-8T-L2-L2	Layer 3 managed, 8*10/100M Base-TX M12 connector ports, 24VDC dual redundant power inputs	RFD
Aquam8612	302242898	Aquam8612-NAT-B-4GE8P-PP-H6-H6-ETBN	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) pushpull M12 connector ports, 8*10/100M Base-TX pushpull M12 connector PoE ports, 110VDC dual redundant power inputs, supports Bypass, TRDP, TTDP.	RFD
AQUAM8612	302242982	Aquam8612-1U-NAT-B-12GE-H6-H6	M23 power connector. Layer 3 with NAT function, 8 10/100/1000Base-T(X) ports and 4 10/100/1000Base-T(X) ports with Bypass. 110VDC dual redundant power inputs	RFA
Aquam8612	302242884	Aquam8612-NAT-8T-PP-H6-H6	Layer 3 managed, support NAT based on hardware, 8*10/100M Base-TX pushpull M12 connector ports, 110VDC dual redundant power inputs	RFD
AQUAM8612	302242950	Aquam8612-1U-NAT-B-12GE-H6-H6	Layer 3 with NAT function, 8 10/100/1000Base-T(X) ports and 4 10/100/1000Base-T(X) ports with Bypass. 110VDC dual redundant power inputs	RFA
Aquam8612	302242906	Aquam8612-8P-PP-H6-H6	Layer 3 managed, 8*10/100M Base-TX pushpull M12 connector PoE ports, 110VDC dual redundant power inputs	RFD
Aquam8612	302242710	Aquam8612-NAT-4GE8P-L2-L2	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) M12 connector ports, 8*10/100M Base-TX M12 connector PoE ports, 24VDC dual redundant power inputs.	RFD
Aquam8612	302242753	Aquam8612-4GE8T-H6-H6	Layer 3 managed, 4*10/100/1000M Base-T(X) M12 connector ports, 8*10/100M Base-TX M12 connector ports, 110VDC dual redundant power inputs.	RFD
Aquam8612	302242762	Aquam8612-B-4GE8P-L2-L2	Layer 3 managed, 4*10/100/1000M Base-T(X) M12 connector ports, 8*10/100M Base-TX M12 connector PoE ports, 24VDC dual redundant power inputs. supports Bypass	RFD
Aquam8612	302242702	Aquam8612-NAT-8T-L2-L2	Layer 3 managed, support NAT based on hardware, 8*10/100M Base-TX M12 connector ports, 24VDC dual redundant power inputs	RFD

Aquam8612	302242740	Aquam8612-NAT-B-4GE8P-L2-L2-ETBN	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) M12 connector prots, 8*10/100M Base-TX M12 connector PoE ports, 24VDC dual redundant power inputs, supports Bypass, TRDP, TTDP.	RFD
AQUAM8612	302242951	Aquam8612-1U-NAT-B-4GE8GP-H6-H6	Layer 3 with NAT function, 8 10/100/1000Base-T(X) PoE ports and 4 10/100/1000Base-T(X) ports with Bypass. 110VDC dual redundant power inputs	RFA
Aquam8612	302242758	Aquam8612-8P-L2-L2	Layer 3 managed, 8*10/100M Base-TX M12 connector PoE ports, 24VDC dual redundant power inputs	RFD
Aquam8612	302242754	Aquam8612-4GE8T-L2-L2	Layer 3 managed, 4*10/100/1000M Base-T(X) M12 connector prots, 8*10/100M Base-TX M12 connector ports, 24VDC dual redundant power inputs.	RFD
Aquam8612	302242708	Aquam8612-NAT-8P-L2-L2	Layer 3 managed, support NAT based on hardware, 8*10/100M Base-TX M12 connector PoE ports, 24VDC dual redundant power inputs	RFD
Aquam8612	302242709	Aquam8612-NAT-4GE8P-H6-H6	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) M12 connector prots, 8*10/100M Base-TX M12 connector PoE ports, 110VDC dual redundant power inputs.	RFD
AQUAM8612	302242983	Aquam8612-1U-NAT-B-4GE8GP-H6-H6	M23 power connector. Layer 3 with NAT function, 8 10/100/1000Base-T(X) PoE ports and 4 10/100/1000Base-T(X) ports with Bypass. 110VDC dual redundant power inputs	RFA
AQUAM8612	302242979	Aquam8612-1U-B-4GE8GP-H6-H6	M23 power connector. Layer 3, 8 10/100/1000Base-T(X) PoE ports and 4 10/100/1000Base-T(X) ports with Bypass. 110VDC dual redundant power inputs.	RFA
Aquam8612	302242737	Aquam8612-NAT-B-4GE8T-H6-H6-ETBN	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) M12 connector prots, 8*10/100M Base-TX M12 connector ports, 110VDC dual redundant power inputs, supports Bypass, TRDP, TTDP.	RFD
Aquam8612	302242885	Aquam8612-NAT-8T-PP-L2-L2	Layer 3 managed, support NAT based on hardware, 8*10/100M Base-TX pushpull M12 connector ports, 24VDC dual redundant power inputs	RFD
Aquam8612	302242905	Aquam8612-B-4GE8T-PP-L2-L2	Layer 3 managed, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 8*10/100M Base-TX pushpull M12 connector ports, 24VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8612	302242908	Aquam8612-4GE8P-PP-H6-H6	Layer 3 managed, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 8*10/100M Base-TX pushpull M12 connector PoE ports, 110VDC dual redundant power inputs.	RFD
Aquam8612	302242701	Aquam8612-NAT-8T-H6-H6	Layer 3 managed, support NAT based on hardware, 8*10/100M Base-TX M12 connector ports, 110VDC dual redundant power inputs	RFD
Aquam8612	302242739	Aquam8612-NAT-B-4GE8P-H6-H6-ETBN	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) M12 connector prots, 8*10/100M Base-TX M12 connector PoE ports, 110VDC dual redundant power inputs, supports Bypass, TRDP, TTDP.	RFD
Aquam8612	302242712	Aquam8612-NAT-B-4GE8P-L2-L2	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) M12 connector prots, 8*10/100M Base-TX M12 connector PoE ports, 24VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8612	302242891	Aquam8612-NAT-8P-PP-L2-L2	Layer 3 managed, support NAT based on hardware, 8*10/100M Base-TX pushpull M12 connector PoE ports, 24VDC dual redundant power inputs	RFD
Aquam8612	302242893	Aquam8612-NAT-4GE8P-PP-L2-L2	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 8*10/100M Base-TX pushpull M12 connector PoE ports, 24VDC dual redundant power inputs.	RFD
Aquam8612	302242896	Aquam8612-NAT-B-4GE8T-PP-H6-H6-ETBN	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 8*10/100M Base-TX pushpull M12 connector ports, 110VDC dual redundant power inputs, supports Bypass, TRDP, TTDP.	RFD
Aquam8612	302242757	Aquam8612-8P-H6-H6	Layer 3 managed, 8*10/100M Base-TX M12 connector PoE ports, 110VDC dual redundant power inputs	RFD
Aquam8612	302242907	Aquam8612-8P-PP-L2-L2	Layer 3 managed, 8*10/100M Base-TX pushpull M12 connector PoE ports, 24VDC dual redundant power inputs	RFD
Aquam8612	302242901	Aquam8612-8T-PP-L2-L2	Layer 3 managed, 8*10/100M Base-TX pushpull M12 connector ports, 24VDC dual redundant power inputs	RFD
Aquam8612	302242902	Aquam8612-4GE8T-PP-H6-H6	Layer 3 managed, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 8*10/100M Base-TX pushpull M12 connector ports, 110VDC dual redundant power inputs.	RFD
Aquam8612	302242756	Aquam8612-B-4GE8T-L2-L2	Layer 3 managed, 4*10/100/1000M Base-T(X) M12 connector prots, 8*10/100M Base-TX M12 connector ports, 24VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8612	302242761	Aquam8612-B-4GE8P-H6-H6	Layer 3 managed, 4*10/100/1000M Base-T(X) M12 connector prots, 8*10/100M Base-TX M12 connector PoE ports, 110VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8612	302242911	Aquam8612-B-4GE8P-PP-L2-L2	Layer 3 managed, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 8*10/100M Base-TX pushpull M12 connector PoE ports, 24VDC dual redundant power inputs, supports Bypass.	RFD

Aquam8612	302242890	Aquam8612-NAT-8P-PP-H6-H6	Layer 3 managed, support NAT based on hardware, 8*10/100M Base-TX pushpull M12 connector PoE ports, 110VDC dual redundant power inputs	RFD
Aquam8612	302242897	Aquam8612-NAT-B-4GE8T-PP-L2-L2-ETBN	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 8*10/100M Base-TX pushpull M12 connector ports, 24VDC dual redundant power inputs, supports Bypass, TRDP, TTDP.	RFD
Aquam8612	302242909	Aquam8612-4GE8P-PP-L2-L2	Layer 3 managed, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 8*10/100M Base-TX pushpull M12 connector PoE ports, 24VDC dual redundant power inputs.	RFD
Aquam8612	302242704	Aquam8612-NAT-4GE8T-L2-L2	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) M12 connector prots, 8*10/100M Base-TX M12 connector ports, 24VDC dual redundant power inputs.	RFD
Aquam8612	302242903	Aquam8612-4GE8T-PP-L2-L2	Layer 3 managed, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 8*10/100M Base-TX pushpull M12 connector ports, 24VDC dual redundant power inputs.	RFD
Aquam8612	302242910	Aquam8612-B-4GE8P-PP-H6-H6	Layer 3 managed, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 8*10/100M Base-TX pushpull M12 connector PoE ports, 110VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8612	302242707	Aquam8612-NAT-8P-H6-H6	Layer 3 managed, support NAT based on hardware, 8*10/100M Base-TX M12 connector PoE ports, 110VDC dual redundant power inputs	RFD
Aquam8612	302242759	Aquam8612-4GE8P-H6-H6	Layer 3 managed, 4*10/100/1000M Base-T(X) M12 connector prots, 8*10/100M Base-TX M12 connector PoE ports, 110VDC dual redundant power inputs.	RFD
Aquam8612	302242738	Aquam8612-NAT-B-4GE8T-L2-L2-ETBN	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) M12 connector prots, 8*10/100M Base-TX M12 connector ports, 24VDC dual redundant power inputs, supports Bypass, TRDP, TTDP.	RFD
Aquam8612	302242705	Aquam8612-NAT-B-4GE8T-H6-H6	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) M12 connector prots, 8*10/100M Base-TX M12 connector ports, 110VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8612	302242894	Aquam8612-NAT-B-4GE8P-PP-H6-H6	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 8*10/100M Base-TX pushpull M12 connector PoE ports, 110VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8612	302242711	Aquam8612-NAT-B-4GE8P-H6-H6	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) M12 connector prots, 8*10/100M Base-TX M12 connector PoE ports, 110VDC dual redundant power inputs, supports Bypass.	RFD
AQUAM8612	302242947	Aquam8612-1U-B-4GE8P-H6-H6	Layer 3, 8 10/100/1000Base-T(X) PoE ports and 4 10/100/1000Base-T(X) ports with Bypass. 110VDC dual redundant power inputs	RFA
Aquam8612	302242760	Aquam8612-4GE8P-L2-L2	Layer 3 managed, 4*10/100/1000M Base-T(X) M12 connector prots, 8*10/100M Base-TX M12 connector PoE ports, 24VDC dual redundant power inputs.	RFD
Aquam8612	302242899	Aquam8612-NAT-B-4GE8P-PP-L2-L2-ETBN	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 8*10/100M Base-TX pushpull M12 connector PoE ports, 24VDC dual redundant power inputs, supports Bypass, TRDP, TTDP.	RFD
Aquam8612	302242888	Aquam8612-NAT-B-4GE8T-PP-H6-H6	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 8*10/100M Base-TX pushpull M12 connector ports, 110VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8612	302242892	Aquam8612-NAT-4GE8P-PP-H6-H6	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 8*10/100M Base-TX pushpull M12 connector PoE ports, 110VDC dual redundant power inputs.	RFD
Aquam8612	302242900	Aquam8612-8T-PP-H6-H6	Layer 3 managed, 8*10/100M Base-TX pushpull M12 connector ports, 110VDC dual redundant power inputs	RFD
AQUAM8612	302242946	Aquam8612-1U-B-12GE-H6-H6	Layer 3, 8 10/100/1000Base-T(X) ports and 4 10/100/1000Base-T(X) ports with Bypass. 110VDC dual redundant power inputs	RFA
Aquam8612	302242889	Aquam8612-NAT-B-4GE8T-PP-L2-L2	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 8*10/100M Base-TX pushpull M12 connector ports, 24VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8612	302242751	Aquam8612-8T-H6-H6	Layer 3 managed, 8*10/100M Base-TX M12 connector ports, 110VDC dual redundant power inputs	RFD
Aquam8612	302242904	Aquam8612-B-4GE8T-PP-H6-H6	Layer 3 managed, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 8*10/100M Base-TX pushpull M12 connector ports, 110VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8612	302242706	Aquam8612-NAT-B-4GE8T-L2-L2	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) M12 connector prots, 8*10/100M Base-TX M12 connector ports, 24VDC dual redundant power inputs, supports Bypass.	RFD

Aquam8612	302242886	Aquam8612-NAT-4GE8T-PP-H6-H6	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 8*10/100M Base-TX pushpull M12 connector ports, 110VDC dual redundant power inputs.	RFD
AQUAM8612	302242978	Aquam8612-1U-B-12GE-H6-H6	M23 power connector. Layer 3, 8 10/100/1000Base-T(X) ports and 4 10/100/1000Base-T(X) ports with Bypass. 110VDC dual redundant power inputs	RFA
Aquam8620	302242845	Aquam8620-NAT-B-4GE16T-PP-L2-L2	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 16*10/100M Base-TX pushpull M12 connector ports, 24VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8620	302242789	Aquam8620-16T-PP-L2-L2	Layer 3 managed, 16*10/100M Base-TX pushpull M12 connector ports, 24VDC dual redundant power inputs	RFD
Aquam8620	302242849	Aquam8620-NAT-4GE16P-PP-L2-L2	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 16*10/100M Base-TX pushpull M12 connector PoE ports, 24VDC dual redundant power inputs.	RFD
Aquam8620	302242722	Aquam8620-NAT-4GE16P-L2-L2	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) M12 connector prots, 16*10/100M Base-TX M12 connector PoE ports, 24VDC dual redundant power inputs.	RFD
Aquam8620	302242797	Aquam8620-B-4GE16P-PP-H6-H6	Layer 3 managed, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 16*10/100M Base-TX pushpull M12 connector PoE ports, 110VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8620	302242714	Aquam8620-NAT-16T-L2-L2	Layer 3 managed, support NAT based on hardware, 16*10/100M Base-TX M12 connector ports, 24VDC dual redundant power inputs	RFD
Aquam8620	302242716	Aquam8620-NAT-4GE16T-L2-L2	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) M12 connector prots, 16*10/100M Base-TX M12 connector ports, 24VDC dual redundant power inputs.	RFD
Aquam8620	302242721	Aquam8620-NAT-4GE16P-H6-H6	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) M12 connector prots, 16*10/100M Base-TX M12 connector PoE ports, 110VDC dual redundant power inputs.	RFD
Aquam8620	302242764	Aquam8620-16T-L2-L2	Layer 3 managed, 16*10/100M Base-TX M12 connector ports, 24VDC dual redundant power inputs	RFD
Aquam8620	302242787	Aquam8620-B-4GE16T-PP-L2-L2	Layer 3 managed, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 16*10/100M Base-TX pushpull M12 connector ports, 24VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8620	302242723	Aquam8620-NAT-B-4GE16P-H6-H6	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) M12 connector prots, 16*10/100M Base-TX M12 connector PoE ports, 110VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8620	302242772	Aquam8620-4GE16P-L2-L2	Layer 3 managed, 4*10/100/1000M Base-T(X) M12 connector prots, 16*10/100M Base-TX M12 connector PoE ports, 24VDC dual redundant power inputs.	RFD
Aquam8620	302242724	Aquam8620-NAT-B-4GE16P-L2-L2	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) M12 connector prots, 16*10/100M Base-TX M12 connector PoE ports, 24VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8620	302242774	Aquam8620-B-4GE16P-L2-L2	Layer 3 managed, 4*10/100/1000M Base-T(X) M12 connector prots, 16*10/100M Base-TX M12 connector PoE ports, 24VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8620	302242850	Aquam8620-NAT-B-4GE16P-PP-H6-H6	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 16*10/100M Base-TX pushpull M12 connector PoE ports, 110VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8620	302242791	Aquam8620-4GE16T-PP-L2-L2	Layer 3 managed, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 16*10/100M Base-TX pushpull M12 connector ports, 24VDC dual redundant power inputs.	RFD
Aquam8620	302248284	Aquam8620-EC-B-4GE16T-H6-H6	Layer 3 managed, 4*10/100/1000M Base-T(X) M12 connector prots, 16*10/100M Base-TX M12 connector ports, supports Bypass. PCB board without power supply board.	RFD
Aquam8620	302242713	Aquam8620-NAT-16T-H6-H6	Layer 3 managed, support NAT based on hardware, 16*10/100M Base-TX M12 connector ports, 110VDC dual redundant power inputs	RFD
Aquam8620	302242851	Aquam8620-NAT-B-4GE16P-PP-L2-L2	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 16*10/100M Base-TX pushpull M12 connector PoE ports, 24VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8620	302242743	Aquam8620-NAT-B-4GE16P-H6-H6-ETBN	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) M12 connector prots, 16*10/100M Base-TX M12 connector PoE ports, 110VDC dual redundant power inputs, supports Bypass, TRDP, TTDP.	RFD
Aquam8620	302242796	Aquam8620-4GE16P-PP-L2-L2	Layer 3 managed, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 16*10/100M Base-TX pushpull M12 connector PoE ports, 24VDC dual redundant power inputs.	RFD

Aquam8620	302242742	Aquam8620-NAT-B-4GE16T-L2-L2-ETBN	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) M12 connector prots, 16*10/100M Base-TX M12 connector ports, 24VDC dual redundant power inputs, supports Bypass, TRDP, TTDP.	RFD
Aquam8620	302242842	Aquam8620-NAT-4GE16T-PP-H6-H6	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 16*10/100M Base-TX pushpull M12 connector ports, 110VDC dual redundant power inputs.	RFD
Aquam8620	302242846	Aquam8620-NAT-16P-PP-H6-H6	Layer 3 managed, support NAT based on hardware, 16*10/100M Base-TX pushpull M12 connector PoE ports, 110VDC dual redundant power inputs	RFD
Aquam8620	302242767	Aquam8620-B-4GE16T-H6-H6	Layer 3 managed, 4*10/100/1000M Base-T(X) M12 connector prots, 16*10/100M Base-TX M12 connector ports, 110VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8620	302242773	Aquam8620-B-4GE16P-H6-H6	Layer 3 managed, 4*10/100/1000M Base-T(X) M12 connector prots, 16*10/100M Base-TX M12 connector PoE ports, 110VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8620	302242853	Aquam8620-NAT-B-4GE16T-PP-L2-L2-ETBN	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 16*10/100M Base-TX pushpull M12 connector ports, 24VDC dual redundant power inputs, supports Bypass, TRDP, TTDP.	RFD
Aquam8620	302242719	Aquam8620-NAT-16P-H6-H6	Layer 3 managed, support NAT based on hardware, 16*10/100M Base-TX M12 connector PoE ports, 110VDC dual redundant power inputs	RFD
Aquam8620	302242854	Aquam8620-NAT-B-4GE16P-PP-H6-H6-ETBN	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 16*10/100M Base-TX pushpull M12 connector PoE ports, 110VDC dual redundant power inputs, supports Bypass, TRDP, TTDP.	RFD
Aquam8620	302242841	Aquam8620-NAT-16T-PP-L2-L2	Layer 3 managed, support NAT based on hardware, 16*10/100M Base-TX pushpull M12 connector ports, 24VDC dual redundant power inputs	RFD
Aquam8620	302242790	Aquam8620-4GE16T-PP-H6-H6	Layer 3 managed, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 16*10/100M Base-TX pushpull M12 connector ports, 110VDC dual redundant power inputs.	RFD
Aquam8620	302242844	Aquam8620-NAT-B-4GE16T-PP-H6-H6	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 16*10/100M Base-TX pushpull M12 connector ports, 110VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8620	302242852	Aquam8620-NAT-B-4GE16T-PP-H6-H6-ETBN	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 16*10/100M Base-TX pushpull M12 connector ports, 110VDC dual redundant power inputs, supports Bypass, TRDP, TTDP.	RFD
Aquam8620	302242794	Aquam8620-16P-PP-L2-L2	Layer 3 managed, 16*10/100M Base-TX pushpull M12 connector PoE ports, 24VDC dual redundant power inputs	RFD
Aquam8620	302242768	Aquam8620-B-4GE16T-L2-L2	Layer 3 managed, 4*10/100/1000M Base-T(X) M12 connector prots, 16*10/100M Base-TX M12 connector ports, 24VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8620	302242766	Aquam8620-4GE16T-L2-L2	Layer 3 managed, 4*10/100/1000M Base-T(X) M12 connector prots, 16*10/100M Base-TX M12 connector ports, 24VDC dual redundant power inputs.	RFD
Aquam8620	302242769	Aquam8620-16P-H6-H6	Layer 3 managed, 16*10/100M Base-TX M12 connector PoE ports, 110VDC dual redundant power inputs	RFD
Aquam8620	302242793	Aquam8620-16P-PP-H6-H6	Layer 3 managed, 16*10/100M Base-TX pushpull M12 connector PoE ports, 110VDC dual redundant power inputs	RFD
Aquam8620	302242840	Aquam8620-NAT-16T-PP-H6-H6	Layer 3 managed, support NAT based on hardware, 16*10/100M Base-TX pushpull M12 connector ports, 110VDC dual redundant power inputs	RFD
Aquam8620	302242788	Aquam8620-16T-PP-H6-H6	Layer 3 managed, 16*10/100M Base-TX pushpull M12 connector ports, 110VDC dual redundant power inputs	RFD
Aquam8620	302242763	Aquam8620-16T-H6-H6	Layer 3 managed, 16*10/100M Base-TX M12 connector ports, 110VDC dual redundant power inputs	RFD
Aquam8620	302242717	Aquam8620-NAT-B-4GE16T-H6-H6	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) M12 connector prots, 16*10/100M Base-TX M12 connector ports, 110VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8620	302242855	Aquam8620-NAT-B-4GE16P-PP-L2-L2-ETBN	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 16*10/100M Base-TX pushpull M12 connector PoE ports, 24VDC dual redundant power inputs, supports Bypass, TRDP, TTDP.	RFD
Aquam8620	302242848	Aquam8620-NAT-4GE16P-PP-H6-H6	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 16*10/100M Base-TX pushpull M12 connector PoE ports, 110VDC dual redundant power inputs.	RFD
Aquam8620	302242741	Aquam8620-NAT-B-4GE16T-H6-H6-ETBN	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) M12 connector prots, 16*10/100M Base-TX M12 connector ports, 110VDC dual redundant power inputs, supports Bypass, TRDP, TTDP.	RFD

Aquam8620	302242792	Aquam8620-B-4GE16T-PP-H6-H6	Layer 3 managed, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 16*10/100M Base-TX pushpull M12 connector ports, 110VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8620	302242718	Aquam8620-NAT-B-4GE16T-L2-L2	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) M12 connector prots, 16*10/100M Base-TX M12 connector ports, 24VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8620	302242744	Aquam8620-NAT-B-4GE16P-L2-L2-ETBN	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) M12 connector prots, 16*10/100M Base-TX M12 connector PoE ports, 24VDC dual redundant power inputs, supports Bypass, TRDP, TTDP.	RFD
Aquam8620	302242798	Aquam8620-B-4GE16P-PP-L2-L2	Layer 3 managed, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 16*10/100M Base-TX pushpull M12 connector PoE ports, 24VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8620	302242795	Aquam8620-4GE16P-PP-H6-H6	Layer 3 managed, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 16*10/100M Base-TX pushpull M12 connector PoE ports, 110VDC dual redundant power inputs.	RFD
Aquam8620	302242720	Aquam8620-NAT-16P-L2-L2	Layer 3 managed, support NAT based on hardware, 16*10/100M Base-TX M12 connector PoE ports, 24VDC dual redundant power inputs	RFD
Aquam8620	302242771	Aquam8620-4GE16P-H6-H6	Layer 3 managed, 4*10/100/1000M Base-T(X) M12 connector prots, 16*10/100M Base-TX M12 connector PoE ports, 110VDC dual redundant power inputs.	RFD
Aquam8620	302242715	Aquam8620-NAT-4GE16T-H6-H6	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) M12 connector prots, 16*10/100M Base-TX M12 connector ports, 110VDC dual redundant power inputs.	RFD
Aquam8620	302242765	Aquam8620-4GE16T-H6-H6	Layer 3 managed, 4*10/100/1000M Base-T(X) M12 connector prots, 16*10/100M Base-TX M12 connector ports, 110VDC dual redundant power inputs.	RFD
Aquam8620	302242770	Aquam8620-16P-L2-L2	Layer 3 managed, 16*10/100M Base-TX M12 connector PoE ports, 24VDC dual redundant power inputs	RFD
Aquam8620	302242843	Aquam8620-NAT-4GE16T-PP-L2-L2	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 16*10/100M Base-TX pushpull M12 connector ports, 24VDC dual redundant power inputs.	RFD
Aquam8620	302242847	Aquam8620-NAT-16P-PP-L2-L2	Layer 3 managed, support NAT based on hardware, 16*10/100M Base-TX pushpull M12 connector PoE ports, 24VDC dual redundant power inputs	RFD
Aquam8628	302242876	Aquam8628-B-4GE24T-PP-H6-H6	Layer 3 managed, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 24*10/100M Base-TX pushpull M12 connector ports, 110VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8628	302242780	Aquam8628-B-4GE24T-L2-L2	Layer 3 managed, 4*10/100/1000M Base-T(X) M12 connector prots, 24*10/100M Base-TX M12 connector ports, 24VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8628	302242867	Aquam8628-NAT-B-4GE24P-PP-L2-L2	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 24*10/100M Base-TX pushpull M12 connector PoE ports, 24VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8628	302242866	Aquam8628-NAT-B-4GE24P-PP-H6-H6	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 24*10/100M Base-TX pushpull M12 connector PoE ports, 110VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8628	302242865	Aquam8628-NAT-4GE24P-PP-L2-L2	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 24*10/100M Base-TX pushpull M12 connector PoE ports, 24VDC dual redundant power inputs.	RFD
Aquam8628	302242881	Aquam8628-4GE24P-PP-L2-L2	Layer 3 managed, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 24*10/100M Base-TX pushpull M12 connector PoE ports, 24VDC dual redundant power inputs.	RFD
Aquam8628	302242734	Aquam8628-NAT-4GE24P-L2-L2	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) M12 connector prots, 24*10/100M Base-TX M12 connector PoE ports, 24VDC dual redundant power inputs.	RFD
Aquam8628	302242735	Aquam8628-NAT-B-4GE24P-H6-H6	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) M12 connector prots, 24*10/100M Base-TX M12 connector PoE ports, 110VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8628	302242732	Aquam8628-NAT-24P-L2-L2	Layer 3 managed, support NAT based on hardware, 24*10/100M Base-TX M12 connector PoE ports, 24VDC dual redundant power inputs	RFD
Aquam8628	302242727	Aquam8628-NAT-4GE24T-H6-H6	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) M12 connector prots, 24*10/100M Base-TX M12 connector ports, 110VDC dual redundant power inputs.	RFD

Aquam8628	302242856	Aquam8628-NAT-24T-PP-H6-H6	Layer 3 managed, support NAT based on hardware, 24*10/100M Base-TX pushpull M12 connector ports, 110VDC dual redundant power inputs	RFD
Aquam8628	302242785	Aquam8628-B-4GE24P-H6-H6	Layer 3 managed, 4*10/100/1000M Base-T(X) M12 connector prots, 24*10/100M Base-TX M12 connector PoE ports, 110VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8628	302242736	Aquam8628-NAT-B-4GE24P-L2-L2	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) M12 connector prots, 24*10/100M Base-TX M12 connector PoE ports, 24VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8628	302242859	Aquam8628-NAT-4GE24T-PP-L2-L2	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) pushpull M12 connector prots,24*10/100M Base-TX pushpull M12 connector ports, 24VDC dual redundant power inputs.	RFD
Aquam8628	302242872	Aquam8628-24T-PP-H6-H6	Layer 3 managed, 24*10/100M Base-TX pushpull M12 connector ports, 110VDC dual redundant power inputs	RFD
Aquam8628	302242883	Aquam8628-B-4GE24P-PP-L2-L2	Layer 3 managed, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 24*10/100M Base-TX pushpull M12 connector PoE ports, 24VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8628	302242781	Aquam8628-24P-H6-H6	Layer 3 managed, 24*10/100M Base-TX M12 connector PoE ports, 110VDC dual redundant power inputs	RFD
Aquam8628	302242784	Aquam8628-4GE24P-L2-L2	Layer 3 managed, 4*10/100/1000M Base-T(X) M12 connector prots, 24*10/100M Base-TX M12 connector PoE ports, 24VDC dual redundant power inputs.	RFD
Aquam8628	302242858	Aquam8628-NAT-4GE24T-PP-H6-H6	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 24*10/100M Base-TX pushpull M12 connector ports, 110VDC dual redundant power inputs.	RFD
Aquam8628	302242775	Aquam8628-24T-H6-H6	Layer 3 managed, 24*10/100M Base-TX M12 connector ports, 110VDC dual redundant power inputs	RFD
Aquam8628	302242731	Aquam8628-NAT-24P-H6-H6	Layer 3 managed, support NAT based on hardware, 24*10/100M Base-TX M12 connector PoE ports, 110VDC dual redundant power inputs	RFD
Aquam8628	302242861	Aquam8628-NAT-B-4GE24T-PP-L2-L2	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 24*10/100M Base-TX pushpull M12 connector ports, 24VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8628	302242880	Aquam8628-4GE24P-PP-H6-H6	Layer 3 managed, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 24*10/100M Base-TX pushpull M12 connector PoE ports, 110VDC dual redundant power inputs.	RFD
Aquam8628	302242882	Aquam8628-B-4GE24P-PP-H6-H6	Layer 3 managed, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 24*10/100M Base-TX pushpull M12 connector PoE ports, 110VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8628	302242860	Aquam8628-NAT-B-4GE24T-PP-H6-H6	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 24*10/100M Base-TX pushpull M12 connector ports, 110VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8628	302242725	Aquam8628-NAT-24T-H6-H6	Layer 3 managed, support NAT based on hardware, 24*10/100M Base-TX M12 connector ports, 110VDC dual redundant power inputs	RFD
Aquam8628	302242874	Aquam8628-4GE24T-PP-H6-H6	Layer 3 managed, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 24*10/100M Base-TX pushpull M12 connector ports, 110VDC dual redundant power inputs.	RFD
Aquam8628	302242782	Aquam8628-24P-L2-L2	Layer 3 managed, 24*10/100M Base-TX M12 connector PoE ports, 24VDC dual redundant power inputs	RFD
Aquam8628	302242748	Aquam8628-NAT-B-4GE24P-L2-L2-ETBN	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) M12 connector prots, 24*10/100M Base-TX M12 connector PoE ports, 24VDC dual redundant power inputs, supports Bypass, TRDP, TTDP.	RFD
Aquam8628	302242877	Aquam8628-B-4GE24T-PP-L2-L2	Layer 3 managed, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 24*10/100M Base-TX pushpull M12 connector ports, 24VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8628	302242875	Aquam8628-4GE24T-PP-L2-L2	Layer 3 managed, 4*10/100/1000M Base-T(X) pushpull M12 connector prots,24*10/100M Base-TX pushpull M12 connector ports, 24VDC dual redundant power inputs.	RFD
Aquam8628	302242726	Aquam8628-NAT-24T-L2-L2	Layer 3 managed, support NAT based on hardware, 24*10/100M Base-TX M12 connector ports, 24VDC dual redundant power inputs	RFD
Aquam8628	302242878	Aquam8628-24P-PP-H6-H6	Layer 3 managed, 24*10/100M Base-TX pushpull M12 connector PoE ports, 110VDC dual redundant power inputs	RFD
Aquam8628	302242746	Aquam8628-NAT-B-4GE24T-L2-L2-ETBN	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) M12 connector prots, 24*10/100M Base-TX M12 connector ports, 24VDC dual redundant power inputs, supports Bypass, TRDP, TTDP.	RFD

Aquam8628	302242871	Aquam8628-NAT-B-4GE24P-PP-L2-L2-ETBN	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 24*10/100M Base-TX pushpull M12 connector PoE ports, 24VDC dual redundant power inputs, supports Bypass, TRDP, TTDP.	RFD
Aquam8628	302242778	Aquam8628-4GE24T-L2-L2	Layer 3 managed, 4*10/100/1000M Base-T(X) M12 connector prots,24*10/100M Base-TX M12 connector ports, 24VDC dual redundant power inputs.	RFD
Aquam8628	302242870	Aquam8628-NAT-B-4GE24P-PP-H6-H6-ETBN	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 24*10/100M Base-TX pushpull M12 connector PoE ports, 110VDC dual redundant power inputs, supports Bypass, TRDP, TTDP.	RFD
Aquam8628	302242864	Aquam8628-NAT-4GE24P-PP-H6-H6	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 24*10/100M Base-TX pushpull M12 connector PoE ports, 110VDC dual redundant power inputs.	RFD
Aquam8628	302242868	Aquam8628-NAT-B-4GE24T-PP-H6-H6-ETBN	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 24*10/100M Base-TX pushpull M12 connector ports, 110VDC dual redundant power inputs, supports Bypass, TRDP, TTDP.	RFD
Aquam8628	302242733	Aquam8628-NAT-4GE24P-H6-H6	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) M12 connector prots, 24*10/100M Base-TX M12 connector PoE ports, 110VDC dual redundant power inputs.	RFD
Aquam8628	302242863	Aquam8628-NAT-24P-PP-L2-L2	Layer 3 managed, support NAT based on hardware, 24*10/100M Base-TX pushpull M12 connector PoE ports, 24VDC dual redundant power inputs	RFD
Aquam8628	302242783	Aquam8628-4GE24P-H6-H6	Layer 3 managed, 4*10/100/1000M Base-T(X) M12 connector prots, 24*10/100M Base-TX M12 connector PoE ports, 110VDC dual redundant power inputs.	RFD
Aquam8628	302242862	Aquam8628-NAT-24P-PP-H6-H6	Layer 3 managed, support NAT based on hardware, 24*10/100M Base-TX pushpull M12 connector PoE ports, 110VDC dual redundant power inputs	RFD
Aquam8628	302242857	Aquam8628-NAT-24T-PP-L2-L2	Layer 3 managed, support NAT based on hardware, 24*10/100M Base-TX pushpull M12 connector ports, 24VDC dual redundant power inputs	RFD
Aquam8628	302242728	Aquam8628-NAT-4GE24T-L2-L2	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) M12 connector prots,24*10/100M Base-TX M12 connector ports, 24VDC dual redundant power inputs.	RFD
Aquam8628	302242873	Aquam8628-24T-PP-L2-L2	Layer 3 managed, 24*10/100M Base-TX pushpull M12 connector ports, 24VDC dual redundant power inputs	RFD
Aquam8628	302242869	Aquam8628-NAT-B-4GE24T-PP-L2-L2-ETBN	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) pushpull M12 connector prots, 24*10/100M Base-TX pushpull M12 connector ports, 24VDC dual redundant power inputs, supports Bypass, TRDP, TTDP.	RFD
Aquam8628	302242879	Aquam8628-24P-PP-L2-L2	Layer 3 managed, 24*10/100M Base-TX pushpull M12 connector PoE ports, 24VDC dual redundant power inputs	RFD
Aquam8628	302242786	Aquam8628-B-4GE24P-L2-L2	Layer 3 managed, 4*10/100/1000M Base-T(X) M12 connector prots, 24*10/100M Base-TX M12 connector PoE ports, 24VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8628	302242745	Aquam8628-NAT-B-4GE24T-H6-H6-ETBN	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) M12 connector prots, 24*10/100M Base-TX M12 connector ports, 110VDC dual redundant power inputs, supports Bypass, TRDP, TTDP.	RFD
Aquam8628	302242776	Aquam8628-24T-L2-L2	Layer 3 managed, 24*10/100M Base-TX M12 connector ports, 24VDC dual redundant power inputs	RFD
Aquam8628	302242729	Aquam8628-NAT-B-4GE24T-H6-H6	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) M12 connector prots, 24*10/100M Base-TX M12 connector ports, 110VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8628	302242730	Aquam8628-NAT-B-4GE24T-L2-L2	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) M12 connector prots, 24*10/100M Base-TX M12 connector ports, 24VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8628	302242779	Aquam8628-B-4GE24T-H6-H6	Layer 3 managed, 4*10/100/1000M Base-T(X) M12 connector prots, 24*10/100M Base-TX M12 connector ports, 110VDC dual redundant power inputs, supports Bypass.	RFD
Aquam8628	302242747	Aquam8628-NAT-B-4GE24P-H6-H6-ETBN	Layer 3 managed, support NAT based on hardware, 4*10/100/1000M Base-T(X) M12 connector prots, 24*10/100M Base-TX M12 connector PoE ports, 110VDC dual redundant power inputs, supports Bypass, TRDP, TTDP.	RFD
Aquam8628	302242777	Aquam8628-4GE24T-H6-H6	Layer 3 managed, 4*10/100/1000M Base-T(X) M12 connector prots, 24*10/100M Base-TX M12 connector ports, 110VDC dual redundant power inputs.	RFD
Aquam8A	302244301	Aquam8A-8T-LV-LV	Un-managed,8 10/100Base-TX M12 ports,18-30VAC/12-48VDC(18-30VAC/9-60VDC) dual redundant power inputs,IP65	RFD
AQUAM8A	302244304	Aquam8A-E-8T-PP-LV-LV	Un-managed,8*10/100Base-TX pushpull M12 ports,18-30VAC/12-48VDC(18-30VAC/9-60VDC) dual redundant power inputs,IP65, -10~60°C	RFD

AQUAM8A	302244303	Aquam8A-E-8T-LV-LV	Un-managed,8*10/100Base-TX M12 ports,18-30VAC/12-48VDC(18-30VAC/9-60VDC) dual redundant power inputs,IP65, -10~60°C	RFD
Aquam8A	302244302	Aquam8A-8T-PP-LV-LV	Un-managed,8 10/100Base-TX pushpull M12 ports,18-30VAC/12-48VDC(18-30VAC/9-60VDC) dual redundant power inputs,IP65	RFD
Aquam8G	302244201	Aquam8G-8GE-L13-L13	Un-managed, 8*10/100/1000M Base-TX M12 connector, 24VDC dual redundant power inputs	RFD
Aquam8G	302244202	Aquam8G-8GE-H6-H6	Un-managed, 8*10/100/1000M Base-TX M12 connector, 110VDC dual redundant power inputs	RFD
Aquam8S	302244004	Aquam8S-8P-WV-WV	Un-managed, 8*10/100M Base-TX M12 PoE connector, 24-110VDC dual redundant power inputs	RFD
Aquam9S	302246001	Aquam9S-1GE8P-WV-WV	Un-managed, 1*10/100/1000M Base-T(X) M12 port and 8*10/100M Base-TX M12 PoE connector, 24-110VDC dual redundant power inputs	RFD
AQUAM...	302182002	DT-XL-PWR-M16-XXX-3m	3m connecting line with M16 connector for power ports (from M16 to the exposed end)	RFD
AQUAM...	302182000	DT-XL-PWR-M12-XXX-3m	3m connecting line with M12 connector for power ports (from M12 to the exposed end)	RFD
BNC connector	107994029	DT-ZJQ-BNC-TNC-01	BNC (female) to TNC (female) connector	RFD
Cable	111020031	DB9P/M-RJ50-10P/M-PVC	Cable-DB9PM-RJ50-10PM-PVC	RFD
Coaxial cable	111010021	DT-XL-LMR400-TNC-BNC-3m	2m coaxial cable with BNC(male) to TNC(male) adaptor	RFD
Coaxial cable	111010020	DT-XL-LMR400-TNC-BNC-20m	20m coaxial cable with BNC(male) to TNC(male) adaptor	RFD
DG-A16	310020803	DGW-A16X-1-1201-C6	85~264V AC/100~300V DC;4 x 10/100M BASE-T;8 x RS232/RS485+8 x RS485 SERIAL PORTS;COMMON/MMS Client/Sever	RFD
DG-A16	310020802	DGW-A16X-1-1201-C4	85~264V AC/100~300V DC;4 x 10/100M BASE-T;8 x RS232/RS485+8 x RS485 SERIAL PORTS;COMMON/MMS Sever	RFD
DG-A16	310020801	DGW-A16X-1-1201-C0	85~264V AC/100~300V DC;4 x 10/100M BASE-T;8 x RS232/RS485+8 x RS485 SERIAL PORTS;COMMON	RFD
DG-A16	310028012	DGW-A16X-1-1201-P0	85~264V AC/100~300V DC;4 x 10/100M BASE-T;8 x RS232/RS485+8 x RS485 SERIAL PORTS;Private	RFD
DG-A2	310020025	DGW-A2X-5-1001-C0	12~24VDC;1 x 10/100M BASE-T;2 x RS232/RS485 SERIAL PORTS;GPRS/3G;COMMON	EOL
DG-A4	310020247	DGW-A4X-5-1000-C5	12~24V DC;2 x 10/100M BASE-T;4 x RS232/RS485 SERIAL PORTS;COMMON/MMS Client	RFD
DG-A4	310020242	DGW-A4X-1-1000-C5	85~264V AC(50/60Hz);2 x 10/100M BASE-T;4 x RS232/RS485 SERIAL PORTS;COMMON/MMS Client	EOL
DG-A4	310020244	DGW-A4X-5-1000-C0	12~24V DC;2 x 10/100M BASE-T;4 x RS232/RS485 SERIAL PORTS;COMMON	EOL
DG-A4	310020241	DGW-A4X-1-1000-C4	85~264V AC(50/60Hz);2 x 10/100M BASE-T;4 x RS232/RS485 SERIAL PORTS;COMMON/MMS Sever	EOL
DG-A4	310020243	DGW-A4X-1-1000-C6	85~264V AC(50/60Hz);2 x 10/100M BASE-T;4 x RS232/RS485 SERIAL PORTS;COMMON/MMS Client/Sever	EOL
DG-A8	310020245	DGW-A8X-1-1101-C5	85~264V AC/100~300V DC;4 x 10/100M BASE-T;8 x RS232/RS485 SERIAL PORTS;COMMON/MMS Client	RFD
DGW-A16X	310020215	DGW-A16X-1-1201-A5	85~264V AC/100~300V DC;4 x 10/100M BASE-T;8 x RS232/RS485+8 x RS485 SERIAL PORTS;DEFAULT/MMS Client	RFD
DGW-A16X	310020214	DGW-A16X-1-1201-A4	85~264V AC/100~300V DC;4 x 10/100M BASE-T;8 x RS232/RS485+8 x RS485 SERIAL PORTS;DEFAULT/MMS Sever	RFD
DGW-A16X	310020216	DGW-A16X-1-1201-A6	85~264V AC/100~300V DC;4 x 10/100M BASE-T;8 x RS232/RS485+8 x RS485 SERIAL PORTS;DEFAULT/MMS Client/Sever	RFD
DGW-A16X	310020213	DGW-A16X-1-1201-00	85~264V AC/100~300V DC;4 x 10/100M BASE-T;8 x RS232/RS485+8 x RS485 SERIAL PORTS;DEFAULT	RFD
DGW-A2X	310020013	DGW-A2X-5-1001-00	12~24VDC;1 x 10/100M BASE-T;2 x RS232/RS485 SERIAL PORTS;GPRS/3G;DEFAULT	RFD
DGW-A2X	310020011	DGW-A2X-5-1000-A5	12~24VDC;1 x 10/100M BASE-T;2 x RS232/RS485 SERIAL PORTS;DEFAULT/MMS Client	EOL
DGW-A2X	310020015	DGW-A2X-5-1001-A5	12~24VDC;1 x 10/100M BASE-T;2 x RS232/RS485 SERIAL PORTS;GPRS/3G;DEFAULT/MMS Client	RFD
DGW-A2X	310020009	DGW-A2X-5-1000-00	12~24VDC;1 x 10/100M BASE-T;2 x RS232/RS485 SERIAL PORTS;DEFAULT	EOL
DGW-A2X	310020010	DGW-A2X-5-1000-A4	12~24VDC;1 x 10/100M BASE-T;2 x RS232/RS485 SERIAL PORTS;DEFAULT/MMS Sever	EOL
DGW-A2X	310020030	DGW-A2X-5-1000-P6	12~24VDC;1 x 10/100M BASE-T;2 x RS232/RS485 SERIAL PORTS;Private/MMS Client/Sever	EOL
DGW-A2X	310020012	DGW-A2X-5-1000-A6	12~24VDC;1 x 10/100M BASE-T;2 x RS232/RS485 SERIAL PORTS;DEFAULT/MMS Client/Sever	RFD
DGW-A2X	310020016	DGW-A2X-5-1001-A6	12~24VDC;1 x 10/100M BASE-T;2 x RS232/RS485 SERIAL PORTS;GPRS/3G;DEFAULT/MMS Client/Sever	RFD
DGW-A2X	310020014	DGW-A2X-5-1001-A4	12~24VDC;1 x 10/100M BASE-T;2 x RS232/RS485 SERIAL PORTS;GPRS/3G;DEFAULT/MMS Sever	RFD
DGW-A4X	310020125	DGW-A4X-5-1000-00	12~24V DC;2 x 10/100M BASE-T;4 x RS232/RS485 SERIAL PORTS;DEFAULT	EOL
DGW-A4X	310020105	DGW-A4X-1-1001-00	85~264V AC(50/60Hz);2 x 10/100M BASE-T;4 x RS232/RS485 SERIAL PORTS;GPRS/3G;DEFAULT	EOL
DGW-A4X	310020251	DGW-A4X-5-1000-P0	12~24V DC;2 x 10/100M BASE-T;4 x RS232/RS485 SERIAL PORTS;Private	EOL
DGW-A4X	310020126	DGW-A4X-5-1000-A4	12~24V DC;2 x 10/100M BASE-T;4 x RS232/RS485 SERIAL PORTS;DEFAULT/MMS Sever	RFD

DGW-A4X	310020129	DGW-A4X-5-1001-00	12~24V DC;2 x 10/100M BASE-T;4 x RS232/RS485 SERIAL PORTS;GPRS/3G;DEFAULT	EOL
DGW-A4X	310000020	DGW-A4X-1-1000-00	85~264V AC(50/60Hz);2 x 10/100M BASE-T;4 x RS232/RS485 SERIAL PORTS;DEFAULT	EOL
DGW-A4X	310020106	DGW-A4X-1-1001-A4	85~264V AC(50/60Hz);2 x 10/100M BASE-T;4 x RS232/RS485 SERIAL PORTS;GPRS/3G;DEFAULT/MMS Sever	EOL
DGW-A4X	310020104	DGW-A4X-1-1000-A6	85~264V AC(50/60Hz);2 x 10/100M BASE-T;4 x RS232/RS485 SERIAL PORTS;DEFAULT/MMS Client/Sever	EOL
DGW-A4X	310020107	DGW-A4X-1-1001-A5	85~264V AC(50/60Hz);2 x 10/100M BASE-T;4 x RS232/RS485 SERIAL PORTS;GPRS/3G;DEFAULT/MMS Client	EOL
DGW-A4X	310020131	DGW-A4X-5-1001-A5	12~24V DC;2 x 10/100M BASE-T;4 x RS232/RS485 SERIAL PORTS;GPRS/3G;DEFAULT/MMS Client	EOL
DGW-A4X	310020103	DGW-A4X-1-1000-A5	85~264V AC(50/60Hz);2 x 10/100M BASE-T;4 x RS232/RS485 SERIAL PORTS;DEFAULT/MMS Client	EOL
DGW-A4X	310020108	DGW-A4X-1-1001-A6	85~264V AC(50/60Hz);2 x 10/100M BASE-T;4 x RS232/RS485 SERIAL PORTS;GPRS/3G;DEFAULT/MMS Client/Sever	EOL
DGW-A4X	310020130	DGW-A4X-5-1001-A4	12~24V DC;2 x 10/100M BASE-T;4 x RS232/RS485 SERIAL PORTS;GPRS/3G;DEFAULT/MMS Sever	EOL
DGW-A4X	310020197	DGW-A4X-1-1000-C0	85~264V AC(50/60Hz);2 x 10/100M BASE-T;4 x RS232/RS485 SERIAL PORTS;COMMON	EOL
DGW-A4X	310020132	DGW-A4X-5-1001-A6	12~24V DC;2 x 10/100M BASE-T;4 x RS232/RS485 SERIAL PORTS;GPRS/3G;DEFAULT/MMS Client/Sever	EOL
DGW-A4X	310020102	DGW-A4X-1-1000-A4	85~264V AC(50/60Hz);2 x 10/100M BASE-T;4 x RS232/RS485 SERIAL PORTS;DEFAULT/MMS Sever	EOL
DGW-A4X	310020127	DGW-A4X-5-1000-A5	12~24V DC;2 x 10/100M BASE-T;4 x RS232/RS485 SERIAL PORTS;DEFAULT/MMS Client	RFD
DGW-A4X	310020250	DGW-A4X-1-1000-P0	85~264V AC(50/60Hz);2 x 10/100M BASE-T;4 x RS232/RS485 SERIAL PORTS;Private	EOL
DGW-A4X	310020128	DGW-A4X-5-1000-A6	12~24V DC;2 x 10/100M BASE-T;4 x RS232/RS485 SERIAL PORTS;DEFAULT/MMS Client/Sever	RFD
DGW-A6T	310020304	DGW-A6T-6T8D-L5-L5	8xRS232/RS422/RS485 serial ports,6x10/100M RJ45,9-36VDC Dual	RFD
DGW-A6T	310020309	DGW-A6T-6T16D-HV	8xRS232/RS422/RS485 serial ports+8xRS485 serial ports,6x10/100M RJ45,HV Single	RFD
DGW-A6T	310020305	DGW-A6T-6T16D-L5	8xRS232/RS422/RS485 serial ports+8xRS485 serial ports,6x10/100M RJ45,9-36VDC Single	RFD
DGW-A6T	310020303	DGW-A6T-6T8D-L5	8xRS232/RS422/RS485 serial ports,6x10/100M RJ45,9-36VDC Single	RFD
DGW-A6T	310020308	DGW-A6T-6T8D-HV-HV	8xRS232/RS422/RS485 serial ports,6x10/100M RJ45,HV Dual	RFD
DGW-A6T	310020306	DGW-A6T-6T16D-L5-L5	8xRS232/RS422/RS485 serial ports+8xRS485 serial ports,6x10/100M RJ45,9-36VDC Dual	RFD
DGW-A6T	310020307	DGW-A6T-6T8D-HV	8xRS232/RS422/RS485 serial ports,6x10/100M RJ45,HV Single	RFD
DGW-A6T	310020310	DGW-A6T-6T16D-HV-HV	8xRS232/RS422/RS485 serial ports+8xRS485 serial ports,6x10/100M RJ45,HV Dual	RFD
DGW-A8X	310020202	DGW-A8X-1-1101-A4	85~264V AC/100~300V DC;4 x 10/100M BASE-T;8 x RS232/RS485 SERIAL PORTS;DEFAULT/MMS Sever	RFD
DGW-A8X	310020204	DGW-A8X-1-1101-A6	85~264V AC/100~300V DC;4 x 10/100M BASE-T;8 x RS232/RS485 SERIAL PORTS;DEFAULT/MMS Client/Sever	RFD
DGW-A8X	310020201	DGW-A8X-1-1101-00	85~264V AC/100~300V DC;4 x 10/100M BASE-T;8 x RS232/RS485 SERIAL PORTS;DEFAULT	RFD
DGW-A8X	310020203	DGW-A8X-1-1101-A5	85~264V AC/100~300V DC;4 x 10/100M BASE-T;8 x RS232/RS485 SERIAL PORTS;DEFAULT/MMS Client	RFD
DT-BGAZ	109020049	DT-BGAZ-01	Panel for panel mounting, KIEN1005A, KOM300M, KOM600G, KOM600, KOM300A, SICOM300F, Opal5, Opal5G, Opal8, Opal8A	RFD
DT-BGAZ	109020050	DT-BGAZ-02	Panel for panel mounting, SICOM3009A, SICOM3307S, KIEN7009, KIEN3016A, KIEN1009, Ruby3A, SICOM6000A, SICOM3000A, SICOM3000A-LITE, Opal10, Opal10G, Opal20	RFD
DT-BGAZ	199000083	DT-BGAZ-05	Panel for panel mounting, SICOM3000, SICOM3000BA, SICOM3000S	RFD
DT-FCZ	109999005	DT-RJ45	Dustproof cover for RJ45 port	RFD
GPS	107994011	DT-GPS-ANT-01	GPS Antenna	RFD
GPS	107994013	DT-SP-01	GPS Surge Protection AR21T	RFD
KGW3101	302172003	KGW3101-1T1D-L17-L17	1 10/100Base-T(X) Ethernet port, 1 RS232/RS422/RS485 serial port,12-48VDC, dual power supply, Serial-to-Ethernet Modbus gateways	RFD
KGW3102	302172103	KGW3102-1T2D-L17-L17	1 10/100Base-T(X) Ethernet port, 2 RS232/RS422/RS485 serial port,12-48VDC, dual power supply, Serial-to-Ethernet Modbus gateways	RFD
KGW3204	302172203	KGW3204-2T4D-L17-L17	2 10/100Base-T(X) Ethernet port, 4 RS232/RS422/RS485 serial port,12-48VDC, dual power supply, Serial-to-Ethernet Modbus gateways	RFD
KOM-RM	302183003	KOM-RM-H1-H1	Bracket for rack mounting, 482.6mm*132mm*300mm, can be installed with max 10 KOM300A, KOM300M, KOM600 or KOM600G. 100-240VAC/220VDC(85-264VAC/120-300VDC) dual redundant power supplies.(preassemble)	RFD
KOM-RM	302183005	KOM-RM-H1	Bracket for rack mounting, 482.6mm*132mm*300mm, can be installed with max 10 KOM300A, KOM300M, KOM600 or KOM600G. 100-240VAC/220VDC(85-264VAC/120-300VDC) single power supply.(preassemble)	RFD
KOM200	302110055	KOM200-1S-FC40-485/232-L5	1 100Base-FX single mode fiber port, FC connector, 1310nm, 40km, 1 RS485 serial port, 2 RS232 serial port, 12-24VDC(9-36VDC) single power supply	RFD

KOM200	302110065	KOM200-1M-ST05-485/232A-L5	1 100Base-FX multi mode fiber port, ST connector, 1310nm, 5km, 1 RS485 serial port, 2 RS232 serial port, the 2nd channel of RS232 and the 3rd channel of RS485 are multiplexing, 12-24VDC(9-36VDC) single power supply	RFD
KOM200	302110057	KOM200-1M-SC05-485/232-L5	1 100Base-FX multi mode fiber port, SC connector, 1310nm, 5km, 1 RS485 serial port, 2 RS232 serial port, 12-24VDC(9-36VDC) single power supply	RFD
KOM200	302110048	KOM200-1S-SC40-232/422-L5	1 100Base-FX single mode fiber port, SC connector, 1310nm, 40km, 1 RS232 serial port, 1 RS422 serial port, 12-24VDC(9-36VDC) single power supply	RFD
KOM200	302110054	KOM200-1S-SC40-485/232-L5	1 100Base-FX single mode fiber port, SC connector, 1310nm, 40km, 1 RS485 serial port, 2 RS232 serial port, 12-24VDC(9-36VDC) single power supply	RFD
KOM200	302110020	KOM200-1M-FC05-485/232-H1	1 100Base-FX multi mode fiber port, FC connector, 1310nm, 5km, 1 RS485 serial port, 2 RS232 serial port, 100-240VAC/220VDC(85-264VAC/120-300VDC) single power supply	RFD
KOM200	302110050	KOM200-1S-ST40-232/422-L5	1 100Base-FX single mode fiber port, ST connector, 1310nm, 40km, 1 RS232 serial port, 1 RS422 serial port, 12-24VDC(9-36VDC) single power supply	RFD
KOM200	302110008	KOM200-1M-SC05-232/422-H1	1 100Base-FX multi mode fiber port, SC connector, 1310nm, 5km, 1 RS232 serial port, 1 RS422 serial port, 100-240VAC/220VDC(85-264VAC/120-300VDC) single power supply	RFD
KOM200	302110053	KOM200-1M-ST05-232/422-L5	1 100Base-FX multi mode fiber port, ST connector, 1310nm, 5km, 1 RS232 serial port, 1 RS422 serial port, 12-24VDC(9-36VDC) single power supply	RFD
KOM200	302110021	KOM200-1M-ST05-485/232-H1	1 100Base-FX multi mode fiber port, ST connector, 1310nm, 5km, 1 RS485 serial port, 2 RS232 serial port, 100-240VAC/220VDC(85-264VAC/120-300VDC) single power supply	RFD
KOM200	302110063	KOM200-1M-SC05-485/232A-L5	1 100Base-FX multi mode fiber port, SC connector, 1310nm, 5km, 1 RS485 serial port, 2 RS232 serial port, the 2nd channel of RS232 and the 3rd channel of RS485 are multiplexing, 12-24VDC(9-36VDC) single power supply	RFD
KOM200	302110026	KOM200-1S-SC40-485/232A-H1	1 100Base-FX single mode fiber port, SC connector, 1310nm, 40km, 1 RS485 serial port, 2 RS232 serial port, the 2nd channel of RS232 and the 3rd channel of RS485 are multiplexing, 100-240VAC/220VDC(85-264VAC/120-300VDC) single power supply	RFD
KOM200	302110058	KOM200-1M-FC05-485/232-L5	1 100Base-FX multi mode fiber port, FC connector, 1310nm, 5km, 1 RS485 serial port, 2 RS232 serial port, 12-24VDC(9-36VDC) single power supply	RFD
KOM200	302110018	KOM200-1S-ST40-485/232-H1	1 100Base-FX single mode fiber port, ST connector, 1310nm, 40km, 1 RS485 serial port, 2 RS232 serial port, 100-240VAC/220VDC(85-264VAC/120-300VDC) single power supply	RFD
KOM200	302110031	KOM200-1M-ST05-485/232A-H1	1 100Base-FX multi mode fiber port, ST connector, 1310nm, 5km, 1 RS485 serial port, 2 RS232 serial port, the 2nd channel of RS232 and the 3rd channel of RS485 are multiplexing, 100-240VAC/220VDC(85-264VAC/120-300VDC) single power supply	RFD
KOM200	302110064	KOM200-1M-FC05-485/232A-L5	1 100Base-FX multi mode fiber port, FC connector, 1310nm, 5km, 1 RS485 serial port, 2 RS232 serial port, the 2nd channel of RS232 and the 3rd channel of RS485 are multiplexing, 12-24VDC(9-36VDC) single power supply	RFD
KOM200	302110029	KOM200-1M-SC05-485/232A-H1	1 100Base-FX multi mode fiber port, SC connector, 1310nm, 5km, 1 RS485 serial port, 2 RS232 serial port, the 2nd channel of RS232 and the 3rd channel of RS485 are multiplexing, 100-240VAC/220VDC(85-264VAC/120-300VDC) single power supply	RFD
KOM200	302110028	KOM200-1S-ST40-485/232A-H1	1 100Base-FX single mode fiber port, ST connector, 1310nm, 40km, 1 RS485 serial port, 2 RS232 serial port, the 2nd channel of RS232 and the 3rd channel of RS485 are multiplexing, 100-240VAC/220VDC(85-264VAC/120-300VDC) single power supply	RFD
KOM200	302110051	KOM200-1M-SC05-232/422-L5	1 100Base-FX multi mode fiber port, SC connector, 1310nm, 5km, 1 RS232 serial port, 1 RS422 serial port, 12-24VDC(9-36VDC) single power supply	RFD
KOM200	302110007	KOM200-1S-FC40-232/422-H1	1 100Base-FX single mode fiber port, FC connector, 1310nm, 40km, 1 RS232 serial port, 1 RS422 serial port, 100-240VAC/220VDC(85-264VAC/120-300VDC) single power supply	RFD
KOM200	302110017	KOM200-1S-FC40-485/232-H1	1 100Base-FX single mode fiber port, FC connector, 1310nm, 40km, 1 RS485 serial port, 2 RS232 serial port, 100-240VAC/220VDC(85-264VAC/120-300VDC) single power supply	RFD
KOM200	302110049	KOM200-1S-FC40-232/422-L5	1 100Base-FX single mode fiber port, FC connector, 1310nm, 40km, 1 RS232 serial port, 1 RS422 serial port, 12-24VDC(9-36VDC) single power supply	RFD
KOM200	302110052	KOM200-1M-FC05-232/422-L5	1 100Base-FX multi mode fiber port, FC connector, 1310nm, 5km, 1 RS232 serial port, 1 RS422 serial port, 12-24VDC(9-36VDC) single power supply	RFD
KOM200	302110006	KOM200-1S-SC40-232/422-H1	1 100Base-FX single mode fiber port, SC connector, 1310nm, 40km, 1 RS232 serial port, 1 RS422 serial port, 100-240VAC/220VDC(85-264VAC/120-300VDC) single power supply	RFD

KOM200	302110030	KOM200-1M-FC05-485/232A-H1	1 100Base-FX multi mode fiber port, FC connector, 1310nm, 5km, 1 RS485 serial port, 2 RS232 serial port, the 2nd channel of RS232 and the 3rd channel of RS485 are multiplexing, 100-240VAC/220VDC(85-264VAC/120-300VDC) single power supply	RFD
KOM200	302110019	KOM200-1M-SC05-485/232-H1	1 100Base-FX multi mode fiber port, SC connector, 1310nm, 5km, 1 RS485 serial port, 2 RS232 serial port, 100-240VAC/220VDC(85-264VAC/120-300VDC) single power supply	RFD
KOM200	302110062	KOM200-1S-ST40-485/232A-L5	1 100Base-FX single mode fiber port, ST connector, 1310nm, 40km, 1 RS485 serial port, 2 RS232 serial port, the 2nd channel of RS232 and the 3rd channel of RS485 are multiplexing, 12-24VDC(9-36VDC) single power supply	RFD
KOM200	302110060	KOM200-1S-SC40-485/232A-L5	1 100Base-FX single mode fiber port, SC connector, 1310nm, 40km, 1 RS485 serial port, 2 RS232 serial port, the 2nd channel of RS232 and the 3rd channel of RS485 are multiplexing, 12-24VDC(9-36VDC) single power supply	RFD
KOM200	302110009	KOM200-1M-ST05-232/422-H1	1 100Base-FX multi mode fiber port, ST connector, 1310nm, 5km, 1 RS232 serial port, 1 RS422 serial port, 100-240VAC/220VDC(85-264VAC/120-300VDC) single power supply	RFD
KOM200	302110059	KOM200-1M-ST05-485/232-L5	1 100Base-FX multi mode fiber port, ST connector, 1310nm, 5km, 1 RS485 serial port, 2 RS232 serial port, 12-24VDC(9-36VDC) single power supply	RFD
KOM200	302110056	KOM200-1S-ST40-485/232-L5	1 100Base-FX single mode fiber port, ST connector, 1310nm, 40km, 1 RS485 serial port, 2 RS232 serial port, 12-24VDC(9-36VDC) single power supply	RFD
KOM200	302110061	KOM200-1S-FC40-485/232A-L5	1 100Base-FX single mode fiber port, FC connector, 1310nm, 40km, 1 RS485 serial port, 2 RS232 serial port, the 2nd channel of RS232 and the 3rd channel of RS485 are multiplexing, 12-24VDC(9-36VDC) single power supply	RFD
KOM200	302110016	KOM200-1S-SC40-485/232-H1	1 100Base-FX single mode fiber port, SC connector, 1310nm, 40km, 1 RS485 serial port, 2 RS232 serial port, 100-240VAC/220VDC(85-264VAC/120-300VDC) single power supply	RFD
KOM200	302110027	KOM200-1S-FC40-485/232A-H1	1 100Base-FX single mode fiber port, FC connector, 1310nm, 40km, 1 RS485 serial port, 2 RS232 serial port, the 2nd channel of RS232 and the 3rd channel of RS485 are multiplexing, 100-240VAC/220VDC(85-264VAC/120-300VDC) single power supply	RFD
KOM300F	302121225	KOM300F-1M2T-SC05-L2	1 100Base-FX multi mode fiber port, SC connector, 1310nm, 5km, 2 10/100Base-TX RJ45 ports, 24-48VDC(18-72VDC), single power supply	RFD
KOM300F	302121231	KOM300F-1S2T-SC60-L2	1 100Base-FX single mode fiber port, SC connector, 1310nm, 60km, 2 10/100Base-TX RJ45 ports, 24-48VDC(18-72VDC), single power supply	RFD
KOM300F	302121255	KOM300F-1S2T-SC60-HV	1 100Base-FX single mode fiber port, SC connector, 1310nm, 60km, 2 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC), single power supply	RFD
KOM300F	302121236	KOM300F-1S2T-SDSC40-1550T/1310R-L2	1 100Base-FX single mode fiber port, SC connector, 1550T/1310R, 40km, 2 10/100Base-TX RJ45 ports, 24-48VDC(18-72VDC), single power supply	RFD
KOM300F	302121260	KOM300F-1S2T-SDSC40-1550T/1310R-HV	1 100Base-FX single mode fiber port, SC connector, 1550T/1310R, 40km, 2 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC), single power supply	RFD
KOM300F	302121207	KOM300F-1S2T-SC60-L5	1 100Base-FX single mode fiber port, SC connector, 1310nm, 60km, 2 10/100Base-TX RJ45 ports, 12-24VDC(9-36VDC), single power supply	RFD
KOM300F	302121251	KOM300F-1M2T-FC05-HV	1 100Base-FX multi mode fiber port, FC connector, 1310nm, 5km, 2 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC), single power supply	RFD
KOM300F	302121279	KOM300F-1S2T-SC60-L3	1 100Base-FX single mode fiber port, SC connector, 1310nm, 60km, 2 10/100Base-TX RJ45 ports, 24VDC(18-36VDC), single power supply	RFD
KOM300F	302121232	KOM300F-1S2T-SC80-L2	1 100Base-FX single mode fiber port, SC connector, 1550nm, 80km, 2 10/100Base-TX RJ45 ports, 24-48VDC(18-72VDC), single power supply	RFD
KOM300F	302121278	KOM300F-1S2T-FC40-L3	1 100Base-FX single mode fiber port, FC connector, 1310nm, 40km, 2 10/100Base-TX RJ45 ports, 24VDC(18-36VDC), single power supply	RFD
KOM300F	302121249	KOM300F-1M2T-SC05-HV	1 100Base-FX multi mode fiber port, SC connector, 1310nm, 5km, 2 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC), single power supply	RFD
KOM300F	302121276	KOM300F-1S2T-SC40-L3	1 100Base-FX single mode fiber port, SC connector, 1310nm, 40km, 2 10/100Base-TX RJ45 ports, 24VDC(18-36VDC), single power supply	RFD
KOM300F	302121204	KOM300F-1S2T-SC40-L5	1 100Base-FX single mode fiber port, SC connector, 1310nm, 40km, 2 10/100Base-TX RJ45 ports, 12-24VDC(9-36VDC), single power supply	RFD
KOM300F	302121228	KOM300F-1S2T-SC40-L2	1 100Base-FX single mode fiber port, SC connector, 1310nm, 40km, 2 10/100Base-TX RJ45 ports, 24-48VDC(18-72VDC), single power supply	RFD
KOM300F	302121274	KOM300F-1M2T-ST05-L3	1 100Base-FX multi mode fiber port, ST connector, 1310nm, 5km, 2 10/100Base-TX RJ45 ports, 24VDC(18-36VDC), single power supply	RFD
KOM300F	302121205	KOM300F-1S2T-ST40-L5	1 100Base-FX single mode fiber port, ST connector, 1310nm, 40km, 2 10/100Base-TX RJ45 ports, 12-24VDC(9-36VDC), single power supply	RFD
KOM300F	302121227	KOM300F-1M2T-FC05-L2	1 100Base-FX multi mode fiber port, FC connector, 1310nm, 5km, 2 10/100Base-TX RJ45 ports, 24-48VDC(18-72VDC), single power supply	RFD
KOM300F	302121254	KOM300F-1S2T-FC40-HV	1 100Base-FX single mode fiber port, FC connector, 1310nm, 40km, 2 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC), single power supply	RFD

KOM300F	302121211	KOM300F-1S2T-SDSC40-1310T/1550R-L5	1 100Base-FX single mode fiber port, SC connector, 1310T/1550R, 40km, 2 10/100Base-TX RJ45 ports, 12-24VDC(9-36VDC) , single power supply	RFD
KOM300F	302121202	KOM300F-1M2T-ST05-L5	1 100Base-FX multi mode fiber port, ST connector, 1310nm, 5km, 2 10/100Base-TX RJ45 ports, 12-24VDC(9-36VDC), single power supply	RFD
KOM300F	302121201	KOM300F-1M2T-SC05-L5	1 100Base-FX multi mode fiber port, SC connector, 1310nm, 5km, 2 10/100Base-TX RJ45 ports, 12-24VDC(9-36VDC), single power supply	RFD
KOM300F	302121203	KOM300F-1M2T-FC05-L5	1 100Base-FX multi mode fiber port, FC connector, 1310nm, 5km, 2 10/100Base-TX RJ45 ports, 12-24VDC(9-36VDC), single power supply	RFD
KOM300F	302121230	KOM300F-1S2T-FC40-L2	1 100Base-FX single mode fiber port, FC connector, 1310nm, 40km, 2 10/100Base-TX RJ45 ports, 24-48VDC(18-72VDC), single power supply	RFD
KOM300F	302121250	KOM300F-1M2T-ST05-HV	1 100Base-FX multi mode fiber port, ST connector, 1310nm, 5km, 2 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC), single power supply	RFD
KOM300F	302121226	KOM300F-1M2T-ST05-L2	1 100Base-FX multi mode fiber port, ST connector, 1310nm, 5km, 2 10/100Base-TX RJ45 ports, 24-48VDC(18-72VDC), single power supply	RFD
KOM300F	302121259	KOM300F-1S2T-SDSC40-1310T/1550R-HV	1 100Base-FX single mode fiber port, SC connector, 1310T/1550R, 40km, 2 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC), single power supply	RFD
KOM300F	302121256	KOM300F-1S2T-SC80-HV	1 100Base-FX single mode fiber port, SC connector, 1550nm, 80km, 2 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC), single power supply	RFD
KOM300F	302121275	KOM300F-1M2T-FC05-L3	1 100Base-FX multi mode fiber port, FC connector, 1310nm, 5km, 2 10/100Base-TX RJ45 ports, 24VDC(18-36VDC), single power supply	RFD
KOM300F	302121277	KOM300F-1S2T-ST40-L3	1 100Base-FX single mode fiber port, ST connector, 1310nm, 40km, 2 10/100Base-TX RJ45 ports, 24VDC(18-36VDC), single power supply	RFD
KOM300F	302121273	KOM300F-1M2T-SC05-L3	1 100Base-FX multi mode fiber port, SC connector, 1310nm, 5km, 2 10/100Base-TX RJ45 ports, 24VDC(18-36VDC), single power supply	RFD
KOM300F	302121235	KOM300F-1S2T-SDSC40-1310T/1550R-L2	1 100Base-FX single mode fiber port, SC connector, 1310T/1550R, 40km, 2 10/100Base-TX RJ45 ports, 24-48VDC(18-72VDC) , single power supply	RFD
KOM300F	302121212	KOM300F-1S2T-SDSC40-1550T/1310R-L5	1 100Base-FX single mode fiber port, SC connector, 1550T/1310R, 40km, 2 10/100Base-TX RJ45 ports, 12-24VDC(9-36VDC) , single power supply	RFD
KOM300F	302121253	KOM300F-1S2T-ST40-HV	1 100Base-FX single mode fiber port, ST connector, 1310nm, 40km, 2 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC), single power supply	RFD
KOM300F	302121208	KOM300F-1S2T-SC80-L5	1 100Base-FX single mode fiber port, SC connector, 1550nm, 80km, 2 10/100Base-TX RJ45 ports, 12-24VDC(9-36VDC), single power supply	RFD
KOM300F	302121252	KOM300F-1S2T-SC40-HV	1 100Base-FX single mode fiber port, SC connector, 1310nm, 40km, 2 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC), single power supply	RFD
KOM300F	302121229	KOM300F-1S2T-ST40-L2	1 100Base-FX single mode fiber port, ST connector, 1310nm, 40km, 2 10/100Base-TX RJ45 ports, 24-48VDC(18-72VDC), single power supply	RFD
KOM300F	302121280	KOM300F-1S2T-SC80-L3	1 100Base-FX single mode fiber port, SC connector, 1550nm, 80km, 2 10/100Base-TX RJ45 ports, 24VDC(18-36VDC), single power supply	RFD
KOM300L	302122087	KOM300A-1SFP2T-LV-LV	1 100Base-X SFP port, 2 10/100Base-TX RJ45 ports, 18-30VAC/12-48VDC(18-30VAC/9-60VDC) dual redundant power inputs, -40 to 85°C operating temperature	RFD
KOM600GL	302140102	KOM600G-1GX1GE-LV-LV	1 100/1000Base-X SFP port, 1 10/100/1000Base-TX RJ45 port, 18-30VAC/12-48VDC(18-30VAC/9-60VDC) dual redundant power inputs, -40 to 75°C operating temperature, LFP	RFS
KOMFRM	109039001	KOMFRm	Bracket for rackmounting, 482.6mm*132mm*128.5mm, can be installed with max 12 KOM300F or KOM200.	RFD
KPS3101	302172004	KPS3101-1T1D-L17-L17	1 10/100Base-T(X) Ethernet port, 1 RS232/RS422/RS485 serial port,12-48VDC, dual power supply	RFD
KGW3101A	302173002	KPS3101A-E-1T1D-485-L17	1 10/100Base-T(X) Ethernet port, 1 RS485 serial port,12-48VDC	RFD
KGW3101A	302173001	KPS3101A-E-1T1D-232-L17	1 10/100Base-T(X) Ethernet port, 1 RS232 serial port,12-48VDC	RFD
KPS3102	302172005	KPS3102-1T2D-L17-L17	1 10/100Base-T(X) Ethernet port, 2 RS232/RS422/RS485 serial port,12-48VDC, dual power supply	RFD
KGW3102A	302173104	KGW3102A-E-1T2D-485-L17	1 10/100Base-T(X) Ethernet port, 2 RS485 serial port,12-48VDC, Default Driver KGW-IE0	RFD
KGW3102A	302173103	KGW3102A-E-1T2D-232-L17	1 10/100Base-T(X) Ethernet port, 2 RS232 serial port,12-48VDC, Default Driver KGW-IE0	RFD
KPS3102A	302173102	KPS3102A-E-1T2D-485-L17	1 10/100Base-T(X) Ethernet port, 2 RS485 serial port,12-48VDC	RFD
KPS3102A	302173101	KPS3102A-E-1T2D-232-L17	1 10/100Base-T(X) Ethernet port, 2 RS232 serial port,12-48VDC	RFD
KPS3204	302172006	KPS3204-2T4D-L17-L17	2 10/100Base-T(X) Ethernet port, 4 RS232/RS422/RS485 serial port,12-48VDC, dual power supply	RFD
KPS3204A	302173201	KPS3204A-E-2T4D-232-L17	2 10/100Base-T(X) Ethernet port, 4 RS232 serial port,12-48VDC	RFD
KGW3204A	302173203	KGW3204A-E-2T4D-232-L17	2 10/100Base-T(X) Ethernet port, 4 RS232 serial port,12-48VDC, Default Driver KGW-IE0	RFD
KPS3204A	302173202	KPS3204A-E-2T4D-485-L17	2 10/100Base-T(X) Ethernet port, 4 RS485 serial port,12-48VDC	RFD
KGW3204A	302173204	KGW3204A-E-2T4D-485-L17	2 10/100Base-T(X) Ethernet port, 4 RS485 serial port,12-48VDC, Default Driver KGW-IE0	RFD
KPS3208A	302173301	KPS3208A-E-2T8D-232-L17	2 10/100Base-T(X) Ethernet port, 8 RS232 serial port,12-48VDC	RFD
KGW3208A	302173304	KGW3208A-E-2T8D-485-L17	2 10/100Base-T(X) Ethernet port, 8 RS485 serial port,12-48VDC, Default Driver KGW-IE0	RFD

KPS3208A	302173302	KPS3208A-E-2T8D-485-L17	2 10/100Base-T(X) Ethernet port, 8 RS485 serial port,12-48VDC	RFD
KGW3208A	302173303	KGW3208A-E-2T8D-232-L17	2 10/100Base-T(X) Ethernet port, 8 RS232 serial port,12-48VDC, Default Driver KGW-IE0	RFD
KyACB	302183010	KyACB-USB-RJ45	Automatic Configuration Backup and Restore, RJ45	RFD
KYIO-H	312211030	KYRCM-0000H		
KYIO-K	312211016	KYPM-DC24	24VDC power supply module for KYIO-K Seris Remote IO. 24VDC input	EOLA
KYIO-K	312211015	KYAO-0801	8 channel analog output, supports 0~20mA or 4~20mA output	EOLA
KYIO-K	312211010	KYRCM-0000	Remote IO Coupler,RS485	EOLA
KYIO-K	312211013	KYAI-0801	8 channel analog input, supports 0~20mA or 4~20mA input	EOLA
KYIO-K	312211018	KYAO-0802	8 channel analog output, supports +-5V,+10V,0~5V,0~10V output	EOLA
KYIO-K	312211020	KYRTD-0601	6 channel RTD input	EOLA
KYIO-K	312211011	KYDI-1601	16 channel digital input, supports 24VDC input, supports dry contact	EOLA
KYIO-K	312211012	KYDO-1202	12 channel digital output, supports 24VDC output, channel maximum output current 1.5A	EOLA
KYIO-K	312211014	KYAI-0802	8 channel analog input, supports +-5V,+10V,0~5V,0~10V	EOLA
KYIO-M	312211062	KYDI-1BH22	Digital input module, 16 Channel,24VDC, Module diagnostic function	RFD
KYIO-M	312211051	KYRCM-ECT22-2HC	Coupler communication module, EtherCAT Bus,2 x RJ45	
KYIO-M	312211055	KYRCM-PNT22	Coupler communication module, ProfiNet-RT Bus,2 x RJ45,24 VDC	RFD
Kyview	320001002	Kyview 2.0-128	Network management system software, support Max.128 network element device	RFA
Kyview	320001005	Kyview 2.0-1024	Network management system software, support Max.1024 network element device	RFA
Kyview	320001008	Kyview 2.0-20000	Network management system software, support Max.20000 network element device	RFA
Kyview	320001004	Kyview 2.0-512	Network management system software, support Max.512 network element device	RFA
Kyview	320001006	Kyview 2.0-5000	Network management system software, support Max.5000 network element device	RFA
Kyview	320001007	Kyview 2.0-10000	Network management system software, support Max.10000 network element device	RFA
Kyview	320001003	Kyview 2.0-256	Network management system software, support Max.256 network element device	RFA
M12 connector	107100036	M12-A-8P-M-	Male cable connector with M12, A-Coding, 8 Pin, Metal housing ; Brand:"Binder"	EOL
M12 connector	107100242	M12-X-8P-M-Crimp	Male cable connector with M12, X-Coding, 8 Pin; Brand:"Binder",22-27AWG	RFD
M12 connector	107100246	M12-A-4P-F-Crimp-	M12 A code 4pin female connector with crimping; Brand:"Connector",18-22AWG	RFD
M12 connector	107100244	M12-D-4P-M-Crimp-	M12 D code 4pin male connector with crimping; Brand:"Connector",18-22AWG	RFD
M12 connector	107100013	M12-A-8P-M	Male cable connector with M12, A-Coding, 8 Pin, Plastic housing	EOL
M12 connector	107100245	M12-X-8P-M-Crimp-	Male cable connector with M12, X-Coding, 8 Pin; Brand:"Connector",24-26AWG	RFD
M12 connector	107100051	M12-B-4P-F	Female cable connector with M12, B-Coding, 4 Pin ; Brand:"Binder"	RFD
M12 connector	107100129	M12-A-4P-M	Male cable connector with M12, A-Coding, 4 Pin ; Brand:"Binder",18AWG	RFD
M12 connector	107100572	M12-D-4P-M-Crimp-S	M12 D code 4pin male connector with crimping; Brand:"Connector"。 20-26AWG	RFD
M12 connector	107100003	M12-4Pin-99-1430-822-04	4 pin M12 connector of Console port and alarm port ; Brand : "Binder"	RFD
M12 connector	107100014	M12-D-4P-M	Male cable connector with M12, D-Coding, 4 Pin ; Brand:"Binder", 18AWG	RFD
M12 connector	107994002	M12-A-4P-F	Female cable connector with M12, A-Coding, 4 Pin; Brand:"Binder",18AWG	RFD
M12 connector	107100240	M12-A-4P-F-Crimp	M12 A code 4pin female connector with crimping, Brand:"Binder",16-22AWG	RFD
M16 connector	107100011	M16-A-5P-F	Female cable connector with M16, A-Coding, 5 Pin	RFD
M23 Connector	107100342	M23-5P-F-Crimp	M23 5pin female connector with crimping,Brand:"Connector",11-16AWG	RFD
NewPre3000	312211019	NewPre3000-E3950-M3D1-0402C1A	Intel ATOM E3950 1.6GHz, 8GB	RFS
NewPre3000	312210006	NewPre3000-P322-M4-D1-G0	Industrial Server NewPre3000 series, with Intel i7-6822EQ 4 cores CPU, 16GB RAM, 250GB storage, 1 x RS232, 1 x RS485, 1 x CAN, 6 x 100/1000BASE-T.	RFD
NewPre3101	312210024	NM-4ETH	PCIe	RFS
NewPre3101	101041010	NM-G2	GPU -RTX 2060super	RFD
NewPre3101	101041012	NM-G4	GPU -RTX 3080	RFD
NewPre3101	312210025	NM-SER	PCIe -2	RFD
NewPre3101	101041011	NM-G3	GPU -RTX 2080super	RFD
NewPre3101	312210043	NM-RTX3060		
NewPre3101	312210020	NM-GTX1050Ti	GPU -GTX1050Ti	RFS
NEWPRE31xx	312210066	NewPre3101-I7-8700T-M5D3W0-0404A		RFS
NEWPRE31xx	312210068	NewPre3102-I7-8700T-M5D3W0-0404A		RFS

NEWPRE31xx	312210067	NewPre3101-I7-8700T-M5D3W5-0404A		RFS
NewPre3200	312210009	NewPre3200-P321-M4-D1-N1	i7-8665UE, 16G, 128G 64KB	EOLA
Opal10GL	302220015	Opal10GL-2GX8GE-LV-LV	2 1000Base-X SFP ports, 8 10/100/1000Base-TX RJ45 ports, 18-30VAC/12-48VDC(18-30VAC/9-60VDC) dual redundant power inputs, -40 to 75°C operating temperature	RFD
Opal10GL	302220017	Opal10GL-8GE-LV-LV	8 10/100/1000Base-TX RJ45 ports, 18-30VAC/12-48VDC(18-30VAC/9-60VDC) dual redundant power inputs, -40 to 75°C operating temperature	RFD
Opal10GL	302220018	Opal10GL-E-8GE-LV-LV	8 10/100/1000Base-TX RJ45 ports, 18-30VAC/12-48VDC(18-30VAC/9-60VDC) dual redundant power inputs, -10 to 60°C operating temperature	RFD
Opal10GL	302220016	Opal10GL-E-2GX8GE-LV-LV	2 1000Base-X SFP ports, 8 10/100/1000Base-TX RJ45 ports, 18-30VAC/12-48VDC(18-30VAC/9-60VDC) dual redundant power inputs, -10 to 60°C operating temperature	RFD
Opal10GS	302226001	Opal10GS-2GX8GP-L5-L5	un-managed Switch, support 2*1000M SFP port and 8*10/100/1000M RJ45 PoE port, 24VDC, dual redundant power inputs	RFD
Opal10GS	302225006	Opal10GS-8GP-L5-L5	un-managed Switch, support 8*10/100/1000M RJ45 PoE port, 24VDC, dual redundant power inputs	RFD
Opal10GS	302225007	Opal10GS-8GP-L16-L16	un-managed Switch, support 8*10/100/1000M RJ45 PoE port, 48VDC, dual redundant power inputs	RFD
Opal10GS	302226002	Opal10GS-2GX8GP-L16-L16	un-managed Switch, support 2*1000M SFP port and 8*10/100/1000M RJ45 PoE port, 48VDC, dual redundant power inputs	RFD
Opal20	302230231	Opal20-2SFP16T-LV-LV		
Opal20	302230218	Opal20-16T-LV-LV		
Opal20	302230217	Opal20-E-16T-LV-LV		
Opal20	302230221	Opal20-2M16T-SC05-LV-LV		
Opal20	302230219	Opal20-2S16T-SC40-LV-LV		
Opal5GL	302220009	Opal5GL-5GE-LV-LV	5 10/100/1000Base-TX RJ45 ports, 18-30VAC/12-48VDC(18-30VAC/9-60VDC) dual redundant power inputs, -40 to 75°C operating temperature	RFD
Opal5GL	302220010	Opal5GL-E-5GE-LV-LV	5 10/100/1000Base-TX RJ45 ports, 18-30VAC/12-48VDC(18-30VAC/9-60VDC) dual redundant power inputs, -10 to 60°C operating temperature	RFD
Opal5GL	302220007	Opal5GL-1GX4GE-LV-LV	1 1000Base-X SFP port, 4 10/100/1000Base-TX RJ45 ports, 18-30VAC/12-48VDC(18-30VAC/9-60VDC) dual redundant power inputs, -40 to 75°C operating temperature	RFD
Opal5GL	302220008	Opal5GL-E-1GX4GE-LV-LV	1 1000Base-X SFP port, 4 10/100/1000Base-TX RJ45 ports, 18-30VAC/12-48VDC(18-30VAC/9-60VDC) dual redundant power inputs, -10 to 60°C operating temperature	RFD
Opal5GS	302220106	Opal5GS-1GE4GP-L16-L16	un-managed Switch, support 1*10/100/1000M RJ45 port and 4* 10/100/1000M RJ45 PoE port, 48VDC, redundant power inputs	RFD
Opal5GS	302220108	Opal5GS-1GX4GP-L5-L5	un-managed Switch, support 1*1000M SFP port and 4* 10/100/1000M RJ45 PoE port, 24VDC, redundant power inputs	RFD
Opal5GS	302220105	Opal5GS-1GE4GP-L5-L5	un-managed Switch, support 1*10/100/1000M RJ45 port and 4* 10/100/1000M RJ45 PoE port, 24VDC, redundant power inputs	RFD
Opal5GS	302220107	Opal5GS-1GX4GP-L16-L16	un-managed Switch, support 1*1000M SFP port and 4* 10/100/1000M RJ45 PoE port, 48VDC, redundant power inputs	RFD
Opal5L	302210206	Opal5L-E-1SFP4T-LV-LV	1 100Base-X SFP port, 4 10/100Base-TX RJ45 ports, 18-30VAC/12-48VDC(18-30VAC/9-60VDC) dual redundant power inputs, -10 to 60°C operating temperature	RFD
Opal5L	302210204	Opal5L-E-5T-LV-LV	5 10/100Base-TX RJ45 ports, 18-30VAC/12-48VDC(18-30VAC/9-60VDC) dual redundant power inputs, -10 to 60°C operating temperature	RFD
Opal5L	302210203	Opal5L-5T-LV-LV	5 10/100Base-TX RJ45 ports, 18-30VAC/12-48VDC(18-30VAC/9-60VDC) dual redundant power inputs, -40 to 75°C operating temperature	RFD
Opal5L	302210205	Opal5L-1SFP4T-LV-LV	1 100Base-X SFP port, 4 10/100Base-TX RJ45 ports, 18-30VAC/12-48VDC(18-30VAC/9-60VDC) dual redundant power inputs, -40 to 75°C operating temperature	RFD
Opal8A	302210103	Opal8A-E-8T-LV-LV	8 10/100Base-TX RJ45 ports, 18-30VAC/12-48VDC(18-30VAC/9-60VDC) dual redundant power inputs, -10 to 60°C operating temperature	RFD
Opal8A	302210101	Opal8A-8T-LV-LV	8 10/100Base-TX RJ45 ports, 18-30VAC/12-48VDC(18-30VAC/9-60VDC) dual redundant power inputs, -40 to 75°C operating temperature	RFD
Opal8GL	302225011	Opal8GL-E-8GE-LV-LV-W	8 10/100/1000Base-TX RJ45 ports, 18-30VAC/12-48VDC(18-30VAC/9-60VDC) dual redundant power inputs, -10 to 60°C operating temperature	RFD
Opal8GL	302225010	Opal8GL-8GE-LV-LV-W	8 10/100/1000Base-TX RJ45 ports, 18-30VAC/12-48VDC(18-30VAC/9-60VDC) dual redundant power inputs, -40 to 75°C operating temperature	RFD
Opal8GL	302225009	Opal8GL-E-8GE-LV-LV	8 10/100/1000Base-TX RJ45 ports, 18-30VAC/12-48VDC(18-30VAC/9-60VDC) dual redundant power inputs, -10 to 60°C operating temperature	RFD

Opal8GL	302225008	Opal8GL-8GE-LV-LV	8 10/100/1000Base-TX RJ45 ports, 18-30VAC/12-48VDC(18-30VAC/9-60VDC) dual redundant power inputs, -40 to 75°C operating temperature	RFD
Opal8L	302210306	Opal8L-E-2SFP6T-LV-LV	2 100Base-X SFP ports, 6 10/100Base-TX RJ45 ports, 18-30VAC/12-48VDC(18-30VAC/9-60VDC) dual redundant power inputs, -10 to 60°C operating temperature	RFD
Opal8L	302210303	Opal8L-8T-LV-LV	8 10/100Base-TX RJ45 ports, 18-30VAC/12-48VDC(18-30VAC/9-60VDC) dual redundant power inputs, -40 to 75°C operating temperature	RFD
Opal8L	302210305	Opal8L-2SFP6T-LV-LV	2 100Base-X SFP ports, 6 10/100Base-TX RJ45 ports, 18-30VAC/12-48VDC(18-30VAC/9-60VDC) dual redundant power inputs, -40 to 75°C operating temperature	RFD
Opal8L	302210304	Opal8L-E-8T-LV-LV	8 10/100Base-TX RJ45 ports, 18-30VAC/12-48VDC(18-30VAC/9-60VDC) dual redundant power inputs, -10 to 60°C operating temperature	RFD
Power Cord	111020005	3P-6A-250V-1.5M-	3m power cord with connector for India, South Africa	RFD
Power Cord	111020016		3m power cord with connector for UK	RFD
Power Cord	111020017		3m power cord with connector for Australia	RFD
Power Cord	111020006		3m power cord with connector for China	RFD
Power Cord	111020015		3m power cord with connector for North America	RFD
Power Cord	111020012		3m power cord with connector for EU, Russia, Korea	RFD
PTC1000	302150038	PTC1000-1M-01-FC05-L2-L2	1 100Base-FX multi mode fiber port, FC connector, 1310nm, 5km, the second IRIG-B port is with BNC connector, 24-48VDC(18-72VDC) dual redundant power inputs	RFD
PTC1000	302150024	PTC1000-1M-FC05-HV	1 100Base-FX multi mode fiber port, FC connector, 1310nm, 5km, the second IRIG-B port is with 2-pin 5.08 mm-spacing pluggable terminal blocks, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
PTC1000	302150027	PTC1000-1S-SC80-HV	1 100Base-FX single mode fiber port, SC connector, 1550nm, 80km, the second IRIG-B port is with 2-pin 5.08 mm-spacing pluggable terminal blocks, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
PTC1000	302150039	PTC1000-1M-01-ST05-L2-L2	1 100Base-FX multi mode fiber port, ST connector, 1310nm, 5km, the second IRIG-B port is with BNC connector, 24-48VDC(18-72VDC) dual redundant power inputs	RFD
PTC1000	302150041	PTC1000-1S-01-SC80-L2-L2	1 100Base-FX single mode fiber port, SC connector, 1550nm, 80km, the second IRIG-B port is with BNC connector, 24-48VDC(18-72VDC) dual redundant power inputs	RFD
PTC1000	302150031	PTC1000-1T-01-L2-L2	1 10/100Base-TX RJ45 port, the second IRIG-B port is with BNC connector, 24-48VDC(18-72VDC) dual redundant power inputs	RFD
PTC1000	302150054	PTC1000-1M-01-FC05-HV	1 100Base-FX multi mode fiber port, FC connector, 1310nm, 5km, the second IRIG-B port is with BNC connector, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
PTC1000	302150025	PTC1000-1M-ST05-HV	1 100Base-FX multi mode fiber port, ST connector, 1310nm, 5km, the second IRIG-B port is with 2-pin 5.08 mm-spacing pluggable terminal blocks, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
PTC1000	302150009	PTC1000-1M-ST05-L2-L2	1 100Base-FX multi mode fiber port, ST connector, 1310nm, 5km, the second IRIG-B port is with 2-pin 5.08 mm-spacing pluggable terminal blocks, 24-48VDC(18-72VDC) dual redundant power inputs	RFD
PTC1000	302150036	PTC1000-1S-01-ST40-L2-L2	1 100Base-FX single mode fiber port, ST connector, 1310nm, 40km, the second IRIG-B port is with BNC connector, 24-48VDC(18-72VDC) dual redundant power inputs	RFD
PTC1000	302150001	PTC1000-1T-L2-L2	1 10/100Base-TX RJ45 port, the second IRIG-B port is with 2-pin 5.08 mm-spacing pluggable terminal blocks, 24-48VDC(18-72VDC) dual redundant power inputs	RFD
PTC1000	302150005	PTC1000-1S-FC40-L2-L2	1 100Base-FX single mode fiber port, FC connector, 1310nm, 40km, the second IRIG-B port is with 2-pin 5.08 mm-spacing pluggable terminal blocks, 24-48VDC(18-72VDC) dual redundant power inputs	RFD
PTC1000	302150026	PTC1000-1S-SC60-HV	1 100Base-FX single mode fiber port, SC connector, 1310nm, 60km, the second IRIG-B port is with 2-pin 5.08 mm-spacing pluggable terminal blocks, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
PTC1000	302150035	PTC1000-1S-01-FC40-L2-L2	1 100Base-FX single mode fiber port, FC connector, 1310nm, 40km, the second IRIG-B port is with BNC connector, 24-48VDC(18-72VDC) dual redundant power inputs	RFD
PTC1000	302150037	PTC1000-1M-01-SC05-L2-L2	1 100Base-FX multi mode fiber port, SC connector, 1310nm, 5km, the second IRIG-B port is with BNC connector, 24-48VDC(18-72VDC) dual redundant power inputs	RFD
PTC1000	302150055	PTC1000-1M-01-ST05-HV	1 100Base-FX multi mode fiber port, ST connector, 1310nm, 5km, the second IRIG-B port is with BNC connector, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
PTC1000	302150007	PTC1000-1M-SC05-L2-L2	1 100Base-FX multi mode fiber port, SC connector, 1310nm, 5km, the second IRIG-B port is with 2-pin 5.08 mm-spacing pluggable terminal blocks, 24-48VDC(18-72VDC) dual redundant power inputs	RFD

PTC1000	302150056	PTC1000-1S-01-SC60-HV	1 100Base-FX single mode fiber port, SC connector, 1310nm, 60km, the second IRIG-B port is with BNC connector, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
PTC1000	302150023	PTC1000-1M-SC05-HV	1 100Base-FX multi mode fiber port, SC connector, 1310nm, 5km, the second IRIG-B port is with 2-pin 5.08 mm-spacing pluggable terminal blocks, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
PTC1000	302150022	PTC1000-1S-ST40-HV	1 100Base-FX single mode fiber port, ST connector, 1310nm, 40km, the second IRIG-B port is with 2-pin 5.08 mm-spacing pluggable terminal blocks, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
PTC1000	302150006	PTC1000-1S-ST40-L2-L2	1 100Base-FX single mode fiber port, ST connector, 1310nm, 40km, the second IRIG-B port is with 2-pin 5.08 mm-spacing pluggable terminal blocks, 24-48VDC(18-72VDC) dual redundant power inputs	RFD
PTC1000	302150040	PTC1000-1S-01-SC60-L2-L2	1 100Base-FX single mode fiber port, SC connector, 1310nm, 60km, the second IRIG-B port is with BNC connector, 24-48VDC(18-72VDC) dual redundant power inputs	RFD
PTC1000	302150053	PTC1000-1M-01-SC05-HV	1 100Base-FX multi mode fiber port, SC connector, 1310nm, 5km, the second IRIG-B port is with BNC connector, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
PTC1000	302150008	PTC1000-1M-FC05-L2-L2	1 100Base-FX multi mode fiber port, FC connector, 1310nm, 5km, the second IRIG-B port is with 2-pin 5.08 mm-spacing pluggable terminal blocks, 24-48VDC(18-72VDC) dual redundant power inputs	RFD
PTC1000	302150050	PTC1000-1S-01-SC40-HV	1 100Base-FX single mode fiber port, SC connector, 1310nm, 40km, the second IRIG-B port is with BNC connector, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
PTC1000	302150057	PTC1000-1S-01-SC80-HV	1 100Base-FX single mode fiber port, SC connector, 1550nm, 80km, the second IRIG-B port is with BNC connector, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
PTC1000	302150033	PTC1000-1T-01-HV	1 10/100Base-TX RJ45 port, the second IRIG-B port is with BNC connector, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
PTC1000	302150020	PTC1000-1S-SC40-HV	1 100Base-FX single mode fiber port, SC connector, 1310nm, 40km, the second IRIG-B port is with 2-pin 5.08 mm-spacing pluggable terminal blocks, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
PTC1000	302150052	PTC1000-1S-01-ST40-HV	1 100Base-FX single mode fiber port, ST connector, 1310nm, 40km, the second IRIG-B port is with BNC connector, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
PTC1000	302150011	PTC1000-1S-SC80-L2-L2	1 100Base-FX single mode fiber port, SC connector, 1550nm, 80km, the second IRIG-B port is with 2-pin 5.08 mm-spacing pluggable terminal blocks, 24-48VDC(18-72VDC) dual redundant power inputs	RFD
PTC1000	302150004	PTC1000-1S-SC40-L2-L2	1 100Base-FX single mode fiber port, SC connector, 1310nm, 40km, the second IRIG-B port is with 2-pin 5.08 mm-spacing pluggable terminal blocks, 24-48VDC(18-72VDC) dual redundant power inputs	RFD
PTC1000	302150003	PTC1000-1T-HV	1 10/100Base-TX RJ45 port, the second IRIG-B port is with 2-pin 5.08 mm-spacing pluggable terminal blocks, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
PTC1000	302150021	PTC1000-1S-FC40-HV	1 100Base-FX single mode fiber port, FC connector, 1310nm, 40km, the second IRIG-B port is with 2-pin 5.08 mm-spacing pluggable terminal blocks, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
PTC1000	302150034	PTC1000-1S-01-SC40-L2-L2	1 100Base-FX single mode fiber port, SC connector, 1310nm, 40km, the second IRIG-B port is with BNC connector, 24-48VDC(18-72VDC) dual redundant power inputs	RFD
PTC1000	302150051	PTC1000-1S-01-FC40-HV	1 100Base-FX single mode fiber port, FC connector, 1310nm, 40km, the second IRIG-B port is with BNC connector, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
PTC1000	302150010	PTC1000-1S-SC60-L2-L2	1 100Base-FX single mode fiber port, SC connector, 1310nm, 60km, the second IRIG-B port is with 2-pin 5.08 mm-spacing pluggable terminal blocks, 24-48VDC(18-72VDC) dual redundant power inputs	RFD
PTC2000	310006119	PTC2000-3-0010	Default configuration,Support PTP v2,48VDC, single power input	EOL
PTC2000	310006121	PTC2000-3-1000	Default configuration,TCXO(<55µs/1h),48VDC, single power input	EOL
PTC2000	310006105	PTC2000-7-0000	Default configuration,220AC/DCW(85-264VAC/85-300VDC),single power input	EOL
PTC2000	310006122	PTC2000-3-1001	Default configuration,FI (ST 850nm MM) + FO (ST 850nm MM),TCXO(<55µs/1h),48VDC, single power input	EOL
PTC2000	310006102	PTC2000-7-0001	Default configuration,FI (ST 850nm MM) + FO (ST 850nm MM),220AC/DCW(85-264VAC/85-300VDC),single power input	EOL
PTC2000	310006116	PTC2000-5-1011	Default configuration,FI (ST 850nm MM) + FO (ST 850nm MM),TCXO(<55µs/1h),Support PTP v2,24VDC, single power input	RFD
PTC2000	310006106	PTC2000-7-1001	Default configuration,FI (ST 850nm MM) + FO (ST 850nm MM),TCXO(<55µs/1h),220AC/DCW(85-264VAC/85-300VDC),single power input	EOL
PTC2000	310006112	PTC2000-5-0011	Default configuration,FI (ST 850nm MM) + FO (ST 850nm MM),Support PTP v2,24VDC, single power input	EOL

PTC2000	310006107	PTC2000-7-1010	Default configuration,TCXO(<55µs/1h),Support PTP v2,220AC/DCW(85-264VAC/85-300VDC),single power input	RFD
PTC2000	310006115	PTC2000-5-1010	Default configuration,TCXO(<55µs/1h),Support PTP v2,24VDC, single power input	RFD
PTC2000	310006110	PTC2000-5-0001	Default configuration,FI (ST 850nm MM) + FO (ST 850nm MM),24VDC, single power input	EOL
PTC2000	310006123	PTC2000-3-1010	Default configuration,TCXO(<55µs/1h),Support PTP v2,48VDC, single power input	RFD
PTC2000	310006103	PTC2000-7-0010	Default configuration,Support PTP v2,220AC/DCW(85-264VAC/85-300VDC),single power input	EOL
PTC2000	310006111	PTC2000-5-0010	Default configuration,Support PTP v2,24VDC, single power input	EOL
PTC2000	310006117	PTC2000-3-0000	Default configuration,48VDC, single power input	EOL
PTC2000	310006114	PTC2000-5-1001	Default configuration,FI (ST 850nm MM) + FO (ST 850nm MM),TCXO(<55µs/1h),24VDC, single power input	EOL
PTC2000	310006124	PTC2000-3-1011	Default configuration,FI (ST 850nm MM) + FO (ST 850nm MM),TCXO(<55µs/1h),Support PTP v2,48VDC, single power input	RFD
PTC2000	310006120	PTC2000-3-0011	Default configuration,FI (ST 850nm MM) + FO (ST 850nm MM),Support PTP v2,48VDC, single power input	EOL
PTC2000	310006109	PTC2000-5-0000	Default configuration,24VDC, single power input	EOL
PTC2000	310006113	PTC2000-5-1000	Default configuration,TCXO(<55µs/1h),24VDC, single power input	EOL
PTC2000	310006108	PTC2000-7-1011	Default configuration,FI (ST 850nm MM) + FO (ST 850nm MM),TCXO(<55µs/1h),Support PTP v2,220AC/DCW(85-264VAC/85-300VDC),single power input	RFD
PTC2000	310006118	PTC2000-3-0001	Default configuration,FI (ST 850nm MM) + FO (ST 850nm MM),48VDC, single power input	EOL
PTC2000	310006101	PTC2000-7-1000	Default configuration,TCXO(<55µs/1h),220AC/DCW(85-264VAC/85-300VDC),single power input	EOL
PTC2000	310006104	PTC2000-7-0011	Default configuration,FI (ST 850nm MM) + FO (ST 850nm MM),Support PTP v2,220AC/DCW(85-264VAC/85-300VDC),single power input	EOL
PTD-10	310006223	PTD-10-FT216S-7-22	Fiber/TTL, 2 Inputs, 16 Outputs, Management,ST, MM 850nm Input,ST, MM 850nm Output,100-240VAC,50/60Hz;110-220VDC(85-264VAC/85-300VDC) Single	RFD
PTD-10	310006213	PTD-10-FT216S-8-21	Fiber/TTL, 2 Inputs, 16 Outputs, Management,ST, MM 850nm Input,TTL Terminal Output,24VDC(18-72VDC) Single	RFD
PTD-10	310006210	PTD-10-FT216S-7-21	Fiber/TTL, 2 Inputs, 16 Outputs, Management,ST, MM 850nm Input,TTL Terminal Output,100-240VAC,50/60Hz;110-220VDC(85-264VAC/85-300VDC) Single	RFD
PTD-10	310006208	PTD-10-FT208S-8-22	Fiber/TTL, 2 Inputs, 8 Outputs, Management,ST, MM 850nm Input,ST, MM 850nm Output,24VDC(18-72VDC) Single	RFD
PTD-10	310006206	PTD-10-FT208S-8-12	Fiber/TTL, 2 Inputs, 8 Outputs, Management,TTL BNC Input,ST, MM 850nm Output,24VDC(18-72VDC) Single	RFD
PTD-10	310006207	PTD-10-FT208S-8-21	Fiber/TTL, 2 Inputs, 8 Outputs, Management,ST, MM 850nm Input,TTL Terminal Output,24VDC(18-72VDC) Single	RFD
PTD-10	310006211	PTD-10-FT216S-8-11	Fiber/TTL, 2 Inputs, 16 Outputs, Management,TTL BNC Input,TTL Terminal Output,24VDC(18-72VDC) Single	RFD
PTD-10	310006204	PTD-10-FT208S-7-22	Fiber/TTL, 2 Inputs, 8 Outputs, Management,ST, MM 850nm Input,ST, MM 850nm Output,100-240VAC,50/60Hz;110-220VDC(85-264VAC/85-300VDC) Single	RFD
PTD-10	310006225	PTD-10-FT216S-7-12	Fiber/TTL, 2 Inputs, 16Outputs, Management,TTL BNC Input,ST, MM 850nm Output,100-240VAC,50/60Hz;110-220VDC(85-264VAC/85-300VDC) Single	RFD
PTD-10	310006214	PTD-10-FT216S-8-22	Fiber/TTL, 2 Inputs, 16 Outputs, Management,ST, MM 850nm Input,ST, MM 850nm Output,24VDC(18-72VDC) Single	RFD
PTD-10	310006203	PTD-10-FT208S-7-21	Fiber/TTL, 2 Inputs, 8 Outputs, Management,ST, MM 850nm Input,TTL Terminal Output,100-240VAC,50/60Hz;110-220VDC(85-264VAC/85-300VDC) Single	RFD
PTD-10	310006212	PTD-10-FT216S-8-12	Fiber/TTL, 2 Inputs, 16 Outputs, Management,TTL BNC Input,ST, MM 850nm Output,24VDC(18-72VDC) Single	RFD
PTD-10	310006202	PTD-10-FT208S-7-12	Fiber/TTL, 2 Inputs, 8 Outputs, Management,TTL BNC Input,ST, MM 850nm Output,100-240VAC,50/60Hz;110-220VDC(85-264VAC/85-300VDC) Single	RFD
PTD-10	310006205	PTD-10-FT208S-8-11	Fiber/TTL, 2 Inputs, 8 Outputs, Management,TTL BNC Input,TTL Terminal Output,24VDC(18-72VDC) Single	RFD
PTD-10	310006201	PTD-10-FT208S-7-11	Fiber/TTL, 2 Inputs, 8 Outputs, Management,TTL BNC Input,TTL Terminal Output,100-240VAC,50/60Hz;110-220VDC(85-264VAC/85-300VDC) Single	RFD
PTD-10	310006209	PTD-10-FT216S-7-11	Fiber/TTL, 2 Inputs, 16Outputs, Management,TTL BNC Input,TTL Terminal Output,100-240VAC,50/60Hz;110-220VDC(85-264VAC/85-300VDC) Single	RFD
PTD-10	310006226	PTD-10-FT216S-3-12	Fiber/TTL, 2 Inputs, 16 Outputs, Management;100-240VAC,50/60Hz;110-220VDC(85-264VAC/85-300VDC) Single;TTL BNC INPUT;Optical ST, MM 851nm OUTPUT	EOL
PTS-10A	310003153	PTS-10A-1-172100XXXXXXXXXX-XX	GPS/BDS,DualModule,TCXO,SinglePower,4*IRIG-B-AC BNC,6*TTL BNC,2*DB9 RS232,2G+2T	RFA
PTS-10A	310003148	PTS-10A-2-175100XXXXXXXXXX-XX	GPS/BDS,TwoChannel,TCXO,DualPower,4*IRIG-B-AC BNC,6*TTL BNC,2*DB9 RS232,2G+2T	RFA

PTS-10A	310003151	PTS-10A-2-375110XXXXXXXXXX-XX	GPS/BDS,TwoChannel,OCXO,DualPower,F11+FI2(SMA)+FO1+FO2,4*IRIG-B-AC BNC,6*TTL BNC,2*DB9 RS232,2G+2T	RFA
PTS-10A	310003149	PTS-10A-2-175110XXXXXXXXXX-XX	GPS/BDS,TwoChannel,TCXO,DualPower,F11+FI2(SMA)+FO1+FO2,4*IRIG-B-AC BNC,6*TTL BNC,2*DB9 RS232,2G+2T	RFA
PTS-10A	310003150	PTS-10A-2-175111XXXXXXXXXX-XX	GPS/BDS,TwoChannel,TCXO,DualPower,F11+FI2(SMA)+FO1+FO2,10*TTL BNC 2*DB9 RS232 2G+2T	RFA
PTS-10A	310003152	PTS-10A-2-176110XXXXXXXXXX-XX	GPS/GLN,TwoChannel,TCXO,DualPower,F11+FI2(SMA)+FO1+FO2,4*IRIG-B-AC BNC,6*TTL BNC,2*DB9 RS232,2G+2T	RFA
PTS-10X	310002033	PTS-10X-1-21300XXXXXXXXXX-XX	GPS/GLONASS, OCXO(12us/24H), 2*100M Base-T, Alarm Contact, 85~264V AC/DC	EOL
PTS-10X	310002717	PTS-10X-OUT-COMBO-FO	2 ports BNC (IRIG-B modulated), 2 ports BNC (PPX/IRIG-B) and 1 port ST 850nm (PPX/IRIG-B) output	RFD
PTS-10X	310002712	PTS-10X-OUT-TOD-485-TB	8 ports, Terminal, RS485, TOD output	RFD
PTS-10X	310002055	PTS-10X-1-31210XXXXXXXXXX-XX	GPS/BDS, OCXO(6us/24H), 2*100M Base-T, Alarm Contact, PTPv2, 85~264V AC/DC	EOL
PTS-10X	310002109	PTS-10X-3-26100XXXXXXXXXX-XX	GPS, OCXO(12us/24H), 2*100/1000M C/F(LC), Alarm Contact, 48V DC	EOL
PTS-10X	400069	PTS-10X-S10	WEB	RFD
PTS-10X	310002136	PTS-10X-3-36111XXXXXXXXXX-XX	GPS, OCXO(6us/24H), 2*100/1000M C/F(LC), Alarm Contact, F11+FI2, PTPv2, 48V DC	EOL
PTS-10X	310002110	PTS-10X-3-26101XXXXXXXXXX-XX	GPS, OCXO(12us/24H), 2*100/1000M C/F(LC), Alarm Contact, F11+FI2, 48V DC	EOL
PTS-10X	310002081	PTS-10X-3-11300XXXXXXXXXX-XX	GPS/GLONASS, TCXO, 2*100M Base-T, Alarm Contact, 48V DC	EOL
PTS-10X	310002064	PTS-10X-1-36111XXXXXXXXXX-XX	GPS, OCXO(6us/24H), 2*100/1000M C/F(LC), Alarm Contact, F11+FI2, PTPv2, 85~264V AC/DC	RFD
PTS-10X	310002023	PTS-10X-1-16310XXXXXXXXXX-XX	GPS/GLONASS, TCXO, 2*100/1000M C/F(LC), Alarm Contact, PTPv2, 85~264V AC/DC	RFD
PTS-10X	310002117	PTS-10X-3-26300XXXXXXXXXX-XX	GPS/GLONASS, OCXO(12us/24H), 2*100/1000M C/F(LC), Alarm Contact, 48V DC	EOL
PTS-10X	310002020	PTS-10X-1-16211XXXXXXXXXX-XX	GPS/BDS, TCXO, 2*100/1000M C/F(LC), Alarm Contact, F11+FI2, PTPv2, 85~264V AC/DC	EOL
PTS-10X	310002021	PTS-10X-1-16300XXXXXXXXXX-XX	GPS/GLONASS, TCXO, 2*100/1000M C/F(LC), Alarm Contact, 85~264V AC/DC	EOL
PTS-10X	310002708	PTS-10X-OUT-IRIG-1310-FO	6 ports, ST, 1310nm, IRIG-B demodulated output	RFD
PTS-10X	310002121	PTS-10X-3-31100XXXXXXXXXX-XX	GPS, OCXO(6us/24H), 2*100M Base-T, Alarm Contact, 48V DC	EOL
PTS-10X	310002086	PTS-10X-3-16101XXXXXXXXXX-XX	GPS, TCXO, 2*100/1000M C/F(LC), Alarm Contact, F11+FI2, 48V DC	EOL
PTS-10X	310002107	PTS-10X-3-21310XXXXXXXXXX-XX	GPS/GLONASS, OCXO(12us/24H), 2*100M Base-T, Alarm Contact, PTPv2, 48V DC	EOL
PTS-10X	310002130	PTS-10X-3-31301XXXXXXXXXX-XX	GPS/GLONASS, OCXO(6us/24H), 2*100M Base-T, Alarm Contact, F11+FI2, 48V DC	EOL
PTS-10X	310002097	PTS-10X-3-21100XXXXXXXXXX-XX	GPS, OCXO(12us/24H), 2*100M Base-T, Alarm Contact, 48V DC	EOL
PTS-10X	310002031	PTS-10X-1-21210XXXXXXXXXX-XX	GPS/BDS, OCXO(12us/24H), 2*100M Base-T, Alarm Contact, PTPv2, 85~264V AC/DC	EOL
PTS-10X	310002041	PTS-10X-1-26200XXXXXXXXXX-XX	GPS/BDS, OCXO(12us/24H), 2*100/1000M C/F(LC), Alarm Contact, 85~264V AC/DC	EOL
PTS-10X	310002035	PTS-10X-1-21310XXXXXXXXXX-XX	GPS/GLONASS, OCXO(12us/24H), 2*100M Base-T, Alarm Contact, PTPv2, 85~264V AC/DC	EOL
PTS-10X	310002012	PTS-10X-1-11311XXXXXXXXXX-XX	GPS/GLONASS, TCXO, 2*100M Base-T, Alarm Contact, F11+FI2, PTPv2, 85~264V AC/DC	RFD
PTS-10X	310002007	PTS-10X-1-11210XXXXXXXXXX-XX	GPS/BDS, TCXO, 2*100M Base-T, Alarm Contact, PTPv2, 85~264V AC/DC	RFD
PTS-10X	310002100	PTS-10X-3-21111XXXXXXXXXX-XX	GPS, OCXO(12us/24H), 2*100M Base-T, Alarm Contact, F11+FI2, PTPv2, 48V DC	EOL
PTS-10X	310002034	PTS-10X-1-21301XXXXXXXXXX-XX	GPS/GLONASS, OCXO(12us/24H), 2*100M Base-T, Alarm Contact, F11+FI2, 85~264V AC/DC	EOL
PTS-10X	310002715	PTS-10X-OUT-CONTACT-TB	8 ports, Terminal, PPS/PPM output	RFD
PTS-10X	310002704	PTS-10X-OUT-IRIG-TTL-BNC	5 ports, BNC, IRIG-B demodulated output	RFD
PTS-10X	310002702	PTS-10X-OUT-IRIG-TTL-TB	8 ports, Terminal, IRIG-B demodulated output	RFD
PTS-10X	310002141	PTS-10X-3-36300XXXXXXXXXX-XX	GPS/GLONASS, OCXO(6us/24H), 2*100/1000M C/F(LC), Alarm Contact, 48V DC	EOL
PTS-10X	310002090	PTS-10X-3-16201XXXXXXXXXX-XX	GPS/BDS, TCXO, 2*100/1000M C/F(LC), Alarm Contact, F11+FI2, 48V DC	EOL
PTS-10X	310002044	PTS-10X-1-26211XXXXXXXXXX-XX	GPS/BDS, OCXO(12us/24H), 2*100/1000M C/F(LC), Alarm Contact, F11+FI2, PTPv2, 85~264V AC/DC	EOL
PTS-10X	310002056	PTS-10X-1-31211XXXXXXXXXX-XX	GPS/BDS, OCXO(6us/24H), 2*100M Base-T, Alarm Contact, F11+FI2, PTPv2, 85~264V AC/DC	EOL
PTS-10X	310002095	PTS-10X-3-16310XXXXXXXXXX-XX	GPS/GLONASS, TCXO, 2*100/1000M C/F(LC), Alarm Contact, PTPv2, 48V DC	RFD
PTS-10X	310002001	PTS-10X-1-11100XXXXXXXXXX-XX	GPS, TCXO, 2*100M Base-T, Alarm Contact, 85~264V AC/DC	EOL
PTS-10X	310002713	PTS-10X-OUT-PPS-232-TB	6 ports, Terminal, RS232, PPX output	RFD
PTS-10X	310002052	PTS-10X-1-31111XXXXXXXXXX-XX	GPS, OCXO(6us/24H), 2*100M Base-T, Alarm Contact, F11+FI2, PTPv2, 85~264V AC/DC	EOL

PTS-10X	310002015	PTS-10X-1-16110XXXXXXXXXXXX-XX	GPS, TCXO, 2*100/1000M C/F(LC), Alarm Contact, PTPv2, 85~264V AC/DC	RFD
PTS-10X	310002101	PTS-10X-3-21200XXXXXXXXXXXX-XX	GPS/BDS, OCXO(12us/24H), 2*100M Base-T, Alarm Contact, 48V DC	EOL
PTS-10X	310002705	PTS-10X-OUT-PPS-850-FO	6 ports, ST, 850nm, PPX output	RFD
PTS-10X	310002118	PTS-10X-3-26301XXXXXXXXXXXX-XX	GPS/GLONASS, OCXO(12us/24H), 2*100/1000M C/F(LC), Alarm Contact, FI1+FI2, 48V DC	EOL
PTS-10X	310002096	PTS-10X-3-16311XXXXXXXXXXXX-XX	GPS/GLONASS, TCXO, 2*100/1000M C/F(LC), Alarm Contact, FI1+FI2, PTPv2, 48V DC	RFD
PTS-10X	310002103	PTS-10X-3-21210XXXXXXXXXXXX-XX	GPS/BDS, OCXO(12us/24H), 2*100M Base-T, Alarm Contact, PTPv2, 48V DC	EOL
PTS-10X	310002088	PTS-10X-3-16111XXXXXXXXXXXX-XX	GPS, TCXO, 2*100/1000M C/F(LC), Alarm Contact, FI1+FI2, PTPv2, 48V DC	EOL
PTS-10X	310002132	PTS-10X-3-31311XXXXXXXXXXXX-XX	GPS/GLONASS, OCXO(6us/24H), 2*100M Base-T, Alarm Contact, FI1+FI2, PTPv2, 48V DC	RFD
PTS-10X	310002065	PTS-10X-1-36200XXXXXXXXXXXX-XX	GPS/BDS, OCXO(6us/24H), 2*100/1000M C/F(LC), Alarm Contact, 85~264V AC/DC	EOL
PTS-10X	310002138	PTS-10X-3-36201XXXXXXXXXXXX-XX	GPS/BDS, OCXO(6us/24H), 2*100/1000M C/F(LC), Alarm Contact, FI1+FI2, 48V DC	EOL
PTS-10X	310002120	PTS-10X-3-26311XXXXXXXXXXXX-XX	GPS/GLONASS, OCXO(12us/24H), 2*100/1000M C/F(LC), Alarm Contact, FI1+FI2, PTPv2, 48V DC	EOL
PTS-10X	310002025	PTS-10X-1-21100XXXXXXXXXXXX-XX	GPS, OCXO(12us/24H), 2*100M Base-T, Alarm Contact, 85~264V AC/DC	EOL
PTS-10X	310002073	PTS-10X-3-11100XXXXXXXXXXXX-XX	GPS, TCXO, 2*100M Base-T, Alarm Contact, 48V DC	EOL
PTS-10X	310002005	PTS-10X-1-11200XXXXXXXXXXXX-XX	GPS/BDS, TCXO, 2*100M Base-T, Alarm Contact, 85~264V AC/DC	EOL
PTS-10X	310002029	PTS-10X-1-21200XXXXXXXXXXXX-XX	GPS/BDS, OCXO(12us/24H), 2*100M Base-T, Alarm Contact, 85~264V AC/DC	EOL
PTS-10X	310002057	PTS-10X-1-31300XXXXXXXXXXXX-XX	GPS/GLONASS, OCXO(6us/24H), 2*100M Base-T, Alarm Contact, 85~264V AC/DC	EOL
PTS-10X	310002106	PTS-10X-3-21201XXXXXXXXXXXX-XX	GPS/GLONASS, OCXO(12us/24H), 2*100M Base-T, Alarm Contact, FI1+FI2, 48V DC	EOL
PTS-10X	310002018	PTS-10X-1-16201XXXXXXXXXXXX-XX	GPS/BDS, TCXO, 2*100/1000M C/F(LC), Alarm Contact, FI1+FI2, 85~264V AC/DC	EOL
PTS-10X	310002063	PTS-10X-1-36110XXXXXXXXXXXX-XX	GPS, OCXO(6us/24H), 2*100/1000M C/F(LC), Alarm Contact, PTPv2, 85~264V AC/DC	RFD
PTS-10X	310002126	PTS-10X-3-31201XXXXXXXXXXXX-XX	GPS/BDS, OCXO(6us/24H), 2*100M Base-T, Alarm Contact, FI1+FI2, 48V DC	EOL
PTS-10X	310002129	PTS-10X-3-31300XXXXXXXXXXXX-XX	GPS/GLONASS, OCXO(6us/24H), 2*100M Base-T, Alarm Contact, 48V DC	EOL
PTS-10X	310002080	PTS-10X-3-11211XXXXXXXXXXXX-XX	GPS/BDS, TCXO, 2*100M Base-T, Alarm Contact, FI1+FI2, PTPv2, 48V DC	EOL
PTS-10X	310002071	PTS-10X-1-36310XXXXXXXXXXXX-XX	GPS/GLONASS, OCXO(6us/24H), 2*100/1000M C/F(LC), Alarm Contact, PTPv2, 85~264V AC/DC	RFD
PTS-10X	310002091	PTS-10X-3-16210XXXXXXXXXXXX-XX	GPS/BDS, TCXO, 2*100/1000M C/F(LC), Alarm Contact, PTPv2, 48V DC	EOL
PTS-10X	310002125	PTS-10X-3-31200XXXXXXXXXXXX-XX	GPS/BDS, OCXO(6us/24H), 2*100M Base-T, Alarm Contact, 48V DC	EOL
PTS-10X	310002006	PTS-10X-1-11201XXXXXXXXXXXX-XX	GPS/BDS, TCXO, 2*100M Base-T, Alarm Contact, FI1+FI2, 85~264V AC/DC	EOL
PTS-10X	310002049	PTS-10X-1-31100XXXXXXXXXXXX-XX	GPS, OCXO(6us/24H), 2*100M Base-T, Alarm Contact, 85~264V AC/DC	EOL
PTS-10X	310002710	PTS-10X-OUT-PPS-485-TB	8 ports, Terminal, RS485, PPX output	RFD
PTS-10X	310002094	PTS-10X-3-16301XXXXXXXXXXXX-XX	GPS/GLONASS, TCXO, 2*100/1000M C/F(LC), Alarm Contact, FI1+FI2, 48V DC	EOL
PTS-10X	310002061	PTS-10X-1-36100XXXXXXXXXXXX-XX	GPS, OCXO(6us/24H), 2*100/1000M C/F(LC), Alarm Contact, 85~264V AC/DC	EOL
PTS-10X	310002701	PTS-10X-OUT-PPS-TTL-TB	8 ports, Terminal, PPX output	RFD
PTS-10X	400071	PTS-10X-S12	WEB+IEC60870-104+DNP TCP	RFD
PTS-10X	310002133	PTS-10X-3-36100XXXXXXXXXXXX-XX	GPS, OCXO(6us/24H), 2*100/1000M C/F(LC), Alarm Contact, 48V DC	EOL
PTS-10X	310002070	PTS-10X-1-36301XXXXXXXXXXXX-XX	GPS/GLONASS, OCXO(6us/24H), 2*100/1000M C/F(LC), Alarm Contact, FI1+FI2, 85~264V AC/DC	EOL
PTS-10X	310002042	PTS-10X-1-26201XXXXXXXXXXXX-XX	GPS/BDS, OCXO(12us/24H), 2*100/1000M C/F(LC), Alarm Contact, FI1+FI2, 85~264V AC/DC	EOL
PTS-10X	310002084	PTS-10X-3-11311XXXXXXXXXXXX-XX	GPS/GLONASS, TCXO, 2*100M Base-T, Alarm Contact, FI1+FI2, PTPv2, 48V DC	RFD
PTS-10X	310002027	PTS-10X-1-21110XXXXXXXXXXXX-XX	GPS, OCXO(12us/24H), 2*100M Base-T, Alarm Contact, PTPv2, 85~264V AC/DC	EOL
PTS-10X	310002076	PTS-10X-3-11111XXXXXXXXXXXX-XX	GPS, TCXO, 2*100M Base-T, Alarm Contact, FI1+FI2, PTPv2, 48V DC	EOL
PTS-10X	310002003	PTS-10X-1-11110XXXXXXXXXXXX-XX	GPS, TCXO, 2*100M Base-T, Alarm Contact, PTPv2, 85~264V AC/DC	RFD
PTS-10X	310002043	PTS-10X-1-26210XXXXXXXXXXXX-XX	GPS/BDS, OCXO(12us/24H), 2*100/1000M C/F(LC), Alarm Contact, PTPv2, 85~264V AC/DC	EOL

PTS-10X	310002102	PTS-10X-3-21201XXXXXXXXXXXX-XX	GPS/BDS, OCXO(12us/24H), 2*100M Base-T, Alarm Contact, FI1+FI2, 48V DC	EOL
PTS-10X	310002716	PTS-10X-OUT-COMBO-DB9	1 port BNC (IRIG-B modulated) , 2 ports BNC (PPX/IRIG-B) and 1 port DB9 (TOD) output	RFD
PTS-10X	310002093	PTS-10X-3-16300XXXXXXXXXXXX-XX	GPS/GLONASS, TCXO, 2*100/1000M C/F(LC), Alarm Contact, 48V DC	EOL
PTS-10X	310002045	PTS-10X-1-26300XXXXXXXXXXXX-XX	GPS/GLONASS, OCXO(12us/24H), 2*100/1000M C/F(LC), Alarm Contact, 85~264V AC/DC	EOL
PTS-10X	310002082	PTS-10X-3-11301XXXXXXXXXXXX-XX	GPS/GLONASS, TCXO, 2*100M Base-T, Alarm Contact, FI1+FI2, 48V DC	EOL
PTS-10X	310002116	PTS-10X-3-26211XXXXXXXXXXXX-XX	GPS/BDS, OCXO(12us/24H), 2*100/1000M C/F(LC), Alarm Contact, FI1+FI2, PTPv2, 48V DC	EOL
PTS-10X	310002019	PTS-10X-1-16210XXXXXXXXXXXX-XX	GPS/BDS, TCXO, 2*100/1000M C/F(LC), Alarm Contact, PTPv2, 85~264V AC/DC	RFD
PTS-10X	310002051	PTS-10X-1-31110XXXXXXXXXXXX-XX	GPS, OCXO(6us/24H), 2*100M Base-T, Alarm Contact, PTPv2, 85~264V AC/DC	EOL
PTS-10X	310002068	PTS-10X-1-36211XXXXXXXXXXXX-XX	GPS/BDS, OCXO(6us/24H), 2*100/1000M C/F(LC), Alarm Contact, FI1+FI2, PTPv2, 85~264V AC/DC	RFD
PTS-10X	310002142	PTS-10X-3-36301XXXXXXXXXXXX-XX	GPS/GLONASS, OCXO(6us/24H), 2*100/1000M C/F(LC), Alarm Contact, FI1+FI2, 48V DC	EOL
PTS-10X	310002112	PTS-10X-3-26111XXXXXXXXXXXX-XX	GPS, OCXO(12us/24H), 2*100/1000M C/F(LC), Alarm Contact, FI1+FI2, PTPv2, 48V DC	EOL
PTS-10X	310002066	PTS-10X-1-36201XXXXXXXXXXXX-XX	GPS/BDS, OCXO(6us/24H), 2*100/1000M C/F(LC), Alarm Contact, FI1+FI2, 85~264V AC/DC	EOL
PTS-10X	310002098	PTS-10X-3-21101XXXXXXXXXXXX-XX	GPS, OCXO(12us/24H), 2*100M Base-T, Alarm Contact, FI1+FI2, 48V DC	EOL
PTS-10X	310002059	PTS-10X-1-31310XXXXXXXXXXXX-XX	GPS/GLONASS, OCXO(6us/24H), 2*100M Base-T, Alarm Contact, PTPv2, 85~264V AC/DC	RFD
PTS-10X	310002113	PTS-10X-3-26200XXXXXXXXXXXX-XX	GPS/BDS, OCXO(12us/24H), 2*100/1000M C/F(LC), Alarm Contact, 48V DC	EOL
PTS-10X	310002008	PTS-10X-1-11211XXXXXXXXXXXX-XX	GPS/BDS, TCXO, 2*100M Base-T, Alarm Contact, FI1+FI2, PTPv2, 85~264V AC/DC	EOL
PTS-10X	310002706	PTS-10X-OUT-IRIG-850-FO	6 ports, ST, 850nm, IRIG-B demodulated output	RFD
PTS-10X	310002115	PTS-10X-3-26210XXXXXXXXXXXX-XX	GPS/BDS, OCXO(12us/24H), 2*100/1000M C/F(LC), Alarm Contact, PTPv2, 48V DC	EOL
PTS-10X	310002707	PTS-10X-OUT-PPS-1310-FO	6 ports, ST, 1310nm, PPX output	RFD
PTS-10X	310002104	PTS-10X-3-21211XXXXXXXXXXXX-XX	GPS/BDS, OCXO(12us/24H), 2*100M Base-T, Alarm Contact, FI1+FI2, PTPv2, 48V DC	EOL
PTS-10X	310002128	PTS-10X-3-31211XXXXXXXXXXXX-XX	GPS/BDS, OCXO(6us/24H), 2*100M Base-T, Alarm Contact, FI1+FI2, PTPv2, 48V DC	EOL
PTS-10X	310002134	PTS-10X-3-36101XXXXXXXXXXXX-XX	GPS, OCXO(6us/24H), 2*100/1000M C/F(LC), Alarm Contact, FI1+FI2, 48V DC	EOL
PTS-10X	310002114	PTS-10X-3-26201XXXXXXXXXXXX-XX	GPS/BDS, OCXO(12us/24H), 2*100/1000M C/F(LC), Alarm Contact, FI1+FI2, 48V DC	EOL
PTS-10X	310002030	PTS-10X-1-21201XXXXXXXXXXXX-XX	GPS/BDS, OCXO(12us/24H), 2*100M Base-T, Alarm Contact, FI1+FI2, 85~264V AC/DC	EOL
PTS-10X	310002111	PTS-10X-3-26110XXXXXXXXXXXX-XX	GPS, OCXO(12us/24H), 2*100/1000M C/F(LC), Alarm Contact, PTPv2, 48V DC	EOL
PTS-10X	310002046	PTS-10X-1-26301XXXXXXXXXXXX-XX	GPS/GLONASS, OCXO(12us/24H), 2*100/1000M C/F(LC), Alarm Contact, FI1+FI2, 85~264V AC/DC	EOL
PTS-10X	310002067	PTS-10X-1-36210XXXXXXXXXXXX-XX	GPS/BDS, OCXO(6us/24H), 2*100/1000M C/F(LC), Alarm Contact, PTPv2, 85~264V AC/DC	RFD
PTS-10X	310002016	PTS-10X-1-16111XXXXXXXXXXXX-XX	GPS, TCXO, 2*100/1000M C/F(LC), Alarm Contact, FI1+FI2, PTPv2, 85~264V AC/DC	EOL
PTS-10X	310002092	PTS-10X-3-16211XXXXXXXXXXXX-XX	GPS/BDS, TCXO, 2*100/1000M C/F(LC), Alarm Contact, FI1+FI2, PTPv2, 48V DC	EOL
PTS-10X	310002714	PTS-10X-OUT-TOD-232-TB	6 ports, Terminal, RS232, TOD output	RFD
PTS-10X	310002083	PTS-10X-3-11310XXXXXXXXXXXX-XX	GPS/GLONASS, TCXO, 2*100M Base-T, Alarm Contact, PTPv2, 48V DC	RFD
PTS-10X	310002026	PTS-10X-1-21101XXXXXXXXXXXX-XX	GPS, OCXO(12us/24H), 2*100M Base-T, Alarm Contact, FI1+FI2, 85~264V AC/DC	EOL
PTS-10X	310002709	PTS-10X-OUT-IRIG-AC-TB	6 ports, Terminal, IRIG-B modulated output	RFD
PTS-10X	310002075	PTS-10X-3-11110XXXXXXXXXXXX-XX	GPS, TCXO, 2*100M Base-T, Alarm Contact, PTPv2, 48V DC	EOL
PTS-10X	310002078	PTS-10X-3-11201XXXXXXXXXXXX-XX	GPS/BDS, TCXO, 2*100M Base-T, Alarm Contact, FI1+FI2, 48V DC	EOL
PTS-10X	400072	PTS-10X-S13	WEB+IEC60870-104+IEC61850 MMS	RFD
PTS-10X	310002069	PTS-10X-1-36300XXXXXXXXXXXX-XX	GPS/GLONASS, OCXO(6us/24H), 2*100/1000M C/F(LC), Alarm Contact, 85~264V AC/DC	EOL
PTS-10X	310002017	PTS-10X-1-16200XXXXXXXXXXXX-XX	GPS/BDS, TCXO, 2*100/1000M C/F(LC), Alarm Contact, 85~264V AC/DC	EOL
PTS-10X	310002037	PTS-10X-1-26100XXXXXXXXXXXX-XX	GPS, OCXO(12us/24H), 2*100/1000M C/F(LC), Alarm Contact, 85~264V AC/DC	EOL
PTS-10X	310002703	PTS-10X-OUT-PPS-TTL-BNC	5 ports, BNC, PPX output	RFD
PTS-10X	400073	PTS-10X-S14	WEB+TMS GOOSE Trigger+IEC61850 MMS	RFD
PTS-10X	310002047	PTS-10X-1-26310XXXXXXXXXXXX-XX	GPS/GLONASS, OCXO(12us/24H), 2*100/1000M C/F(LC), Alarm Contact, PTPv2, 85~264V AC/DC	EOL

PTS-10X	310002060	PTS-10X-1- 31311XXXXXXXXXXXX-XX	GPS/GLONASS, OCXO(6us/24H), 2*100M Base-T, Alarm Contact, FI1+FI2, PTPv2, 85~264V AC/DC	RFD
PTS-10X	310002058	PTS-10X-1- 31301XXXXXXXXXXXX-XX	GPS/GLONASS, OCXO(6us/24H), 2*100M Base-T, Alarm Contact, FI1+FI2, 85~264V AC/DC	EOL
PTS-10X	310002054	PTS-10X-1- 31201XXXXXXXXXXXX-XX	GPS/BDS, OCXO(6us/24H), 2*100M Base-T, Alarm Contact, FI1+FI2, 85~264V AC/DC	EOL
PTS-10X	310002010	PTS-10X-1- 11301XXXXXXXXXXXX-XX	GPS/GLONASS, TCXO, 2*100M Base-T, Alarm Contact, FI1+FI2, 85~264V AC/DC	EOL
PTS-10X	310002099	PTS-10X-3- 21110XXXXXXXXXXXX-XX	GPS, OCXO(12us/24H), 2*100M Base-T, Alarm Contact, PTPv2, 48V DC	EOL
PTS-10X	310002038	PTS-10X-1- 26101XXXXXXXXXXXX-XX	GPS, OCXO(12us/24H), 2*100/1000M C/F(LC), Alarm Contact, FI1+FI2, 85~264V AC/DC	EOL
PTS-10X	310002074	PTS-10X-3- 11101XXXXXXXXXXXX-XX	GPS, TCXO, 2*100M Base-T, Alarm Contact, FI1+FI2, 48V DC	EOL
PTS-10X	310002040	PTS-10X-1- 26111XXXXXXXXXXXX-XX	GPS, OCXO(12us/24H), 2*100/1000M C/F(LC), Alarm Contact, FI1+FI2, PTPv2, 85~264V AC/DC	EOL
PTS-10X	310002124	PTS-10X-3- 31111XXXXXXXXXXXX-XX	GPS, OCXO(6us/24H), 2*100M Base-T, Alarm Contact, FI1+FI2, PTPv2, 48V DC	EOL
PTS-10X	310002050	PTS-10X-1- 31101XXXXXXXXXXXX-XX	GPS, OCXO(6us/24H), 2*100M Base-T, Alarm Contact, FI1+FI2, 85~264V AC/DC	EOL
PTS-10X	310002053	PTS-10X-1- 31200XXXXXXXXXXXX-XX	GPS/BDS, OCXO(6us/24H), 2*100M Base-T, Alarm Contact, 85~264V AC/DC	EOL
PTS-10X	310002077	PTS-10X-3- 11200XXXXXXXXXXXX-XX	GPS/BDS, TCXO, 2*100M Base-T, Alarm Contact, 48V DC	EOL
PTS-10X	310002143	PTS-10X-3- 36310XXXXXXXXXXXX-XX	GPS/GLONASS, OCXO(6us/24H), 2*100/1000M C/F(LC), Alarm Contact, PTPv2, 48V DC	RFD
PTS-10X	310002079	PTS-10X-3- 11210XXXXXXXXXXXX-XX	GPS/BDS, TCXO, 2*100M Base-T, Alarm Contact, PTPv2, 48V DC	EOL
PTS-10X	310002140	PTS-10X-3- 36211XXXXXXXXXXXX-XX	GPS/BDS, OCXO(6us/24H), 2*100/1000M C/F(LC), Alarm Contact, FI1+FI2, PTPv2, 48V DC	EOL
PTS-10X	310002002	PTS-10X-1- 11101XXXXXXXXXXXX-XX	GPS, TCXO, 2*100M Base-T, Alarm Contact, FI1+FI2, 85~264V AC/DC	EOL
PTS-10X	310002108	PTS-10X-3- 21311XXXXXXXXXXXX-XX	GPS/GLONASS, OCXO(12us/24H), 2*100M Base-T, Alarm Contact, FI1+FI2, PTPv2, 48V DC	EOL
PTS-10X	310002009	PTS-10X-1- 11300XXXXXXXXXXXX-XX	GPS/GLONASS, TCXO, 2*100M Base-T, Alarm Contact, 85~264V AC/DC	EOL
PTS-10X	310002039	PTS-10X-1- 26110XXXXXXXXXXXX-XX	GPS, OCXO(12us/24H), 2*100/1000M C/F(LC), Alarm Contact, PTPv2, 85~264V AC/DC	EOL
PTS-10X	310002135	PTS-10X-3- 36110XXXXXXXXXXXX-XX	GPS, OCXO(6us/24H), 2*100/1000M C/F(LC), Alarm Contact, PTPv2, 48V DC	EOL
PTS-10X	310002024	PTS-10X-1- 11101XXXXXXXXXXXX-XX	GPS/GLONASS, TCXO, 2*100/1000M C/F(LC), Alarm Contact, FI1+FI2, 85~264V AC/DC	RFD
PTS-10X	310002089	PTS-10X-3- 16200XXXXXXXXXXXX-XX	GPS/BDS, TCXO, 2*100/1000M C/F(LC), Alarm Contact, 48V DC	EOL
PTS-10X	310002028	PTS-10X-1- 21111XXXXXXXXXXXX-XX	GPS, OCXO(12us/24H), 2*100M Base-T, Alarm Contact, FI1+FI2, PTPv2, 85~264V AC/DC	EOL
PTS-10X	310002711	PTS-10X-OUT-IRIG-485-TB	8 ports, Terminal, RS485, IRIG-B output	RFD
PTS-10X	310002123	PTS-10X-3- 31110XXXXXXXXXXXX-XX	GPS, OCXO(6us/24H), 2*100M Base-T, Alarm Contact, PTPv2, 48V DC	EOL
PTS-10X	310002048	PTS-10X-1- 26311XXXXXXXXXXXX-XX	GPS/GLONASS, OCXO(12us/24H), 2*100/1000M C/F(LC), Alarm Contact, FI1+FI2, PTPv2, 85~264V AC/DC	EOL
PTS-10X	310002127	PTS-10X-3- 31210XXXXXXXXXXXX-XX	GPS/BDS, OCXO(6us/24H), 2*100M Base-T, Alarm Contact, PTPv2, 48V DC	EOL
PTS-10X	310002105	PTS-10X-3- 21300XXXXXXXXXXXX-XX	GPS/GLONASS, OCXO(12us/24H), 2*100M Base-T, Alarm Contact, 48V DC	EOL
PTS-10X	310002119	PTS-10X-3- 26310XXXXXXXXXXXX-XX	GPS/GLONASS, OCXO(12us/24H), 2*100/1000M C/F(LC), Alarm Contact, PTPv2, 48V DC	EOL
PTS-10X	310002122	PTS-10X-3- 31101XXXXXXXXXXXX-XX	GPS, OCXO(6us/24H), 2*100M Base-T, Alarm Contact, FI1+FI2, 48V DC	EOL
PTS-10X	310002022	PTS-10X-1- 16301XXXXXXXXXXXX-XX	GPS/GLONASS, TCXO, 2*100/1000M C/F(LC), Alarm Contact, FI1+FI2, 85~264V AC/DC	EOL
PTS-10X	310002087	PTS-10X-3- 16110XXXXXXXXXXXX-XX	GPS, TCXO, 2*100/1000M C/F(LC), Alarm Contact, PTPv2, 48V DC	EOL
PTS-10X	310002011	PTS-10X-1- 11310XXXXXXXXXXXX-XX	GPS/GLONASS, TCXO, 2*100M Base-T, Alarm Contact, PTPv2, 85~264V AC/DC	RFD
PTS-10X	310002072	PTS-10X-1- 36311XXXXXXXXXXXX-XX	GPS/GLONASS, OCXO(6us/24H), 2*100/1000M C/F(LC), Alarm Contact, FI1+FI2, PTPv2, 85~264V AC/DC	RFD
PTS-10X	310002014	PTS-10X-1- 16101XXXXXXXXXXXX-XX	GPS, TCXO, 2*100/1000M C/F(LC), Alarm Contact, FI1+FI2, 85~264V AC/DC	EOL
PTS-10X	310002085	PTS-10X-3- 16100XXXXXXXXXXXX-XX	GPS, TCXO, 2*100/1000M C/F(LC), Alarm Contact, 48V DC	EOL
PTS-10X	310002137	PTS-10X-3- 36200XXXXXXXXXXXX-XX	GPS/BDS, OCXO(6us/24H), 2*100/1000M C/F(LC), Alarm Contact, 48V DC	EOL
PTS-10X	310002036	PTS-10X-1- 21311XXXXXXXXXXXX-XX	GPS/GLONASS, OCXO(12us/24H), 2*100M Base-T, Alarm Contact, FI1+FI2, PTPv2, 85~264V AC/DC	EOL
PTS-10X	310002062	PTS-10X-1- 36101XXXXXXXXXXXX-XX	GPS, OCXO(6us/24H), 2*100/1000M C/F(LC), Alarm Contact, FI1+FI2, 85~264V AC/DC	EOL
PTS-10X	310002144	PTS-10X-3- 36311XXXXXXXXXXXX-XX	GPS/GLONASS, OCXO(6us/24H), 2*100/1000M C/F(LC), Alarm Contact, FI1+FI2, PTPv2, 48V DC	RFD

PTS-10X	310002032	PTS-10X-1- 2121XXXXXXXXXXXXXX-XX	GPS/BDS, OCXO(12us/24H), 2*100M Base-T, Alarm Contact, FI1+FI2, PTPv2, 85~264V AC/DC	EOL
PTS-10X	310002139	PTS-10X-3- 36210XXXXXXXXXXXXXX-XX	GPS/BDS, OCXO(6us/24H), 2*100/1000M C/F(LC), Alarm Contact, PTPv2, 48V DC	EOL
PTS-10X	310002131	PTS-10X-3- 31310XXXXXXXXXXXXXX-XX	GPS/GLONASS, OCXO(6us/24H), 2*100M Base-T, Alarm Contact, PTPv2, 48V DC	RFD
PTS-10X	310002013	PTS-10X-1- 16100XXXXXXXXXXXXXX-XX	GPS, TCXO, 2*100/1000M C/F(LC), Alarm Contact, 85~264V AC/DC	EOL
PTS-10X	400070	PTS-10X-S11	WEB+SNMP	RFD
PTS-10X	310002004	PTS-10X-1- 11111XXXXXXXXXXXXXX-XX	GPS, TCXO, 2*100M Base-T, Alarm Contact, FI1+FI2, PTPv2, 85~264V AC/DC	EOL
PTS-30E	310007701	PTS-30E-OUT-PPS-TTL-TB	8 ports, Terminal, PPS/PPM output	RFD
PTS-30E	310007036	PTS-30E-2- 12X1XXXXXXXXXXXXXX-XX	FI1+FI2, TCXO, 4*100M Base-T, Alarm Contact, PTPv2, 85~264V AC/DC Dual	EOL
PTS-30E	310007049	PTS-30E-2- 31X0XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(6us/24H), 2*100M Base-T, Alarm Contact, 85~264V AC/DC Dual	EOL
PTS-30E	310007047	PTS-30E-2- 27X0XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(12us/12H), 2*100/1000M C/F(LC)+2*100M Base-T, Alarm Contact, 85~264V AC/DC Dual	EOL
PTS-30E	310007051	PTS-30E-2- 32X0XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(6us/24H), 4*100M Base-T, Alarm Contact, 85~264V AC/DC Dual	EOL
PTS-30E	310007003	PTS-30E-1- 12X0XXXXXXXXXXXXXX-XX	FI1+FI2, TCXO, 4*100M Base-T, Alarm Contact, 85~264V AC/DC	EOL
PTS-30E	310007060	PTS-30E-2- 42X1XXXXXXXXXXXXXX-XX	FI1+FI2, RUBIDIUM, 4*100M Base-T, Alarm Contact, PTPv2, 85~264V AC/DC Dual	EOL
PTS-30E	310007030	PTS-30E-1- 46X1XXXXXXXXXXXXXX-XX	FI1+FI2, RUBIDIUM, 2*100/1000M C/F(LC), Alarm Contact, PTPv2, 85~264V AC/DC	EOL
PTS-30E	310007018	PTS-30E-1- 31X1XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(6us/24H), 2*100M Base-T, Alarm Contact, PTPv2, 85~264V AC/DC	EOL
PTS-30E	310007114	PTS-30E-4- 31X1XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(6us/24H), 2*100M Base-T, Alarm Contact, PTPv2, 48V DC Dual	EOL
PTS-30E	310007072	PTS-30E-3- 17X1XXXXXXXXXXXXXX-XX	FI1+FI2, TCXO, 2*100/1000M C/F(LC)+2*100M Base-T, Alarm Contact, PTPv2, 48V DC	EOL
PTS-30E	310007705	PTS-30E-OUT-PPS-850-FO	6 ports, ST, 850nm, PPS/PPM output	RFD
PTS-30E	310007045	PTS-30E-2- 26X0XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(12us/12H), 2*100/1000M C/F(LC), Alarm Contact, 85~264V AC/DC Dual	EOL
PTS-30E	310007102	PTS-30E-4- 16X1XXXXXXXXXXXXXX-XX	FI1+FI2, TCXO, 2*100/1000M C/F(LC), Alarm Contact, PTPv2, 48V DC Dual	EOL
PTS-30E	310007021	PTS-30E-1- 36X0XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(6us/24H), 2*100/1000M C/F(LC), Alarm Contact, 85~264V AC/DC	EOL
PTS-30E	310007125	PTS-30E-4- 46X0XXXXXXXXXXXXXX-XX	FI1+FI2, RUBIDIUM, 2*100/1000M C/F(LC), Alarm Contact, 48V DC Dual	EOL
PTS-30E	310007037	PTS-30E-2- 16X0XXXXXXXXXXXXXX-XX	FI1+FI2, TCXO, 2*100/1000M C/F(LC), Alarm Contact, 85~264V AC/DC Dual	EOL
PTS-30E	310007080	PTS-30E-3- 27X1XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(12us/12H), 2*100/1000M C/F(LC)+2*100M Base-T, Alarm Contact, PTPv2, 48V DC	EOL
PTS-30E	310007709	PTS-30E-OUT-IRIG-AC-TB	6 ports, Terminal, IRIG-B modulated output	RFD
PTS-30E	310007094	PTS-30E-3- 46X1XXXXXXXXXXXXXX-XX	FI1+FI2, RUBIDIUM, 2*100/1000M C/F(LC), Alarm Contact, PTPv2, 48V DC	EOL
PTS-30E	310007706	PTS-30E-OUT-IRIG-850-FO	6 ports, ST, 850nm, IRIG-B demodulated output	RFD
PTS-30E	310007020	PTS-30E-1- 32X1XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(6us/24H), 4*100M Base-T, Alarm Contact, PTPv2, 85~264V AC/DC	EOL
PTS-30E	310007052	PTS-30E-2- 32X1XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(6us/24H), 4*100M Base-T, Alarm Contact, PTPv2, 85~264V AC/DC Dual	EOL
PTS-30E	310007028	PTS-30E-1- 42X1XXXXXXXXXXXXXX-XX	FI1+FI2, RUBIDIUM, 4*100M Base-T, Alarm Contact, PTPv2, 85~264V AC/DC	EOL
PTS-30E	310007078	PTS-30E-3- 26X1XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(12us/12H), 2*100/1000M C/F(LC), Alarm Contact, PTPv2, 48V DC	EOL
PTS-30E	310007084	PTS-30E-3- 32X1XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(6us/24H), 4*100M Base-T, Alarm Contact, PTPv2, 48V DC	EOL
PTS-30E	310007061	PTS-30E-2- 46X0XXXXXXXXXXXXXX-XX	FI1+FI2, RUBIDIUM, 2*100/1000M C/F(LC), Alarm Contact, 85~264V AC/DC Dual	EOL
PTS-30E	310007100	PTS-30E-4- 12X1XXXXXXXXXXXXXX-XX	FI1+FI2, TCXO, 4*100M Base-T, Alarm Contact, PTPv2, 48V DC Dual	EOL
PTS-30E	310007022	PTS-30E-1- 36X1XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(6us/24H), 2*100/1000M C/F(LC), Alarm Contact, PTPv2, 85~264V AC/DC	EOL
PTS-30E	310007017	PTS-30E-1- 31X0XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(6us/24H), 2*100M Base-T, Alarm Contact, 85~264V AC/DC	EOL
PTS-30E	310007009	PTS-30E-1- 21X0XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(12us/12H), 2*100M Base-T, Alarm Contact, 85~264V AC/DC	EOL
PTS-30E	310007031	PTS-30E-1- 47X0XXXXXXXXXXXXXX-XX	FI1+FI2, RUBIDIUM, 2*100/1000M C/F(LC)+2*100M Base-T, Alarm Contact, 85~264V AC/DC	EOL
PTS-30E	310007108	PTS-30E-4- 22X1XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(12us/12H), 4*100M Base-T, Alarm Contact, PTPv2, 48V DC Dual	EOL
PTS-30E	310007117	PTS-30E-4- 36X0XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(6us/24H), 2*100/1000M C/F(LC), Alarm Contact, 48V DC Dual	EOL
PTS-30E	310007067	PTS-30E-3- 12X0XXXXXXXXXXXXXX-XX	FI1+FI2, TCXO, 4*100M Base-T, Alarm Contact, 48V DC	EOL

PTS-30E	310007113	PTS-30E-4-31X0XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(6us/24H), 2*100M Base-T, Alarm Contact, 48V DC Dual	EOL
PTS-30E	310007069	PTS-30E-3-16X0XXXXXXXXXXXXXX-XX	FI1+FI2, TCXO, 2*100/1000M C/F(LC), Alarm Contact, 48V DC	EOL
PTS-30E	310007103	PTS-30E-4-17X0XXXXXXXXXXXXXX-XX	FI1+FI2, TCXO, 2*100/1000M C/F(LC)+2*100M Base-T, Alarm Contact, 48V DC Dual	EOL
PTS-30E	400099	PTS-30E-S13	WEB+IEC60870-104+IEC61850 MMS	RFD
PTS-30E	310007002	PTS-30E-1-11X1XXXXXXXXXXXXXX-XX	FI1+FI2, TCXO, 2*100M Base-T, Alarm Contact, PTPv2, 85~264V AC/DC	RFD
PTS-30E	310007116	PTS-30E-4-32X1XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(6us/24H), 4*100M Base-T, Alarm Contact, PTPv2, 48V DC Dual	EOL
PTS-30E	310007063	PTS-30E-2-47X0XXXXXXXXXXXXXX-XX	FI1+FI2, RUBIDIUM, 2*100/1000M C/F(LC)+2*100M Base-T, Alarm Contact, 85~264V AC/DC Dual	EOL
PTS-30E	310007058	PTS-30E-2-41X1XXXXXXXXXXXXXX-XX	FI1+FI2, RUBIDIUM, 2*100M Base-T, Alarm Contact, PTPv2, 85~264V AC/DC Dual	EOL
PTS-30E	310007039	PTS-30E-2-17X0XXXXXXXXXXXXXX-XX	FI1+FI2, TCXO, 2*100/1000M C/F(LC)+2*100M Base-T, Alarm Contact, 85~264V AC/DC Dual	EOL
PTS-30E	310007066	PTS-30E-3-11X1XXXXXXXXXXXXXX-XX	FI1+FI2, TCXO, 2*100M Base-T, Alarm Contact, PTPv2, 48V DC	EOL
PTS-30E	310007105	PTS-30E-4-21X0XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(12us/12H), 2*100M Base-T, Alarm Contact, 48V DC Dual	EOL
PTS-30E	310007110	PTS-30E-4-26X1XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(12us/12H), 2*100/1000M C/F(LC), Alarm Contact, PTPv2, 48V DC Dual	EOL
PTS-30E	310007715	PTS-30E-OUT-CONTACT-TB	8 ports, Terminal, PPS/PPM output	RFD
PTS-30E	310007096	PTS-30E-3-47X1XXXXXXXXXXXXXX-XX	FI1+FI2, RUBIDIUM, 2*100/1000M C/F(LC)+2*100M Base-T, Alarm Contact, PTPv2, 48V DC	EOL
PTS-30E	310007073	PTS-30E-3-21X0XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(12us/12H), 2*100M Base-T, Alarm Contact, 48V DC	EOL
PTS-30E	310007087	PTS-30E-3-37X0XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(6us/24H), 2*100/1000M C/F(LC)+2*100M Base-T, Alarm Contact, 48V DC	EOL
PTS-30E	310007006	PTS-30E-1-16X1XXXXXXXXXXXXXX-XX	FI1+FI2, TCXO, 2*100/1000M C/F(LC), Alarm Contact, PTPv2, 85~264V AC/DC	EOL
PTS-30E	310007038	PTS-30E-2-16X1XXXXXXXXXXXXXX-XX	FI1+FI2, TCXO, 2*100/1000M C/F(LC), Alarm Contact, PTPv2, 85~264V AC/DC Dual	EOL
PTS-30E	310007128	PTS-30E-4-47X1XXXXXXXXXXXXXX-XX	FI1+FI2, RUBIDIUM, 2*100/1000M C/F(LC)+2*100M Base-T, Alarm Contact, PTPv2, 48V DC Dual	EOL
PTS-30E	400096	PTS-30E-S10	WEB	RFD
PTS-30E	310007029	PTS-30E-1-46X0XXXXXXXXXXXXXX-XX	FI1+FI2, RUBIDIUM, 2*100/1000M C/F(LC), Alarm Contact, 85~264V AC/DC	EOL
PTS-30E	310007043	PTS-30E-2-22X0XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(12us/12H), 4*100M Base-T, Alarm Contact, 85~264V AC/DC Dual	EOL
PTS-30E	400097	PTS-30E-S11	WEB+SNMP	RFD
PTS-30E	310007053	PTS-30E-2-36X0XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(6us/24H), 2*100/1000M C/F(LC), Alarm Contact, 85~264V AC/DC Dual	EOL
PTS-30E	310007121	PTS-30E-4-41X0XXXXXXXXXXXXXX-XX	FI1+FI2, RUBIDIUM, 2*100M Base-T, Alarm Contact, 48V DC Dual	EOL
PTS-30E	310007014	PTS-30E-1-26X1XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(12us/12H), 2*100/1000M C/F(LC), Alarm Contact, PTPv2, 85~264V AC/DC	EOL
PTS-30E	310007097	PTS-30E-4-11X0XXXXXXXXXXXXXX-XX	FI1+FI2, TCXO, 2*100M Base-T, Alarm Contact, 48V DC Dual	EOL
PTS-30E	310007089	PTS-30E-3-41X0XXXXXXXXXXXXXX-XX	FI1+FI2, RUBIDIUM, 2*100M Base-T, Alarm Contact, 48V DC	EOL
PTS-30E	310007115	PTS-30E-4-32X0XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(6us/24H), 4*100M Base-T, Alarm Contact, 48V DC Dual	EOL
PTS-30E	310007079	PTS-30E-3-27X0XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(12us/12H), 2*100/1000M C/F(LC)+2*100M Base-T, Alarm Contact, 48V DC	EOL
PTS-30E	310007040	PTS-30E-2-17X1YYYYYYYYYYYYYY-YY	FI1+FI2, TCXO, 2*100/1000M C/F(LC)+2*100M Base-T, Alarm Contact, PTPv2, 85~264V AC/DC Dual	EOL
PTS-30E	310007710	PTS-30E-OUT-PPS-485-TB	8 ports, Terminal, RS485_PPS output	RFD
PTS-30E	310007093	PTS-30E-3-46X0XXXXXXXXXXXXXX-XX	FI1+FI2, RUBIDIUM, 2*100/1000M C/F(LC), Alarm Contact, 48V DC	EOL
PTS-30E	310007046	PTS-30E-2-26X1XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(12us/12H), 2*100/1000M C/F(LC), Alarm Contact, PTPv2, 85~264V AC/DC Dual	EOL
PTS-30E	310007041	PTS-30E-2-21X0XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(12us/12H), 2*100M Base-T, Alarm Contact, 85~264V AC/DC Dual	EOL
PTS-30E	310007112	PTS-30E-4-27X1XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(12us/12H), 2*100/1000M C/F(LC)+2*100M Base-T, Alarm Contact, PTPv2, 48V DC Dual	EOL
PTS-30E	310007085	PTS-30E-3-36X0XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(6us/24H), 2*100/1000M C/F(LC), Alarm Contact, 48V DC	EOL
PTS-30E	310007044	PTS-30E-2-22X1XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(12us/12H), 4*100M Base-T, Alarm Contact, PTPv2, 85~264V AC/DC Dual	EOL
PTS-30E	310007714	PTS-30E-OUT-TOD-232-TB	6 ports, Terminal, RS232, TOD output	RFD
PTS-30E	310007088	PTS-30E-3-37X1XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(6us/24H), 2*100/1000M C/F(LC)+2*100M Base-T, Alarm Contact, PTPv2, 48V DC	EOL
PTS-30E	310007104	PTS-30E-4-17X1XXXXXXXXXXXXXX-XX	FI1+FI2, TCXO, 2*100/1000M C/F(LC)+2*100M Base-T, Alarm Contact, PTPv2, 48V DC Dual	EOL
PTS-30E	310007008	PTS-30E-1-17X1XXXXXXXXXXXXXX-XX	FI1+FI2, TCXO, 2*100/1000M C/F(LC)+2*100M Base-T, Alarm Contact, PTPv2, 85~264V AC/DC	EOL

PTS-30E	310007062	PTS-30E-2-46X1XXXXXXXXXXXXXX-XX	FI1+FI2, RUBIDIUM, 2*100/1000M C/F(LC), Alarm Contact, PTPv2, 85~264V AC/DC Dual	EOL
PTS-30E	310007005	PTS-30E-1-16X0XXXXXXXXXXXXXX-XX	FI1+FI2, TCXO, 2*100/1000M C/F(LC), Alarm Contact, 85~264V AC/DC	EOL
PTS-30E	310007711	PTS-30E-OUT-IRIG-485-TB	8 ports, Terminal, RS485, IRIG-B output	RFD
PTS-30E	310007025	PTS-30E-1-41X0XXXXXXXXXXXXXX-XX	FI1+FI2, RUBIDIUM, 2*100M Base-T, Alarm Contact, 85~264V AC/DC	EOL
PTS-30E	310007092	PTS-30E-3-42X1XXXXXXXXXXXXXX-XX	FI1+FI2, RUBIDIUM, 4*100M Base-T, Alarm Contact, PTPv2, 48V DC	EOL
PTS-30E	310007055	PTS-30E-2-37X0XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(6us/24H), 2*100/1000M C/F(LC)+2*100M Base-T, Alarm Contact, 85~264V AC/DC Dual	EOL
PTS-30E	310007074	PTS-30E-3-21X1XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(12us/12H), 2*100M Base-T, Alarm Contact, PTPv2, 48V DC	EOL
PTS-30E	310007012	PTS-30E-1-22X1XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(12us/12H), 4*100M Base-T, Alarm Contact, PTPv2, 85~264V AC/DC	EOL
PTS-30E	310007032	PTS-30E-1-47X1XXXXXXXXXXXXXX-XX	FI1+FI2, RUBIDIUM, 2*100/1000M C/F(LC)+2*100M Base-T, Alarm Contact, PTPv2, 85~264V AC/DC	EOL
PTS-30E	310007024	PTS-30E-1-37X1XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(6us/24H), 2*100/1000M C/F(LC)+2*100M Base-T, Alarm Contact, PTPv2, 85~264V AC/DC	RFD
PTS-30E	310007075	PTS-30E-3-22X0XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(12us/12H), 4*100M Base-T, Alarm Contact, 48V DC	EOL
PTS-30E	310007004	PTS-30E-1-12X1XXXXXXXXXXXXXX-XX	FI1+FI2, TCXO, 4*100M Base-T, Alarm Contact, PTPv2, 85~264V AC/DC	EOL
PTS-30E	310007107	PTS-30E-4-22X0XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(12us/12H), 4*100M Base-T, Alarm Contact, 48V DC Dual	EOL
PTS-30E	310007077	PTS-30E-3-26X0XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(12us/12H), 2*100/1000M C/F(LC), Alarm Contact, 48V DC	EOL
PTS-30E	310007050	PTS-30E-2-31X1XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(6us/24H), 2*100M Base-T, Alarm Contact, PTPv2, 85~264V AC/DC Dual	EOL
PTS-30E	310007035	PTS-30E-2-12X0XXXXXXXXXXXXXX-XX	FI1+FI2, TCXO, 4*100M Base-T, Alarm Contact, 85~264V AC/DC Dual	EOL
PTS-30E	310007068	PTS-30E-3-12X1XXXXXXXXXXXXXX-XX	FI1+FI2, TCXO, 4*100M Base-T, Alarm Contact, PTPv2, 48V DC	EOL
PTS-30E	310007101	PTS-30E-4-16X0XXXXXXXXXXXXXX-XX	FI1+FI2, TCXO, 2*100/1000M C/F(LC), Alarm Contact, 48V DC Dual	EOL
PTS-30E	310007118	PTS-30E-4-36X1XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(6us/24H), 2*100/1000M C/F(LC), Alarm Contact, PTPv2, 48V DC Dual	EOL
PTS-30E	310007013	PTS-30E-1-26X0XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(12us/12H), 2*100/1000M C/F(LC), Alarm Contact, 85~264V AC/DC	EOL
PTS-30E	310007120	PTS-30E-4-37X1XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(6us/24H), 2*100/1000M C/F(LC)+2*100M Base-T, Alarm Contact, PTPv2, 48V DC Dual	EOL
PTS-30E	310007090	PTS-30E-3-41X1XXXXXXXXXXXXXX-XX	FI1+FI2, RUBIDIUM, 2*100M Base-T, Alarm Contact, PTPv2, 48V DC	EOL
PTS-30E	310007081	PTS-30E-3-31X0XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(6us/24H), 2*100M Base-T, Alarm Contact, 48V DC	EOL
PTS-30E	310007712	PTS-30E-OUT-TOD-485-TB	8 ports, Terminal, RS485, TOD output	RFD
PTS-30E	310007091	PTS-30E-3-42X0XXXXXXXXXXXXXX-XX	FI1+FI2, RUBIDIUM, 4*100M Base-T, Alarm Contact, 48V DC	EOL
PTS-30E	310007048	PTS-30E-2-27X1XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(12us/12H), 2*100/1000M C/F(LC)+2*100M Base-T, Alarm Contact, PTPv2, 85~264V AC/DC Dual	EOL
PTS-30E	310007054	PTS-30E-2-36X1XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(6us/24H), 2*100/1000M C/F(LC), Alarm Contact, PTPv2, 85~264V AC/DC Dual	EOL
PTS-30E	310007056	PTS-30E-2-37X1XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(6us/24H), 2*100/1000M C/F(LC)+2*100M Base-T, Alarm Contact, PTPv2, 85~264V AC/DC Dual	RFD
PTS-30E	310007010	PTS-30E-1-21X1XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(12us/12H), 2*100M Base-T, Alarm Contact, PTPv2, 85~264V AC/DC	EOL
PTS-30E	310007083	PTS-30E-3-32X0XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(6us/24H), 4*100M Base-T, Alarm Contact, 48V DC	EOL
PTS-30E	310007015	PTS-30E-1-27X0XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(12us/12H), 2*100/1000M C/F(LC)+2*100M Base-T, Alarm Contact, 85~264V AC/DC	EOL
PTS-30E	310007001	PTS-30E-1-11X0XXXXXXXXXXXXXX-XX	FI1+FI2, TCXO, 2*100M Base-T, Alarm Contact, 85~264V AC/DC	EOL
PTS-30E	310007082	PTS-30E-3-31X1XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(6us/24H), 2*100M Base-T, Alarm Contact, PTPv2, 48V DC	EOL
PTS-30E	310007064	PTS-30E-2-47X1XXXXXXXXXXXXXX-XX	FI1+FI2, RUBIDIUM, 2*100/1000M C/F(LC)+2*100M Base-T, Alarm Contact, PTPv2, 85~264V AC/DC Dual	EOL
PTS-30E	310007019	PTS-30E-1-32X0XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(6us/24H), 4*100M Base-T, Alarm Contact, 85~264V AC/DC	EOL
PTS-30E	310007071	PTS-30E-3-17X0XXXXXXXXXXXXXX-XX	FI1+FI2, TCXO, 2*100/1000M C/F(LC)+2*100M Base-T, Alarm Contact, 48V DC	EOL
PTS-30E	310007007	PTS-30E-1-17X0XXXXXXXXXXXXXX-XX	FI1+FI2, TCXO, 2*100/1000M C/F(LC)+2*100M Base-T, Alarm Contact, 85~264V AC/DC	EOL
PTS-30E	310007095	PTS-30E-3-47X0XXXXXXXXXXXXXX-XX	FI1+FI2, RUBIDIUM, 2*100/1000M C/F(LC)+2*100M Base-T, Alarm Contact, 48V DC	EOL
PTS-30E	310007059	PTS-30E-2-42X0XXXXXXXXXXXXXX-XX	FI1+FI2, RUBIDIUM, 4*100M Base-T, Alarm Contact, 85~264V AC/DC Dual	EOL
PTS-30E	310007026	PTS-30E-1-41X1XXXXXXXXXXXXXX-XX	FI1+FI2, RUBIDIUM, 2*100M Base-T, Alarm Contact, PTPv2, 85~264V AC/DC	EOL

PTS-30E	310007119	PTS-30E-4-37X0XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(6us/24H), 2*100/1000M C/F(LC)+2*100M Base-T, Alarm Contact, 48V DC Dual	EOL
PTS-30E	310007034	PTS-30E-2-11X1XXXXXXXXXXXXXX-XX	FI1+FI2, TCXO, 2*100M Base-T, Alarm Contact, PTPv2, 85~264V AC/DC Dual	RFD
PTS-30E	310007704	PTS-30E-OUT-IRIG-TTL-BNC	5 ports, BNC, IRIG-B demodulated output	RFD
PTS-30E	310007023	PTS-30E-1-37X0XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(6us/24H), 2*100/1000M C/F(LC)+2*100M Base-T, Alarm Contact, 85~264V AC/DC	EOL
PTS-30E	400100	PTS-30E-S14	WEB+TMS GOOSE Trigger+IEC61850 MMS	RFD
PTS-30E	400098	PTS-30E-S12	WEB+IEC60870-104+DNP TCP	RFD
PTS-30E	310007122	PTS-30E-4-41X1XXXXXXXXXXXXXX-XX	FI1+FI2, RUBIDIUM, 2*100M Base-T, Alarm Contact, PTPv2, 48V DC Dual	EOL
PTS-30E	310007707	PTS-30E-OUT-PPS-1310-FO	6 ports, ST, 1310nm, PPS/PPM output	RFD
PTS-30E	310007065	PTS-30E-3-11X0XXXXXXXXXXXXXX-XX	FI1+FI2, TCXO, 2*100M Base-T, Alarm Contact, 48V DC	EOL
PTS-30E	310007016	PTS-30E-1-27X1XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(12us/12H), 2*100/1000M C/F(LC)+2*100M Base-T, Alarm Contact, PTPv2, 85~264V AC/DC	EOL
PTS-30E	310007713	PTS-30E-OUT-PPS-232-TB	6 ports, Terminal, RS232, PPX output	RFD
PTS-30E	310007042	PTS-30E-2-21X1XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(12us/12H), 2*100M Base-T, Alarm Contact, PTPv2, 85~264V AC/DC Dual	EOL
PTS-30E	310007106	PTS-30E-4-21X1XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(12us/12H), 2*100M Base-T, Alarm Contact, PTPv2, 48V DC Dual	EOL
PTS-30E	310007011	PTS-30E-1-22X0XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(12us/12H), 4*100M Base-T, Alarm Contact, 85~264V AC/DC	EOL
PTS-30E	310007086	PTS-30E-3-36X1XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(6us/24H), 2*100/1000M C/F(LC), Alarm Contact, PTPv2, 48V DC	EOL
PTS-30E	310007123	PTS-30E-4-43X0XXXXXXXXXXXXXX-XX	FI1+FI2, RUBIDIUM, 4*100M Base-T, Alarm Contact, 48V DC Dual	EOL
PTS-30E	310007033	PTS-30E-2-11X0XXXXXXXXXXXXXX-XX	FI1+FI2, TCXO, 2*100M Base-T, Alarm Contact, 85~264V AC/DC Dual	EOL
PTS-30E	310007076	PTS-30E-3-22X1XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(12us/12H), 4*100M Base-T, Alarm Contact, PTPv2, 48V DC	EOL
PTS-30E	310007703	PTS-30E-OUT-PPS-TTL-BNC	5 ports, BNC, PPS/PPM output	RFD
PTS-30E	310007027	PTS-30E-1-43X0XXXXXXXXXXXXXX-XX	FI1+FI2, RUBIDIUM, 4*100M Base-T, Alarm Contact, 85~264V AC/DC	EOL
PTS-30E	310007127	PTS-30E-4-47X0XXXXXXXXXXXXXX-XX	FI1+FI2, RUBIDIUM, 2*100/1000M C/F(LC)+2*100M Base-T, Alarm Contact, 48V DC Dual	EOL
PTS-30E	310007126	PTS-30E-4-46X1XXXXXXXXXXXXXX-XX	FI1+FI2, RUBIDIUM, 2*100/1000M C/F(LC), Alarm Contact, PTPv2, 48V DC Dual	EOL
PTS-30E	310007708	PTS-30E-OUT-IRIG-1310-FO	6 ports, ST, 1310nm, IRIG-B demodulated output	RFD
PTS-30E	310007070	PTS-30E-3-16X1XXXXXXXXXXXXXX-XX	FI1+FI2, TCXO, 2*100/1000M C/F(LC), Alarm Contact, PTPv2, 48V DC	EOL
PTS-30E	310007109	PTS-30E-4-26X0XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(12us/12H), 2*100/1000M C/F(LC), Alarm Contact, 48V DC Dual	EOL
PTS-30E	310007099	PTS-30E-4-12X0XXXXXXXXXXXXXX-XX	FI1+FI2, TCXO, 4*100M Base-T, Alarm Contact, 48V DC Dual	EOL
PTS-30E	310007111	PTS-30E-4-27X0XXXXXXXXXXXXXX-XX	FI1+FI2, OCXO(12us/12H), 2*100/1000M C/F(LC)+2*100M Base-T, Alarm Contact, 48V DC Dual	EOL
PTS-30E	310007098	PTS-30E-4-11X1XXXXXXXXXXXXXX-XX	FI1+FI2, TCXO, 2*100M Base-T, Alarm Contact, PTPv2, 48V DC Dual	EOL
PTS-30E	310007124	PTS-30E-4-42X1XXXXXXXXXXXXXX-XX	FI1+FI2, RUBIDIUM, 4*100M Base-T, Alarm Contact, PTPv2, 48V DC Dual	EOL
PTS-30E	310007702	PTS-30E-OUT-IRIG-TTL-TB	8 ports, Terminal, IRIG-B demodulated output	RFD
PTS-30M	310005705	PTS-30M-OUT-PPS-850-FO	6 ports, ST, 850nm, PPS/PPM output	RFD
PTS-30M	400090	PTS-30M-S13	WEB+IEC60870-104+IEC61850 MMS	RFD
PTS-30M	310005218	PTS-30M-2-1121100XXXXXXXXXXXXXX-XX	GPS/BDS, TCXO, 2*100M Base-T, Alarm Contact, FI1+FI2, PTPv2, 85~264V AC/DC Dual	RFD
PTS-30M	400087	PTS-30M-S10	WEB	RFD
PTS-30M	310005710	PTS-30M-OUT-PPS-485-TB	8 ports, Terminal, RS485, PPX output	RFD
PTS-30M	310005703	PTS-30M-OUT-PPS-TTL-BNC	5 ports, BNC, PPS/PPM output	RFD
PTS-30M	310005702	PTS-30M-OUT-IRIG-TTL-TB	8 ports, Terminal, IRIG-B demodulated output	RFD
PTS-30M	310005714	PTS-30M-OUT-TOD-232-TB	6 ports, Terminal, RS232, TOD output	RFD
PTS-30M	310005712	PTS-30M-OUT-TOD-485-TB	8 ports, Terminal, RS485, TOD output	RFD
PTS-30M	400089	PTS-30M-S12	WEB+IEC60870-104+DNP TCP	RFD
PTS-30M	310005713	PTS-30M-OUT-PPS-232-TB	6 ports, Terminal, RS232, PPX output	RFD
PTS-30M	310005708	PTS-30M-OUT-IRIG-1310-FO	6 ports, ST, 1310nm, IRIG-B demodulated output	RFD
PTS-30M	310005106	PTS-30M-2-115100XXXXXXXXXXXXXX-XX	GPS+BDS, TCXO, 2*100M Base-T, Alarm Contact, PTPv2, 85~264V AC/DC Dual	RFD
PTS-30M	310005711	PTS-30M-OUT-IRIG-485-TB	8 ports, Terminal, RS485, IRIG-B output	RFD
PTS-30M	310007801	PTS-30-POWER-220VAC/DC	PTS-30-POWER-220VAC/DC	RFD
PTS-30M	310005715	PTS-30M-OUT-CONTACT-TB	8 ports, Terminal, PPS/PPM output	RFD
PTS-30M	310005701	PTS-30M-OUT-PPS-TTL-TB	8 ports, Terminal, PPS/PPM output	RFD
PTS-30M	310005706	PTS-30M-OUT-IRIG-850-FO	6 ports, ST, 850nm, IRIG-B demodulated output	RFD
PTS-30M	310005704	PTS-30M-OUT-IRIG-TTL-BNC	5 ports, BNC, IRIG-B demodulated output	RFD
PTS-30M	310005004	PTS-30M-1-112100XXXXXXXXXXXXXX-XX	GPS/BDS, TCXO, 2*100M Base-T, Alarm Contact, PTPv2, 85~264V AC/DC	RFD
PTS-30M	400088	PTS-30M-S11	WEB+SNMP	RFD
PTS-30M	400091	PTS-30M-S14	WEB+TMS GOOSE Trigger+IEC61850 MMS	RFD
PTS-30M	310005709	PTS-30M-OUT-IRIG-AC-TB	6 ports, Terminal, IRIG-B modulated output	RFD
PTS-ANT	111990070	PTS-ANT-AMPLIFIER	Antenna Amplifier	RFD
PTS-ANT	111990068	PTS-ANT-CABLE-80	Coaxial Cable (80 meters)	RFD

PTS-ANT	111990065	PTS-ANT-CABLE-30	Coaxial Cable (30 meters)	RFD
PTS-ANT	109990522	PTS-ANT-MOUNT-HOOP	Hoop Mount accessory for antenna	RFS
PTS-ANT	111990069	PTS-ANT-CABLE-100	Coaxial Cable (100 meters)	RFD
PTS-ANT	111990067	PTS-ANT-CABLE-50	Coaxial Cable (50 meters)	RFD
PTS-ANT	111990136	BNC-J/BNC-K-30cm(-2)	Coaxial Cable (30 cm)	RFD
PTS-ANT	111990063	PTS-ANT-GPS-BDS-GLN N	GPS/BDS/GLONASS N Female Connector	RFD
PTS-ANT	111990071	PTS-ANT-LIGHTING	BNC Female to Male Connector	RFD
PTS-ANT	111990060	PTS-ANT-GPS-BDS-N	GPS/BDS, N Female Connector	RFD
PTS-ANT	111990064	PTS-ANT-CABLE-15(OFM)	Coaxial Cable (15 meters)	RFD
PTS-ANT	109990523	PTS-ANT-MOUNT-BASE	Base Mount accessory for antenna	RFS
PTS-DR200	400183	PTS-DR200-S2	WEB + IEC60870-104 + DNP TCP	RFD
PTS-DR200	310006001	PTS-DR200-7-1100	220VAC/DC Single;TCXO;GPS/BDS/GLONASS configurable	EOL
PTS-DR200	310006004	PTS-DR200-7-1111	220VAC/DC Single;TCXO;GPS/BDS/GLONASS configurable;PTPv2;FI+FO	RFD
PTS-DR200	400185	PTS-DR200-S4	WEB + TMS GOOSE Trigger + IEC61850 MMS	RFD
PTS-DR200	310006003	PTS-DR200-7-1110	220VAC/DC Single;TCXO;GPS/BDS/GLONASS configurable;PTPv2	RFD
PTS-DR200	400182	PTS-DR200-S1	WEB + SNMP	RFD
PTS-DR200	400184	PTS-DR200-S3	WEB + IEC60870-104 + IEC61850 MMS	RFD
PTS-DR200	310006013	PTS-DR200-7-3111	220VAC/DC Single;OCXO(<6µs/24h);GPS/BDS/GLONASS configurable;PTPv2;FI+FO	RFD
Ruby3A	302182032	Ruby3A-3G-L2-L2	3 1000M combo ports, 24-48VDC(18-72VDC) dual redundant power inputs	RFD
Ruby3A	302182031	Ruby3A-3G-HV	3 1000M combo ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3000A	300071519	SICOM3000A-LITE-2S4T-SC80-L3-L3	2 100Base-FX single mode fiber ports, SC connector, 1550nm, 80km, 4 10/100Base-TX ports, Console Port Mini USB, 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3000A	300071806	SICOM3000A-C-4GX8T-L2-L2	4x100/1000Base-X SFP ports, 8x10/100Base-TX ports, Console Port RS232 RJ45, 24-48VDC(18-72VDC) dual redundant power supplies, Conformal Coating	RFD
SICOM3000A	300071604	SICOM3000A-2GX8GE-L5-L5	2 100/1000Base-X SFP ports, 8 10/100/1000Base-T(X) RJ45 ports, Console Port RS232 RJ45, 12-24VDC(9-36VDC) dual redundant power supplies	RFD
SICOM3000A	300071541	SICOM3000A-LITE-2M4T-SC05-L2-L2	2 100Base-FX multi mode fiber ports, SC connector, 1310nm, 5km, 4 10/100Base-TX ports, Console Port Mini USB, 24-48VDC(18-72VDC) dual redundant power supplies	RFD
SICOM3000A	300071529	SICOM3000A-LITE-8T-L2-L2	8 10/100Base-TX ports, Console Port Mini USB, 24-48VDC(18-72VDC) dual redundant power supplies	RFD
SICOM3000A	300071603	SICOM3000A-2GX8GE-L2-L2	2 100/1000Base-X SFP ports, 8 10/100/1000Base-T(X) RJ45 ports, Console Port RS232 RJ45, 24-48VDC(18-72VDC) dual redundant power supplies	RFD
SICOM3000A	300071648	SICOM3000A-12GX8GE-HV	12 100/1000Base-X SFP ports, 8 10/100/1000Base-T(X) RJ45 ports, Console Port RS232 RJ45, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3000A	300071618	SICOM3000A-8GE-L2-L2	8 10/100/1000Base-T(X) RJ45 ports, Console Port RS232 RJ45, 24-48VDC(18-72VDC) dual redundant power supplies	RFD
SICOM3000A	300071615	SICOM3000A-4GX8T-L2-L2	4 100/1000Base-X SFP ports, 8 10/100Base-TX ports, Console Port RS232 RJ45, 24-48VDC(18-72VDC) dual redundant power supplies	RFD
SICOM3000A	300071611	SICOM3000A-2GX8T-L5-L5	2 100/1000Base-X SFP ports, 8 10/100Base-TX ports, Console Port RS232 RJ45, 12-24VDC(9-36VDC) dual redundant power supplies	RFD
SICOM3000A	300071548	SICOM3000A-LITE-2S6T-ST40-L2-L2	2 100Base-FX single mode fiber ports, ST connector, 1310nm, 40km, 6 10/100Base-TX ports, Console Port Mini USB, 24-48VDC(18-72VDC) dual redundant power supplies	RFD
SICOM3000A	300071521	SICOM3000A-LITE-2S6T-FC40-L3-L3	2 100Base-FX single mode fiber ports, FC connector, 1310nm, 40km, 6 10/100Base-TX ports, Console Port Mini USB, 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3000A	300071626	SICOM3000A-16GE-L2-L2	16 10/100/1000Base-T(X) RJ45 ports, Console Port RS232 RJ45, 24-48VDC(18-72VDC) dual redundant power supplies	RFD
SICOM3000A	300071547	SICOM3000A-LITE-2S6T-FC40-L2-L2	2 100Base-FX single mode fiber ports, FC connector, 1310nm, 40km, 6 10/100Base-TX ports, Console Port Mini USB, 24-48VDC(18-72VDC) dual redundant power supplies	RFD
SICOM3000A	300071640	SICOM3000A-8GX8T-L5-L5	8 100/1000Base-X SFP ports, 8 10/100Base-T(X) RJ45 ports, Console Port RS232 RJ45, 12-24VDC(9-36VDC) dual redundant power supplies	RFD
SICOM3000A	300071695	SICOM3000A-16T-L2-L2-PN	16 10/100Base-TX ports, RS232 RJ45, 24-48VDC(18-72VDC) dual redundant power supplies, PROFINET (without MRP)	RFD
SICOM3000A	300071513	SICOM3000A-LITE-2S4T-FC40-L3-L3	2 100Base-FX single mode fiber ports, FC connector, 1310nm, 40km, 4 10/100Base-TX ports, Console Port Mini USB, 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3000A	300071630	SICOM3000A-2GX16T-HV	2 100/1000Base-X SFP ports, 16 10/100Base-T(X) RJ45 ports, Console Port RS232 RJ45, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3000A	300071542	SICOM3000A-LITE-2M4T-FC05-L2-L2	2 100Base-FX multi mode fiber ports, FC connector, 1310nm, 5km, 4 10/100Base-TX ports, Console Port Mini USB, 24-48VDC(18-72VDC) dual redundant power supplies	RFD
SICOM3000A	300071533	SICOM3000A-LITE-1M4T-SC05-L2-L2	1 100Base-FX multi mode fiber ports, SC connector, 1310nm, 5km, 4 10/100Base-TX ports, Console Port Mini USB, 24-48VDC(18-72VDC) dual redundant power supplies	RFD

SICOM3000A	300071647	SICOM3000A-12GX8GE-L2-L2	12 100/1000Base-X SFP ports, 8 10/100/1000Base-T(X) RJ45 ports, Console Port RS232 RJ45, 24-48VDC(18-72VDC) dual redundant power supplies	RFD
SICOM3000A	300071530	SICOM3000A-LITE-1S4T-SC40-L2-L2	1 100Base-FX single mode fiber ports, SC connector, 1310nm, 40km, 4 10/100Base-TX ports, Console Port Mini USB, 24-48VDC(18-72VDC) dual redundant power supplies	RFD
SICOM3000A	300071666	SICOM3000A-8SFP8T-HV	8 100Base-X SFP ports, 8 10/100Base-T(X) RJ45 ports, Console Port RS232 RJ45, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3000A	300071700	SICOM3000A-2GX16T-L5-L5-PN	2 100/1000Base-X SFP ports, 16 10/100Base-T(X) RJ45 ports, RS232 RJ45, 12-24VDC(9-36VDC) dual redundant power supplies, PROFINET (without MRP)	RFD
SICOM3000A	300071726	SICOM3000A-12GX8GE-HV-PN	12 100/1000Base-X SFP ports, 8 10/100/1000Base-T(X) RJ45 ports, RS232 RJ45, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply, PROFINET (without MRP)	RFD
SICOM3000A	300071502	SICOM3000A-LITE-8T-L3-L3	8 10/100Base-TX ports, Console Port Mini USB, 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3000A	300071501	SICOM3000A-LITE-6T-L3-L3	6 10/100Base-TX ports, Console Port Mini USB, 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3000A	300071829	SICOM3000L-4GX8GE-L5-L5	4 100/1000Base-X SFP ports, 8 10/100/1000Base-T(X) RJ45 ports, Console Port RS232 RJ45, 12-24VDC(9-36VDC) dual redundant power supplies, (without KyACB)	RFD
SICOM3000A	300071505	SICOM3000A-LITE-1S4T-ST40-L3-L3	1 100Base-FX single mode fiber ports, ST connector, 1310nm, 40km, 4 10/100Base-TX ports, Console Port Mini USB, 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3000A	300071628	SICOM3000A-2GX16T-L5-L5	2 100/1000Base-X SFP ports, 16 10/100Base-T(X) RJ45 ports, Console Port RS232 RJ45, 12-24VDC(9-36VDC) dual redundant power supplies	RFD
SICOM3000A	300071675	SICOM3000A-2GX8T-HV-PN	2 100/1000Base-X SFP ports, 8 10/100Base-TX ports, RS232 RJ45, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply, PROFINET (without MRP)	RFD
SICOM3000A	300071724	SICOM3000A-12GX8GE-L5-L5-PN	12 100/1000Base-X SFP ports, 8 10/100/1000Base-T(X) RJ45 ports, RS232 RJ45, 12-24VDC(9-36VDC) dual redundant power supplies, PROFINET (without MRP)	RFD
SICOM3000A	300071676	SICOM3000A-2SFP8T-L5-L5-PN	2 100Base-X SFP ports, 8 10/100Base-TX ports, RS232 RJ45, 12-24VDC(9-36VDC) dual redundant power supplies, PROFINET (without MRP)	RFD
SICOM3000A	300071656	SICOM3000A-2SFP8T-L2-L2	2 100Base-X SFP ports, 8 10/100Base-TX ports, Console Port RS232 RJ45, 24-48VDC(18-72VDC) dual redundant power supplies	RFD
SICOM3000A	300071688	SICOM3000A-2GX8GE-L5-L5-PN	2 100/1000Base-X SFP ports, 8 10/100/1000Base-T(X) RJ45 ports, RS232 RJ45, 12-24VDC(9-36VDC) dual redundant power supplies, PROFINET (without MRP)	RFD
SICOM3000A	300071607	SICOM3000A-6T-HV	6 10/100Base-TX ports, Console Port RS232 RJ45, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3000A	300071693	SICOM3000A-4GX8GE-HV-PN	4 100/1000Base-X SFP ports, 8 10/100/1000Base-T(X) RJ45 ports, RS232 RJ45, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply, PROFINET (without MRP)	RFD
SICOM3000A	300071514	SICOM3000A-LITE-2S4T-ST40-L3-L3	2 100Base-FX single mode fiber ports, ST connector, 1310nm, 40km, 4 10/100Base-TX ports, Console Port Mini USB, 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3000A	300071635	SICOM3000A-4GX16T-L2-L2	4 100/1000Base-X SFP ports, 16 10/100Base-T(X) RJ45 ports, Console Port RS232 RJ45, 24-48VDC(18-72VDC) dual redundant power supplies	RFD
SICOM3000A	300071660	SICOM3000A-4SFP8T-HV	4 100Base-X SFP ports, 8 10/100Base-TX ports, Console Port RS232 RJ45, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3000A	300071516	SICOM3000A-LITE-2M4T-FC05-L3-L3	2 100Base-FX multi mode fiber ports, FC connector, 1310nm, 5km, 4 10/100Base-TX ports, Console Port Mini USB, 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3000A	300071617	SICOM3000A-8GE-L5-L5	8 10/100/1000Base-T(X) RJ45 ports, Console Port RS232 RJ45, 12-24VDC(9-36VDC) dual redundant power supplies	RFD
SICOM3000A	300071610	SICOM3000A-8T-HV	8 10/100Base-TX ports, Console Port RS232 RJ45, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3000A	300071508	SICOM3000A-LITE-1M4T-ST05-L3-L3	1 100Base-FX multi mode fiber ports, ST connector, 1310nm, 5km, 4 10/100Base-TX ports, Console Port Mini USB, 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3000A	300071509	SICOM3000A-LITE-1S4T-SC60-L3-L3	1 100Base-FX single mode fiber ports, SC connector, 1310nm, 60km, 4 10/100Base-TX ports, Console Port Mini USB, 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3000A	300071717	SICOM3000A-8GX8T-HV-PN	8 100/1000Base-X SFP ports, 8 10/100Base-T(X) RJ45 ports, RS232 RJ45, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply, PROFINET (without MRP)	RFD
SICOM3000A	300071520	SICOM3000A-LITE-2S6T-SC40-L3-L3	2 100Base-FX single mode fiber ports, SC connector, 1310nm, 40km, 6 10/100Base-TX ports, Console Port Mini USB, 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3000A	300071634	SICOM3000A-4GX16T-L5-L5	4 100/1000Base-X SFP ports, 16 10/100Base-T(X) RJ45 ports, Console Port RS232 RJ45, 12-24VDC(9-36VDC) dual redundant power supplies	RFD

SICOM3000A	300071525	SICOM3000A-LITE-2M6T-ST05-L3-L3	2 100Base-FX multi mode fiber ports, ST connector, 1310nm, 5km, 6 10/100Base-TX ports, Console Port Mini USB, 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3000A	300071504	SICOM3000A-LITE-1S4T-FC40-L3-L3	1 100Base-FX single mode fiber ports, FC connector, 1310nm, 40km, 4 10/100Base-TX ports, Console Port Mini USB, 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3000A	300071606	SICOM3000A-6T-L2-L2	6 10/100Base-TX ports, Console Port RS232 RJ45, 24-48VDC(18-72VDC) dual redundant power supplies	RFD
SICOM3000A	300071527	SICOM3000A-LITE-2S6T-SC80-L3-L3	2 100Base-FX single mode fiber ports, SC connector, 1550nm, 80km, 6 10/100Base-TX ports, Console Port Mini USB, 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3000A	300071694	SICOM3000A-16T-L5-L5-PN	16 10/100Base-TX ports, RS232 RJ45, 12-24VDC(9-36VDC) dual redundant power supplies, PROFINET (without MRP)	RFD
SICOM3000A	300071518	SICOM3000A-LITE-2S4T-SC60-L3-L3	2 100Base-FX single mode fiber ports, SC connector, 1310nm, 60km, 4 10/100Base-TX ports, Console Port Mini USB, 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3000A	300071655	SICOM3000A-2SFP8T-L5-L5	2 100Base-X SFP ports, 8 10/100Base-TX ports, Console Port RS232 RJ45, 12-24VDC(9-36VDC) dual redundant power supplies	RFD
SICOM3000A	300071536	SICOM3000A-LITE-1S4T-SC60-L2-L2	1 100Base-FX single mode fiber ports, SC connector, 1310nm, 60km, 4 10/100Base-TX ports, Console Port Mini USB, 24-48VDC(18-72VDC) dual redundant power supplies	RFD
SICOM3000A	300071712	SICOM3000A-4GX16GE-L5-L5-PN	4 100/1000Base-X SFP ports, 16 10/100/1000Base-T(X) RJ45 ports, RS232 RJ45, 12-24VDC(9-36VDC) dual redundant power supplies, PROFINET (without MRP)	RFD
SICOM3000A	300071725	SICOM3000A-12GX8GE-L2-L2-PN	12 100/1000Base-X SFP ports, 8 10/100/1000Base-T(X) RJ45 ports, RS232 RJ45, 24-48VDC(18-72VDC) dual redundant power supplies, PROFINET (without MRP)	RFD
SICOM3000A	300071671	SICOM3000A-8T-L2-L2-PN	8 10/100Base-TX ports, RS232 RJ45, 24-48VDC(18-72VDC) dual redundant power supplies, PROFINET (without MRP)	RFD
SICOM3000A	300071528	SICOM3000A-LITE-6T-L2-L2	6 10/100Base-TX ports, Console Port Mini USB, 24-48VDC(18-72VDC) dual redundant power supplies	RFD
SICOM3000A	300071722	SICOM3000A-8GX8GE-L2-L2-PN	8 100/1000Base-X SFP ports, 8 10/100/1000Base-T(X) RJ45 ports, RS232 RJ45, 24-48VDC(18-72VDC) dual redundant power supplies, PROFINET (without MRP)	RFD
SICOM3000A	300071685	SICOM3000A-8GE-L5-L5-PN	8 10/100/1000Base-T(X) RJ45 ports, RS232 RJ45, 12-24VDC(9-36VDC) dual redundant power supplies, PROFINET (without MRP)	RFD
SICOM3000A	300071620	SICOM3000A-2GX8GE-HV	2 100/1000Base-X SFP ports, 8 10/100/1000Base-T(X) RJ45 ports, Console Port RS232 RJ45, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3000A	300071622	SICOM3000A-16T-L5-L5	16 10/100Base-TX ports, Console Port RS232 RJ45, 12-24VDC(9-36VDC) dual redundant power supplies	RFD
SICOM3000A	300071832	SICOM3000L-4GX16GE-L5-L5	4 100/1000Base-X SFP ports, 16 10/100/1000Base-T(X) RJ45 ports, Console Port RS232 RJ45, 12-24VDC(9-36VDC) dual redundant power supplies, (without KyACB)	RFD
SICOM3000A	300071531	SICOM3000A-LITE-1S4T-FC40-L2-L2	1 100Base-FX single mode fiber ports, FC connector, 1310nm, 40km, 4 10/100Base-TX ports, Console Port Mini USB, 24-48VDC(18-72VDC) dual redundant power supplies	RFD
SICOM3000A	300071609	SICOM3000A-8T-L2-L2	8 10/100Base-TX ports, Console Port RS232 RJ45, 24-48VDC(18-72VDC) dual redundant power supplies	RFD
SICOM3000A	300071523	SICOM3000A-LITE-2M6T-SC05-L3-L3	2 100Base-FX multi mode fiber ports, SC connector, 1310nm, 5km, 6 10/100Base-TX ports, Console Port Mini USB, 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3000A	300071551	SICOM3000A-LITE-2M6T-ST05-L2-L2	2 100Base-FX multi mode fiber ports, ST connector, 1310nm, 5km, 6 10/100Base-TX ports, Console Port Mini USB, 24-48VDC(18-72VDC) dual redundant power supplies	RFD
SICOM3000A	300071686	SICOM3000A-8GE-L2-L2-PN	8 10/100/1000Base-T(X) RJ45 ports, RS232 RJ45, 24-48VDC(18-72VDC) dual redundant power supplies, PROFINET (without MRP)	RFD
SICOM3000A	300071705	SICOM3000A-2GX16GE-HV-PN	2 100/1000Base-X SFP ports, 16 10/100/1000Base-T(X) RJ45 ports, RS232 RJ45, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply, PROFINET (without MRP)	RFD
SICOM3000A	300071673	SICOM3000A-2GX8T-L5-L5-PN	2 100/1000Base-X SFP ports, 8 10/100Base-TX ports, RS232 RJ45, 12-24VDC(9-36VDC) dual redundant power supplies, PROFINET (without MRP)	RFD
SICOM3000A	300071667	SICOM3000A-6T-L5-L5-PN	6 10/100Base-TX ports, RS232 RJ45, 12-24VDC(9-36VDC) dual redundant power supplies, PROFINET (without MRP)	RFD
SICOM3000A	300071638	SICOM3000A-4GX16GE-L2-L2	4 100/1000Base-X SFP ports, 16 10/100/1000Base-T(X) RJ45 ports, Console Port RS232 RJ45, 24-48VDC(18-72VDC) dual redundant power supplies	RFD
SICOM3000A	300071532	SICOM3000A-LITE-1S4T-ST40-L2-L2	1 100Base-FX single mode fiber ports, ST connector, 1310nm, 40km, 4 10/100Base-TX ports, Console Port Mini USB, 24-48VDC(18-72VDC) dual redundant power supplies	RFD
SICOM3000A	300071672	SICOM3000A-8T-HV-PN	8 10/100Base-TX ports, RS232 RJ45, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply, PROFINET (without MRP)	RFD
SICOM3000A	300071631	SICOM3000A-2GX16GE-L5-L5	2 100/1000Base-X SFP ports, 16 10/100/1000Base-T(X) RJ45 ports, Console Port RS232 RJ45, 12-24VDC(9-36VDC) dual redundant power supplies	RFD

SICOM3000A	300071553	SICOM3000A-LITE-2S6T-SC80-L2-L2	2 100Base-FX single mode fiber ports, SC connector, 1550nm, 80km, 6 10/100Base-TX ports, Console Port Mini USB, 24-48VDC(18-72VDC) dual redundant power supplies	RFD
SICOM3000A	300071543	SICOM3000A-LITE-2M4T-ST05-L2-L2	2 100Base-FX multi mode fiber ports, ST connector, 1310nm, 5km, 4 10/100Base-TX ports, Console Port Mini USB, 24-48VDC(18-72VDC) dual redundant power supplies	RFD
SICOM3000A	300071659	SICOM3000A-4SFP8T-L2-L2	4 100Base-X SFP ports, 8 10/100Base-TX ports, Console Port RS232 RJ45, 24-48VDC(18-72VDC) dual redundant power supplies	RFD
SICOM3000A	300071670	SICOM3000A-8T-L5-L5-PN	8 10/100Base-TX ports, RS232 RJ45, 12-24VDC(9-36VDC) dual redundant power supplies, PROFINET (without MRP)	RFD
SICOM3000A	300071830	SICOM3000L-4GX8GE-HV	4 100/1000Base-X SFP ports, 8 10/100/1000Base-T(X) RJ45 ports, Console Port RS232 RJ45, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply, (without KyACB)	RFD
SICOM3000A	300071552	SICOM3000A-LITE-2S6T-SC60-L2-L2	2 100Base-FX single mode fiber ports, SC connector, 1310nm, 60km, 6 10/100Base-TX ports, Console Port Mini USB, 24-48VDC(18-72VDC) dual redundant power supplies	RFD
SICOM3000A	300071692	SICOM3000A-4GX8GE-L2-L2-PN	4 100/1000Base-X SFP ports, 8 10/100/1000Base-T(X) RJ45 ports, RS232 RJ45, 24-48VDC(18-72VDC) dual redundant power supplies, PROFINET (without MRP)	RFD
SICOM3000A	300071538	SICOM3000A-LITE-2S4T-SC40-L2-L2	2 100Base-FX single mode fiber ports, SC connector, 1310nm, 40km, 4 10/100Base-TX ports, Console Port Mini USB, 24-48VDC(18-72VDC) dual redundant power supplies	RFD
SICOM3000A	300071645	SICOM3000A-8GX8GE-HV	8 100/1000Base-X SFP ports, 8 10/100/1000Base-T(X) RJ45 ports, Console Port RS232 RJ45, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3000A	300071708	SICOM3000A-4GX16T-HV-PN	4 100/1000Base-X SFP ports, 16 10/100Base-T(X) RJ45 ports, RS232 RJ45, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply, PROFINET (without MRP)	RFD
SICOM3000A	300071721	SICOM3000A-8GX8GE-L5-L5-PN	8 100/1000Base-X SFP ports, 8 10/100/1000Base-T(X) RJ45 ports, RS232 RJ45, 12-24VDC(9-36VDC) dual redundant power supplies, PROFINET (without MRP)	RFD
SICOM3000A	300071699	SICOM3000A-16GE-HV-PN	16 10/100/1000Base-T(X) RJ45 ports, RS232 RJ45, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply, PROFINET (without MRP)	RFD
SICOM3000A	300071517	SICOM3000A-LITE-2M4T-ST05-L3-L3	2 100Base-FX multi mode fiber ports, ST connector, 1310nm, 5km, 4 10/100Base-TX ports, Console Port Mini USB, 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3000A	300071714	SICOM3000A-4GX16GE-HV-PN	4 100/1000Base-X SFP ports, 16 10/100/1000Base-T(X) RJ45 ports, RS232 RJ45, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply, PROFINET (without MRP)	RFD
SICOM3000A	300071679	SICOM3000A-4GX8T-L5-L5-PN	4 100/1000Base-X SFP ports, 8 10/100Base-TX ports, RS232 RJ45, 12-24VDC(9-36VDC) dual redundant power supplies, PROFINET (without MRP)	RFD
SICOM3000A	300071512	SICOM3000A-LITE-2S4T-SC40-L3-L3	2 100Base-FX single mode fiber ports, SC connector, 1310nm, 40km, 4 10/100Base-TX ports, Console Port Mini USB, 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3000A	300071625	SICOM3000A-16GE-L5-L5	16 10/100/1000Base-T(X) RJ45 ports, Console Port RS232 RJ45, 12-24VDC(9-36VDC) dual redundant power supplies	RFD
SICOM3000A	300071619	SICOM3000A-8GE-HV	8 10/100/1000Base-T(X) RJ45 ports, Console Port RS232 RJ45, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3000A	300071510	SICOM3000A-LITE-1S4T-SC80-L3-L3	1 100Base-FX single mode fiber ports, SC connector, 1550nm, 80km, 4 10/100Base-TX ports, Console Port Mini USB, 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3000A	300071549	SICOM3000A-LITE-2M6T-SC05-L2-L2	2 100Base-FX multi mode fiber ports, SC connector, 1310nm, 5km, 6 10/100Base-TX ports, Console Port Mini USB, 24-48VDC(18-72VDC) dual redundant power supplies	RFD
SICOM3000A	300071637	SICOM3000A-4GX16GE-L5-L5	4 100/1000Base-X SFP ports, 16 10/100/1000Base-T(X) RJ45 ports, Console Port RS232 RJ45, 12-24VDC(9-36VDC) dual redundant power supplies	RFD
SICOM3000A	300071715	SICOM3000A-8GX8T-L5-L5-PN	8 100/1000Base-X SFP ports, 8 10/100Base-T(X) RJ45 ports, RS232 RJ45, 12-24VDC(9-36VDC) dual redundant power supplies, PROFINET (without MRP)	RFD
SICOM3000A	300071720	SICOM3000A-8SFP8T-HV-PN	8 100Base-X SFP ports, 8 10/100Base-T(X) RJ45 ports, RS232 RJ45, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply, PROFINET (without MRP)	RFD
SICOM3000A	300071682	SICOM3000A-4SFP8T-L5-L5-PN	4 100Base-X SFP ports, 8 10/100Base-TX ports, RS232 RJ45, 12-24VDC(9-36VDC) dual redundant power supplies, PROFINET (without MRP)	RFD
SICOM3000A	300071526	SICOM3000A-LITE-2S6T-SC60-L3-L3	2 100Base-FX single mode fiber ports, SC connector, 1310nm, 60km, 6 10/100Base-TX ports, Console Port Mini USB, 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3000A	300071718	SICOM3000A-8SFP8T-L5-L5-PN	8 100Base-X SFP ports, 8 10/100Base-T(X) RJ45 ports, RS232 RJ45, 12-24VDC(9-36VDC) dual redundant power supplies, PROFINET (without MRP)	RFD
SICOM3000A	300071544	SICOM3000A-LITE-2S4T-SC60-L2-L2	2 100Base-FX single mode fiber ports, SC connector, 1310nm, 60km, 4 10/100Base-TX ports, Console Port Mini USB, 24-48VDC(18-72VDC) dual redundant power supplies	RFD

SICOM3000A	300071684	SICOM3000A-4SFP8T-HV-PN	4 100Base-X SFP ports, 8 10/100Base-TX ports, RS232 RJ45, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply, PROFINET (without MRP)	RFD
SICOM3000A	300071669	SICOM3000A-6T-HV-PN	6 10/100Base-TX ports, RS232 RJ45, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply, PROFINET (without MRP)	RFD
SICOM3000A	300071683	SICOM3000A-4SFP8T-L2-L2-PN	4 100Base-X SFP ports, 8 10/100Base-TX ports, RS232 RJ45, 24-48VDC(18-72VDC) dual redundant power supplies, PROFINET (without MRP)	RFD
SICOM3000A	300071632	SICOM3000A-2GX16GE-L2-L2	2 100/1000Base-X SFP ports, 16 10/100/1000Base-T(X) RJ45 ports, Console Port RS232 RJ45, 24-48VDC(18-72VDC) dual redundant power supplies	RFD
SICOM3000A	300071661	SICOM3000A-4SFP16T-L5-L5	4 100Base-X SFP ports, 16 10/100Base-T(X) RJ45 ports, Console Port RS232 RJ45, 12-24VDC(9-36VDC) dual redundant power supplies	RFD
SICOM3000A	300071639	SICOM3000A-4GX16GE-HV	4 100/1000Base-X SFP ports, 16 10/100/1000Base-T(X) RJ45 ports, Console Port RS232 RJ45, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3000A	300071506	SICOM3000A-LITE-1M4T-SC05-L3-L3	1 100Base-FX multi mode fiber ports, SC connector, 1310nm, 5km, 4 10/100Base-TX ports, Console Port Mini USB, 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3000A	300071668	SICOM3000A-6T-L2-L2-PN	6 10/100Base-TX ports, RS232 RJ45, 24-48VDC(18-72VDC) dual redundant power supplies, PROFINET (without MRP)	RFD
SICOM3000A	300071709	SICOM3000A-4SFP16T-L5-L5-PN	4 100Base-X SFP ports, 16 10/100Base-T(X) RJ45 ports, RS232 RJ45, 12-24VDC(9-36VDC) dual redundant power supplies, PROFINET (without MRP)	RFD
SICOM3000A	300071515	SICOM3000A-LITE-2M4T-SC05-L3-L3	2 100Base-FX multi mode fiber ports, SC connector, 1310nm, 5km, 4 10/100Base-TX ports, Console Port Mini USB, 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3000A	300071646	SICOM3000A-12GX8GE-L5-L5	12 100/1000Base-X SFP ports, 8 10/100/1000Base-T(X) RJ45 ports, Console Port RS232 RJ45, 12-24VDC(9-36VDC) dual redundant power supplies	RFD
SICOM3000A	300071537	SICOM3000A-LITE-1S4T-SC80-L2-L2	1 100Base-FX single mode fiber ports, SC connector, 1550nm, 80km, 4 10/100Base-TX ports, Console Port Mini USB, 24-48VDC(18-72VDC) dual redundant power supplies	RFD
SICOM3000A	300071629	SICOM3000A-2GX16T-L2-L2	2 100/1000Base-X SFP ports, 16 10/100Base-T(X) RJ45 ports, Console Port RS232 RJ45, 24-48VDC(18-72VDC) dual redundant power supplies	RFD
SICOM3000A	300071633	SICOM3000A-2GX16GE-HV	2 100/1000Base-X SFP ports, 16 10/100/1000Base-T(X) RJ45 ports, Console Port RS232 RJ45, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3000A	300071658	SICOM3000A-4SFP8T-L5-L5	4 100Base-X SFP ports, 8 10/100Base-TX ports, Console Port RS232 RJ45, 12-24VDC(9-36VDC) dual redundant power supplies	RFD
SICOM3000A	300071601	SICOM3000A-4GX8GE-L2-L2	4 100/1000Base-X SFP ports, 8 10/100/1000Base-T(X) RJ45 ports, Console Port RS232 RJ45, 24-48VDC(18-72VDC) dual redundant power supplies	RFD
SICOM3000A	300071687	SICOM3000A-8GE-HV-PN	8 10/100/1000Base-T(X) RJ45 ports, RS232 RJ45, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply, PROFINET (without MRP)	RFD
SICOM3000A	300071503	SICOM3000A-LITE-1S4T-SC40-L3-L3	1 100Base-FX single mode fiber ports, SC connector, 1310nm, 40km, 4 10/100Base-TX ports, Console Port Mini USB, 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3000A	300071706	SICOM3000A-4GX16T-L5-L5-PN	4 100/1000Base-X SFP ports, 16 10/100Base-T(X) RJ45 ports, RS232 RJ45, 12-24VDC(9-36VDC) dual redundant power supplies, PROFINET (without MRP)	RFD
SICOM3000A	300071719	SICOM3000A-8SFP8T-L2-L2-PN	8 100Base-X SFP ports, 8 10/100Base-T(X) RJ45 ports, RS232 RJ45, 24-48VDC(18-72VDC) dual redundant power supplies, PROFINET (without MRP)	RFD
SICOM3000A	300071616	SICOM3000A-4GX8T-HV	4 100/1000Base-X SFP ports, 8 10/100Base-TX ports, Console Port RS232 RJ45, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3000A	300071644	SICOM3000A-8GX8GE-L2-L2	8 100/1000Base-X SFP ports, 8 10/100/1000Base-T(X) RJ45 ports, Console Port RS232 RJ45, 24-48VDC(18-72VDC) dual redundant power supplies	RFD
SICOM3000A	300071704	SICOM3000A-2GX16GE-L2-L2-PN	2 100/1000Base-X SFP ports, 16 10/100/1000Base-T(X) RJ45 ports, RS232 RJ45, 24-48VDC(18-72VDC) dual redundant power supplies, PROFINET (without MRP)	RFD
SICOM3000A	300071522	SICOM3000A-LITE-2S6T-ST40-L3-L3	2 100Base-FX single mode fiber ports, ST connector, 1310nm, 40km, 6 10/100Base-TX ports, Console Port Mini USB, 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3000A	300071707	SICOM3000A-4GX16T-L2-L2-PN	4 100/1000Base-X SFP ports, 16 10/100Base-T(X) RJ45 ports, RS232 RJ45, 24-48VDC(18-72VDC) dual redundant power supplies, PROFINET (without MRP)	RFD
SICOM3000A	300071713	SICOM3000A-4GX16GE-L2-L2-PN	4 100/1000Base-X SFP ports, 16 10/100/1000Base-T(X) RJ45 ports, RS232 RJ45, 24-48VDC(18-72VDC) dual redundant power supplies, PROFINET (without MRP)	RFD
SICOM3000A	300071701	SICOM3000A-2GX16T-L2-L2-PN	2 100/1000Base-X SFP ports, 16 10/100Base-T(X) RJ45 ports, RS232 RJ45, 24-48VDC(18-72VDC) dual redundant power supplies, PROFINET (without MRP)	RFD

SICOM3000A	300071681	SICOM3000A-4GX8T-HV-PN	4 100/1000Base-X SFP ports, 8 10/100Base-TX ports, RS232 RJ45, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply, PROFINET (without MRP)	RFD
SICOM3000A	300071535	SICOM3000A-LITE-1M4T-ST05-L2-L2	1 100Base-FX multi mode fiber ports, ST connector, 1310nm, 5km, 4 10/100Base-TX ports, Console Port Mini USB, 24-48VDC(18-72VDC) dual redundant power supplies	RFD
SICOM3000A	300071605	SICOM3000A-6T-L5-L5	6 10/100Base-TX ports, Console Port RS232 RJ45, 12-24VDC(9-36VDC) dual redundant power supplies	RFD
SICOM3000A	300071664	SICOM3000A-8SFP8T-L5-L5	8 100Base-X SFP ports, 8 10/100Base-T(X) RJ45 ports, Console Port RS232 RJ45, 12-24VDC(9-36VDC) dual redundant power supplies	RFD
SICOM3000A	300071643	SICOM3000A-8GX8GE-L5-L5	8 100/1000Base-X SFP ports, 8 10/100/1000Base-T(X) RJ45 ports, Console Port RS232 RJ45, 12-24VDC(9-36VDC) dual redundant power supplies	RFD
SICOM3000A	300071507	SICOM3000A-LITE-1M4T-FC05-L3-L3	1 100Base-FX multi mode fiber ports, FC connector, 1310nm, 5km, 4 10/100Base-TX ports, Console Port Mini USB, 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3000A	300071554	SICOM3000A-LITE-2GX8T-L2-L2	2 100/1000Base-X SFP ports, 8 10/100Base-TX ports, Console Port Mini USB, 24-48VDC(18-72VDC) dual redundant power supplies	RFD
SICOM3000A	300071612	SICOM3000A-2GX8T-L2-L2	2 100/1000Base-X SFP ports, 8 10/100Base-TX ports, Console Port RS232 RJ45, 24-48VDC(18-72VDC) dual redundant power supplies	RFD
SICOM3000A	300071602	SICOM3000A-4GX8GE-L5-L5	4 100/1000Base-X SFP ports, 8 10/100/1000Base-T(X) RJ45 ports, Console Port RS232 RJ45, 12-24VDC(9-36VDC) dual redundant power supplies	RFD
SICOM3000A	300071665	SICOM3000A-8SFP8T-L2-L2	8 100Base-X SFP ports, 8 10/100Base-T(X) RJ45 ports, Console Port RS232 RJ45, 24-48VDC(18-72VDC) dual redundant power supplies	RFD
SICOM3000A	300071702	SICOM3000A-2GX16T-HV-PN	2 100/1000Base-X SFP ports, 16 10/100Base-T(X) RJ45 ports, RS232 RJ45, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply, PROFINET (without MRP)	RFD
SICOM3000A	300071680	SICOM3000A-4GX8T-L2-L2-PN	4 100/1000Base-X SFP ports, 8 10/100Base-TX ports, RS232 RJ45, 24-48VDC(18-72VDC) dual redundant power supplies, PROFINET (without MRP)	RFD
SICOM3000A	300071608	SICOM3000A-8T-L5-L5	8 10/100Base-TX ports, Console Port RS232 RJ45, 12-24VDC(9-36VDC) dual redundant power supplies	RFD
SICOM3000A	300071703	SICOM3000A-2GX16GE-L5-L5-PN	2 100/1000Base-X SFP ports, 16 10/100/1000Base-T(X) RJ45 ports, RS232 RJ45, 12-24VDC(9-36VDC) dual redundant power supplies, PROFINET (without MRP)	RFD
SICOM3000A	300071723	SICOM3000A-8GX8GE-HV-PN	8 100/1000Base-X SFP ports, 8 10/100/1000Base-T(X) RJ45 ports, RS232 RJ45, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply, PROFINET (without MRP)	RFD
SICOM3000A	300071546	SICOM3000A-LITE-2S6T-SC40-L2-L2	2 100Base-FX single mode fiber ports, SC connector, 1310nm, 40km, 6 10/100Base-TX ports, Console Port Mini USB, 24-48VDC(18-72VDC) dual redundant power supplies	RFD
SICOM3000A	300071697	SICOM3000A-16GE-L5-L5-PN	16 10/100/1000Base-T(X) RJ45 ports, RS232 RJ45, 12-24VDC(9-36VDC) dual redundant power supplies, PROFINET (without MRP)	RFD
SICOM3000A	300071696	SICOM3000A-16T-HV-PN	16 10/100Base-TX ports, RS232 RJ45, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply, PROFINET (without MRP)	RFD
SICOM3000A	300071828	SICOM3000L-4GX8GE-L2-L2	4 100/1000Base-X SFP ports, 8 10/100/1000Base-T(X) RJ45 ports, Console Port RS232 RJ45, 24-48VDC(18-72VDC) dual redundant power supplies, (without KyACB)	RFD
SICOM3000A	300071674	SICOM3000A-2GX8T-L2-L2-PN	2 100/1000Base-X SFP ports, 8 10/100Base-TX ports, RS232 RJ45, 24-48VDC(18-72VDC) dual redundant power supplies, PROFINET (without MRP)	RFD
SICOM3000A	300071716	SICOM3000A-8GX8T-L2-L2-PN	8 100/1000Base-X SFP ports, 8 10/100Base-T(X) RJ45 ports, RS232 RJ45, 24-48VDC(18-72VDC) dual redundant power supplies, PROFINET (without MRP)	RFD
SICOM3000A	300071698	SICOM3000A-16GE-L2-L2-PN	16 10/100/1000Base-T(X) RJ45 ports, RS232 RJ45, 24-48VDC(18-72VDC) dual redundant power supplies, PROFINET (without MRP)	RFD
SICOM3000A	300071831	SICOM3000L-4GX16GE-L2-L2	4 100/1000Base-X SFP ports, 16 10/100/1000Base-T(X) RJ45 ports, Console Port RS232 RJ45, 24-48VDC(18-72VDC) dual redundant power supplies, (without KyACB)	RFD
SICOM3000A	300071642	SICOM3000A-8GX8T-HV	8 100/1000Base-X SFP ports, 8 10/100Base-T(X) RJ45 ports, Console Port RS232 RJ45, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3000A	300071641	SICOM3000A-8GX8T-L2-L2	8 100/1000Base-X SFP ports, 8 10/100Base-T(X) RJ45 ports, Console Port RS232 RJ45, 24-48VDC(18-72VDC) dual redundant power supplies	RFD
SICOM3000A	300071534	SICOM3000A-LITE-1M4T-FC05-L2-L2	1 100Base-FX multi mode fiber ports, FC connector, 1310nm, 5km, 4 10/100Base-TX ports, Console Port Mini USB, 24-48VDC(18-72VDC) dual redundant power supplies	RFD
SICOM3000A	300071690	SICOM3000A-2GX8GE-HV-PN	2 100/1000Base-X SFP ports, 8 10/100/1000Base-T(X) RJ45 ports, RS232 RJ45, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply, PROFINET (without MRP)	RFD
SICOM3000A	300071624	SICOM3000A-16T-HV	16 10/100Base-TX ports, Console Port RS232 RJ45, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3000A	300071689	SICOM3000A-2GX8GE-L2-L2-PN	2 100/1000Base-X SFP ports, 8 10/100/1000Base-T(X) RJ45 ports, RS232 RJ45, 24-48VDC(18-72VDC) dual redundant power supplies, PROFINET (without MRP)	RFD

SICOM3000A	300071662	SICOM3000A-4SFP16T-L2-L2	4 100Base-X SFP ports, 16 10/100Base-T(X) RJ45 ports, Console Port RS232 RJ45, 24-48VDC(18-72VDC) dual redundant power supplies	RFD
SICOM3000A	300071511	SICOM3000A-LITE-2GX8T-L3-L3	2 100/1000Base-X SFP ports, 8 10/100Base-TX ports, Console Port Mini USB, 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3000A	300071621	SICOM3000A-4GX8GE-HV	4 100/1000Base-X SFP ports, 8 10/100/1000Base-T(X) RJ45 ports, Console Port RS232 RJ45, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3000A	300071657	SICOM3000A-2SFP8T-HV	2 100Base-X SFP ports, 8 10/100Base-TX ports, Console Port RS232 RJ45, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3000A	300071524	SICOM3000A-LITE-2M6T-FC05-L3-L3	2 100Base-FX multi mode fiber ports, FC connector, 1310nm, 5km, 6 10/100Base-TX ports, Console Port Mini USB, 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3000A	300071691	SICOM3000A-4GX8GE-L5-L5-PN	4 100/1000Base-X SFP ports, 8 10/100/1000Base-T(X) RJ45 ports, RS232 RJ45, 12-24VDC(9-36VDC) dual redundant power supplies, PROFINET (without MRP)	RFD
SICOM3000A	300071636	SICOM3000A-4GX16T-HV	4 100/1000Base-X SFP ports, 16 10/100Base-T(X) RJ45 ports, Console Port RS232 RJ45, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3000A	300071550	SICOM3000A-LITE-2M6T-FC05-L2-L2	2 100Base-FX multi mode fiber ports, FC connector, 1310nm, 5km, 6 10/100Base-TX ports, Console Port Mini USB, 24-48VDC(18-72VDC) dual redundant power supplies	RFD
SICOM3000A	300071677	SICOM3000A-2SFP8T-L2-L2-PN	2 100Base-X SFP ports, 8 10/100Base-TX ports, RS232 RJ45, 24-48VDC(18-72VDC) dual redundant power supplies, PROFINET (without MRP)	RFD
SICOM3000A	300071678	SICOM3000A-2SFP8T-HV-PN	2 100Base-X SFP ports, 8 10/100Base-TX ports, RS232 RJ45, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply, PROFINET (without MRP)	RFD
SICOM3000A	300071614	SICOM3000A-4GX8T-L5-L5	4 100/1000Base-X SFP ports, 8 10/100Base-TX ports, Console Port RS232 RJ45, 12-24VDC(9-36VDC) dual redundant power supplies	RFD
SICOM3000A	300071711	SICOM3000A-4SFP16T-HV-PN	4 100Base-X SFP ports, 16 10/100Base-T(X) RJ45 ports, RS232 RJ45, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply, PROFINET (without MRP)	RFD
SICOM3000A	300071627	SICOM3000A-16GE-HV	16 10/100/1000Base-T(X) RJ45 ports, Console Port RS232 RJ45, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3000A	300071545	SICOM3000A-LITE-2S4T-SC80-L2-L2	2 100Base-FX single mode fiber ports, SC connector, 1550nm, 80km, 4 10/100Base-TX ports, Console Port Mini USB, 24-48VDC(18-72VDC) dual redundant power supplies	RFD
SICOM3000A	300071833	SICOM3000L-4GX16GE-HV	4 100/1000Base-X SFP ports, 16 10/100/1000Base-T(X) RJ45 ports, Console Port RS232 RJ45, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply, (without KyACB)	RFD
SICOM3000A	300071613	SICOM3000A-2GX8T-HV	2 100/1000Base-X SFP ports, 8 10/100Base-TX ports, Console Port RS232 RJ45, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3000A	300071623	SICOM3000A-16T-L2-L2	16 10/100Base-TX ports, Console Port RS232 RJ45, 24-48VDC(18-72VDC) dual redundant power supplies	RFD
SICOM3000A	300071539	SICOM3000A-LITE-2S4T-FC40-L2-L2	2 100Base-FX single mode fiber ports, FC connector, 1310nm, 40km, 4 10/100Base-TX ports, Console Port Mini USB, 24-48VDC(18-72VDC) dual redundant power supplies	RFD
SICOM3000A	300071710	SICOM3000A-4SFP16T-L2-L2-PN	4 100Base-X SFP ports, 16 10/100Base-T(X) RJ45 ports, RS232 RJ45, 24-48VDC(18-72VDC) dual redundant power supplies, PROFINET (without MRP)	RFD
SICOM3000A	300071540	SICOM3000A-LITE-2S4T-ST40-L2-L2	2 100Base-FX single mode fiber ports, ST connector, 1310nm, 40km, 4 10/100Base-TX ports, Console Port Mini USB, 24-48VDC(18-72VDC) dual redundant power supplies	RFD
SICOM3000A	300071663	SICOM3000A-4SFP16T-HV	4 100Base-X SFP ports, 16 10/100Base-T(X) RJ45 ports, Console Port RS232 RJ45, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3000S	300073021	SICOM3000S-4GX8GP-L16-L16	4x100/1000Base-X SFP ports;8x10/100/1000BASE-T(X) RJ45 PoE ports;48VDC(12-57VDC),dual redundant power inputs, (without KyACB)	RFD
SICOM3024GS	300213003	SICOM3024GS-4X24GP-H3-H3	4x10GBase-X SFP+ port; 24x10/100/1000Base-T(X) PoE port;220VAC(85-264VAC) redundant power supply	RFD
SICOM3024GS	300213011	SICOM3024GS-4X12GX12GP-H3-H3	4x10GBase-X SFP+ port;12x1000Base-X SFP port; 12x10/100/1000Base-T(X) PoE port;220VAC(85-264VAC) redundant power supply	RFD
SICOM3024GS	300213012	SICOM3024GS-16GX12GP-H3-H3	16x1000Base-X SFP port; 12x10/100/1000Base-T(X) PoE port;220VAC(85-264VAC) redundant power supply	RFD
SICOM3024GS	300213005	SICOM3024GS-4X8GX16GP-H3-H3	4x10GBase-X SFP+ port;8x1000Base-X SFP port; 16x10/100/1000Base-T(X) PoE port;220VAC(85-264VAC) redundant power supply	RFD
SICOM3024GS	300213004	SICOM3024GS-4GX24GP-H3-H3	4x1000Base-X SFP port; 24x10/100/1000Base-T(X) PoE port;220VAC(85-264VAC) redundant power supply	RFD
SICOM3024GS	300213006	SICOM3024GS-12GX16GP-H3-H3	12x1000Base-X SFP port; 16x10/100/1000Base-T(X) PoE port;220VAC(85-264VAC) redundant power supply	RFD
SICOM3024GS-L3	300213010	SICOM3024GS-L3G-12GX16GP-H3-H3	12x1000Base-X SFP port; 16x10/100/1000Base-T(X) PoE port;220VAC(85-264VAC) redundant power supply	RFD
SICOM3024GS-L3	300213008	SICOM3024GS-L3G-4GX24GP-H3-H3	4x1000Base-X SFP port; 24x10/100/1000Base-T(X) PoE port;220VAC(85-264VAC) redundant power supply	RFD

SICOM3024GS-L3	300213007	SICOM3024GS-L3G-4X24GP-H3-H3	4×10GBase-X SFP+ port; 24×10/100/1000Base-T(X) PoE port;220VAC(85-264VAC) redundant power supply	RFD
SICOM3024GS-L3	300213013	SICOM3024GS-L3G-4X12GX12GP-H3-H3	4×10GBase-X SFP+ port;12×1000Base-X SFP port; 12×10/100/1000Base-T(X) PoE port;220VAC(85-264VAC) redundant power supply	RFD
SICOM3024GS-L3	300213014	SICOM3024GS-L3G-16GX12GP-H3-H3	16×1000Base-X SFP port; 12×10/100/1000Base-T(X) PoE port;220VAC(85-264VAC) redundant power supply	RFD
SICOM3024GS-L3	300213009	SICOM3024GS-L3G-4X8GX16GP-H3-H3	4×10GBase-X SFP+ port;8×1000Base-X SFP port; 16×10/100/1000Base-T(X) PoE port;220VAC(85-264VAC) redundant power supply	RFD
SICOM3024P	300193171	SICOM3024P-4M24T-ST05-L1-L1	4 100Base-FX multi mode fiber ports, ST connector, 1310nm, 5km, 24 10/100Base-TX RJ45 ports, 48VDC(36-72VDC) dual redundant power supplies	RFD
SICOM3024P	300193173	SICOM3024P-4M24T-SC05-L1-L1	4 100Base-FX multi mode fiber ports, SC connector, 1310nm, 5km, 24 10/100Base-TX RJ45 ports, 48VDC(36-72VDC) dual redundant power supplies	RFD
SICOM3024P	300193100	SICOM3024P-4GX24T-L3-L3	4 1000Base-X SFP ports, 24 10/100Base-TX RJ45 ports, 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3024P	300193119	SICOM3024P-8SFP16T-HV-HV	8 100Base-FX SFP ports, 16 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193126	SICOM3024P-16M8T-SC05-HV	16 100Base-FX multi mode fiber ports, SC connector, 1310nm, 5km, 8 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3024P	300193151	SICOM3024P-4GX16T-L1-L1	4 1000Base-X SFP ports, 16 10/100Base-TX RJ45 ports, 48VDC(36-72VDC) dual redundant power supplies	RFD
SICOM3024P	300193383	SICOM3024P-4M20T-SC05-HV	4 100Base-FX multi mode fiber ports, SC connector, 1310nm, 5km, 20 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3024P	300193363	SICOM3024P-4GX16SFP-HV-HV	4 1000Base-X SFP ports, 16 100Base-FX SFP ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193120	SICOM3024P-4GX4M20T-SC05-HV	4 1000Base-X SFP ports, 4 100Base-FX multi mode fiber ports, SC connector, 1310nm, 5km, 20 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3024P	300193223	SICOM3024P-12S12T-SC40-HV	12 100Base-FX single mode fiber ports, SC connector, 1310nm, 40km, 12 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3024P	300193064	SICOM3024P-2M14T-ST05-HV	2×100Base-FX multi mode fiber ports, ST connector, 1310nm, 5km, 14×10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3024P	300193046	SICOM3024P-4GX24T-HV-HV	4 1000Base-X SFP ports, 24 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193105	SICOM3024P-24SFP-HV	24 100Base-FX SFP ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3024P	300193336	SICOM3024P-2M22T-ST05-HV-HV	2 100Base-FX multi mode fiber ports, ST connector, 1310nm, 5km, 22 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193386	SICOM3024P-4M20T-ST05-HV-HV	4 100Base-FX multi mode fiber ports, ST connector, 1310nm, 5km, 20 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193168	SICOM3024P-2S26T-ST40-L3-L3	2 100Base-FX single mode fiber ports, ST connector, 1310nm, 40km, 26 10/100Base-TX RJ45 ports, 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3024P	300193203	SICOM3024P-4GX8SFP16T-HV-HV	4 1000Base-X SFP ports, 8 100Base-X SFP ports, 16 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193069	SICOM3024P-4M24T-SC05-HV-HV	4 100Base-FX multi mode fiber ports, SC connector, 1310nm, 5km, 24 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193144	SICOM3024P-4GE12M12T-SC05-HV	4 10/100/1000Base-TX RJ45 ports, 12 100Base-FX multi mode fiber ports, SC connector, 1310nm, 5km, 12 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3024P	300193172	SICOM3024P-4M24T-ST05-L3-L3	4 100Base-FX multi mode fiber ports, ST connector, 1310nm, 5km, 24 10/100Base-TX RJ45 ports, 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3024P	300193397	SICOM3024P-8M8T-ST05-HV	8 100Base-FX multi mode fiber ports, ST connector, 1310nm, 5km, 8 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3024P	300193084	SICOM3024P-2GX16T-HV-HV	2 1000Base-X SFP ports, 16 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193165	SICOM3024P-2S26T-ST40-HV	2 100Base-FX single mode fiber ports, ST connector, 1310nm, 40km, 26 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3024P	300193215	SICOM3024P-12SFP12T-L1-L1	12 100Base-FX SFP ports, 12 10/100Base-TX RJ45 ports, 48VDC(36-72VDC) dual redundant power supplies	RFD

SICOM3024P	300193245	SICOM3024P-16M8T-ST05-L3-L3	16 100Base-FX multi mode fiber ports, ST connector, 1310nm, 5km, 8 10/100Base-TX RJ45 ports, 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3024P	300193145	SICOM3024P-16T-L1-L1	16 10/100Base-TX RJ45 ports, 48VDC(36-72VDC) dual redundant power supplies	RFD
SICOM3024P	300193248	SICOM3024P-4GX16SFP8T-HV	4 1000Base-X SFP ports, 16 100Base-FX SFP ports, 8 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3024P	300193146	SICOM3024P-16T-L3-L3	16 10/100Base-TX RJ45 ports, 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3024P	300193209	SICOM3024P-4GX8M16T-ST05-HV-HV	4 1000Base-X SFP ports, 8 100Base-FX multi mode fiber ports, ST connector, 1310nm, 5km, 16 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193164	SICOM3024P-2S26T-SC40-L3-L3	2 100Base-FX single mode fiber ports, SC connector, 1310nm, 40km, 26 10/100Base-TX RJ45 ports, 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3024P	300193103	SICOM3024P-2S26T-SC40-HV	2 100Base-FX single mode fiber ports, SC connector, 1310nm, 40km, 26 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3024P	300193201	SICOM3024P-8S16T-SC40-L3-L3	8 100Base-FX single mode fiber ports, SC connector, 1310nm, 40km, 16 10/100Base-TX RJ45 ports, 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3024P	300193053	SICOM3024P-4GX8M16T-SC05-HV-HV	4 1000Base-X SFP ports, 8 100Base-FX multi mode fiber ports, SC connector, 1310nm, 5km, 16 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193159	SICOM3024P-2M26T-ST05-L1-L1	2 100Base-FX multi mode fiber ports, ST connector, 1310nm, 5km, 26 10/100Base-TX RJ45 ports, 48VDC(36-72VDC) dual redundant power supplies	RFD
SICOM3024P	300193393	SICOM3024P-8S16T-ST40-HV	8 100Base-FX single mode fiber ports, ST connector, 1310nm, 40km, 16 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3024P	300193044	SICOM3024P-4SFP20T-HV-HV	4 100Base-FX SFP ports, 20 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193300	SICOM3024P-2GX16T-HV	2 1000Base-X SFP ports, 16 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3024P	300193325	SICOM3024P-2GX8S16T-SC40-HV	2 1000Base-X SFP ports, 8 100Base-FX single mode fiber ports, SC connector, 1310nm, 40km, 16 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3024P	300193237	SICOM3024P-16SFP8T-HV	16 100Base-FX SFP ports, 8 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3024P	300193199	SICOM3024P-8M16T-SC05-L3-L3	8 100Base-FX multi mode fiber ports, SC connector, 1310nm, 5km, 16 10/100Base-TX RJ45 ports, 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3024P	300193225	SICOM3024P-4GX12SFP12T-HV	4 1000Base-X SFP ports, 12 100Base-FX SFP ports, 12 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3024P	300193208	SICOM3024P-4GX8M16T-ST05-HV	4 1000Base-X SFP ports, 8 100Base-FX multi mode fiber ports, ST connector, 1310nm, 5km, 16 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3024P	300193390	SICOM3024P-4S20T-ST40-HV-HV	4 100Base-FX single mode fiber ports, ST connector, 1310nm, 40km, 20 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193072	SICOM3024P-4S24T-SC40-HV	4 100Base-FX single mode fiber ports, SC connector, 1310nm, 40km, 24 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3024P	300193239	SICOM3024P-16SFP8T-L3-L3	16 100Base-FX SFP ports, 8 10/100Base-TX RJ45 ports, 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3024P	300193125	SICOM3024P-16M8T-SC05-HV-HV	16 100Base-FX multi mode fiber ports, SC connector, 1310nm, 5km, 8 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193339	SICOM3024P-2S22T-ST40-HV-HV	2 100Base-FX single mode fiber ports, ST connector, 1310nm, 40km, 22 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193099	SICOM3024P-C-24T-HV-HV	24 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies. Conformal Coating	RFD
SICOM3024P	300193489	SICOM3024P-C-2GX16T-HV-HV	2 1000Base-X SFP ports, 16 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies. Conformal Coating	RFD
SICOM3024P	300193058	SICOM3024P-2M26T-ST05-HV	2 100Base-FX multi mode fiber ports, ST connector, 1310nm, 5km, 26 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3024P	300193169	SICOM3024P-4SFP20T-L1-L1	4 100Base-FX SFP ports, 20 10/100Base-TX RJ45 ports, 48VDC(36-72VDC) dual redundant power supplies	RFD

SICOM3024P	300193050	SICOM3024P-4GX8S16T-SC40-HV	4 100Base-X SFP ports, 8 100Base-FX single mode fiber ports, SC connector, 1310nm, 40km, 16 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3024P	300193137	SICOM3024P-8S16T-SC60-HV-HV	8 100Base-FX single mode fiber ports, SC connector, 1310nm, 60km, 16 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193244	SICOM3024P-16M8T-ST05-L1-L1	16 100Base-FX multi mode fiber ports, ST connector, 1310nm, 5km, 8 10/100Base-TX RJ45 ports, 48VDC(36-72VDC) dual redundant power supplies	RFD
SICOM3024P	300193052	SICOM3024P-4GX8M16T-SC05-HV	4 100Base-X SFP ports, 8 100Base-FX multi mode fiber ports, SC connector, 1310nm, 5km, 16 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3024P	300193486	SICOM3024P-C-4GX24T-HV-HV	4 100Base-X SFP ports, 24 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies, Conformal Coating	RFD
SICOM3024P	300193485	SICOM3024P-C-2GX24T-HV-HV	2 100Base-X SFP ports, 24 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies, Conformal Coating	RFD
SICOM3024P	300193475	SICOM3024P-8T-HV-HV	8 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193260	SICOM3024P-12S12T-ST40-HV-HV	12 100Base-FX single mode fiber ports, ST connector, 1310nm, 40km, 12 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193047	SICOM3024P-4GX16T-HV	4 100Base-X SFP ports, 16 10/100Base-TX RJ45 ports, 100-240VAC/110-	RFD
SICOM3024P	300193217	SICOM3024P-12M12T-SC05-HV	12 100Base-FX multi mode fiber ports, SC connector, 1310nm, 5km, 12 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3024P	300193176	SICOM3024P-4S24T-ST40-L3-L3	4 100Base-FX single mode fiber ports, ST connector, 1310nm, 40km, 24 10/100Base-TX RJ45 ports, 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3024P	300193213	SICOM3024P-4GX8S16T-SC40-L3-L3	4 100Base-X SFP ports, 8 100Base-FX single mode fiber ports, SC connector, 1310nm, 40km, 16 10/100Base-TX RJ45 ports, 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3024P	300193492	SICOM3024P-24SFP4T-HV-HV	24 100Base-FX SFP ports, 4 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193067	SICOM3024P-4M24T-ST05-HV-HV	4 100Base-FX multi mode fiber ports, ST connector, 1310nm, 5km, 24 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193220	SICOM3024P-12M12T-ST05-HV	12 100Base-FX multi mode fiber ports, ST connector, 1310nm, 5km, 12 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3024P	300193071	SICOM3024P-4S24T-ST40-HV-HV	4 100Base-FX single mode fiber ports, ST connector, 1310nm, 40km, 24 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193196	SICOM3024P-8M16T-ST05-L1-L1	8 100Base-FX multi mode fiber ports, ST connector, 1310nm, 5km, 16 10/100Base-TX RJ45 ports, 48VDC(36-72VDC) dual redundant power supplies	RFD
SICOM3024P	300193338	SICOM3024P-2S22T-SC40-HV-HV	2 100Base-FX single mode fiber ports, SC connector, 1310nm, 40km, 22 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193508	SICOM3024P-4GE24T-L3-L3	4 10/100/1000Base-TX RJ45 ports, 24 10/100Base-TX RJ45 ports, 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3024P	300193216	SICOM3024P-12SFP12T-L3-L3	12 100Base-FX SFP ports, 12 10/100Base-TX RJ45 ports, 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3024P	300193090	SICOM3024P-10S14T-SC40-HV-HV	10 100Base-FX single mode fiber ports, SC connector, 1310nm, 40km, 14 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193082	SICOM3024P-4GX16M-ST05-HV-HV	4 100Base-X SFP ports, 16 100Base-FX multi mode fiber ports, ST connector, 1310nm, 5km, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193282	SICOM3024P-20M4T-ST05-HV	20 100Base-FX multi mode fiber ports, ST connector, 1310nm, 5km, 4 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3024P	300193118	SICOM3024P-8SFP16T-HV	8 100Base-FX SFP ports, 16 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3024P	300193135	SICOM3024P-4GX16SFP8T-HV-HV	4 100Base-X SFP ports, 16 100Base-FX SFP ports, 8 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193349	SICOM3024P-4GE24T-HV	4 10/100/1000Base-TX RJ45 ports, 24 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3024P	300193066	SICOM3024P-4M24T-ST05-HV	4 100Base-FX multi mode fiber ports, ST connector, 1310nm, 5km, 24 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD

SICOM3024P	300199300	SICOM3024P-2M26T-SC05-L3-L3-S	2 100Base-FX multi mode fiber ports, SC connector, 1310nm, 5km, 26 10/100Base-TX RJ45 ports, 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3024P	300193077	SICOM3024P-8M16T-ST05-HV	8 100Base-FX multi mode fiber ports, ST connector, 1310nm, 5km, 16 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3024P	300193139	SICOM3024P-4GE8M16T-SC05-HV	4 10/100/1000Base-TX RJ45 ports, 8 100Base-FX multi mode fiber ports, SC connector, 1310nm, 5km, 16 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3024P	300193042	SICOM3024P-8SFP20T-HV-HV	8x100Base-X SFP ports, 20x10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193048	SICOM3024P-4GX4S20T-SC40-HV	4 1000Base-X SFP ports, 4 100Base-FX single mode fiber ports, SC connector, 1310nm, 40km, 20 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3024P	300193065	SICOM3024P-2M14T-ST05-HV-HV	2x100Base-FX multi mode fiber ports, ST connector, 1310nm, 5km, 14x10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193096	SICOM3024P-24M4T-SC05-HV-HV	24x100Base-FX multi mode fiber ports, SC connector, 1310nm, 5km, 4x10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193070	SICOM3024P-4S24T-ST40-HV	4 100Base-FX single mode fiber ports, ST connector, 1310nm, 40km, 24 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3024P	300193326	SICOM3024P-2GX8S16T-SC40-HV-HV	2 1000Base-X SFP ports, 8 100Base-FX single mode fiber ports, SC connector, 1310nm, 40km, 16 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193094	SICOM3024P-12M12T-ST05-HV-HV	12 100Base-FX multi mode fiber ports, ST connector, 1310nm, 5km, 12 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193091	SICOM3024P-12S12T-SC40-L3-L3	12 100Base-FX single mode fiber ports, SC connector, 1310nm, 40km, 12 10/100Base-TX RJ45 ports, 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3024P	300193375	SICOM3024P-4GX8T-HV	4 1000Base-X SFP ports, 8 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3024P	300193186	SICOM3024P-4GX4M20T-SC05-L1-L1	4 1000Base-X SFP ports, 4 100Base-FX multi mode fiber ports, SC connector, 1310nm, 5km, 20 10/100Base-TX RJ45 ports, 48VDC(36-72VDC) dual redundant power supplies	RFD
SICOM3024P	300193080	SICOM3024P-8M16T-SC05-HV-HV	8 100Base-FX multi mode fiber ports, SC connector, 1310nm, 5km, 16 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193039	SICOM3024P-4GX16T-L3-L3	4 1000Base-X SFP ports, 16 10/100Base-TX RJ45 ports, 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3024P	300193211	SICOM3024P-4GX8M16T-ST05-L3-L3	4 1000Base-X SFP ports, 8 100Base-FX multi mode fiber ports, ST connector, 1310nm, 5km, 16 10/100Base-TX RJ45 ports, 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3024P	300193087	SICOM3024P-4S24T-FC40-HV-HV	4x100Base-FX single mode fiber ports, FC connector, 1310nm, 40km, 24x10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193147	SICOM3024P-24T-HV	24 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3024P	300193043	SICOM3024P-16SFP8T-HV-HV	16 100Base-FX SFP ports, 8 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193068	SICOM3024P-4M24T-SC05-HV	4 100Base-FX multi mode fiber ports, SC connector, 1310nm, 5km, 24 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3024P	300193243	SICOM3024P-16M8T-ST05-HV-HV	16 100Base-FX multi mode fiber ports, ST connector, 1310nm, 5km, 8 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193388	SICOM3024P-4S20T-ST40-HV	4 100Base-FX single mode fiber ports, ST connector, 1310nm, 40km, 20 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3024P	300193051	SICOM3024P-4GX8S16T-SC40-HV-HV	4 1000Base-X SFP ports, 8 100Base-FX single mode fiber ports, SC connector, 1310nm, 40km, 16 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193224	SICOM3024P-12S12T-SC40-L1-L1	12 100Base-FX single mode fiber ports, SC connector, 1310nm, 40km, 12 10/100Base-TX RJ45 ports, 48VDC(36-72VDC) dual redundant power supplies	RFD
SICOM3024P	300193142	SICOM3024P-2GX12SFP12T-HV-HV	2 1000Base-X SFP ports, 12 100Base-FX SFP ports, 12 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193487	SICOM3024P-C-16T-HV-HV	16 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies, Conformal Coating	RFD

SICOM3024P	300193057	SICOM3024P-2GX24T-HV-HV	2 100Base-X SFP ports, 24 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193088	SICOM3024P-8M8T-ST05-HV-HV	8 100Base-FX multi mode fiber ports, ST connector, 1310nm, 5km, 8 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193059	SICOM3024P-2M26T-ST05-HV-HV	2 100Base-FX multi mode fiber ports, ST connector, 1310nm, 5km, 26 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193200	SICOM3024P-8S16T-SC40-L1-L1	8 100Base-FX single mode fiber ports, SC connector, 1310nm, 40km, 16 10/100Base-TX RJ45 ports, 48VDC(36-72VDC) dual redundant power supplies	RFD
SICOM3024P	300193163	SICOM3024P-2S26T-SC40-L1-L1	2 100Base-FX single mode fiber ports, SC connector, 1310nm, 40km, 26 10/100Base-TX RJ45 ports, 48VDC(36-72VDC) dual redundant power supplies	RFD
SICOM3024P	300193206	SICOM3024P-4GX8M16T-SC05-L1-L1	4 1000Base-X SFP ports, 8 100Base-FX multi mode fiber ports, SC connector, 1310nm, 5km, 16 10/100Base-TX RJ45 ports, 48VDC(36-72VDC) dual redundant power supplies	RFD
SICOM3024P	300193076	SICOM3024P-8S16T-SC40-HV-HV	8 100Base-FX single mode fiber ports, SC connector, 1310nm, 40km, 16 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193394	SICOM3024P-8S16T-ST40-HV-HV	8 100Base-FX single mode fiber ports, ST connector, 1310nm, 40km, 16 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193178	SICOM3024P-4S24T-SC40-L3-L3	4 100Base-FX single mode fiber ports, SC connector, 1310nm, 40km, 24 10/100Base-TX RJ45 ports, 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3024P	300193161	SICOM3024P-2M26T-SC05-L1-L1	2 100Base-FX multi mode fiber ports, SC connector, 1310nm, 5km, 26 10/100Base-TX RJ45 ports, 48VDC(36-72VDC) dual redundant power supplies	RFD
SICOM3024P	300193078	SICOM3024P-8M16T-ST05-HV-HV	8 100Base-FX multi mode fiber ports, ST connector, 1310nm, 5km, 16 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193162	SICOM3024P-2M26T-SC05-L3-L3	2 100Base-FX multi mode fiber ports, SC connector, 1310nm, 5km, 26 10/100Base-TX RJ45 ports, 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3024P	300193193	SICOM3024P-4GX4S20T-SC40-L3-L3	4 1000Base-X SFP ports, 4 100Base-FX single mode fiber ports, SC connector, 1310nm, 40km, 20 10/100Base-TX RJ45 ports, 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3024P	300197531	SICOM3024P-4GX8M16T-SC05-HV-HV-S	4 1000Base-X SFP ports, 8 100Base-FX multi mode fiber ports, SC connector, 1310nm, 5km, 16 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300197530	SICOM3024P-4GX4M20T-SC05-HV-HV-S	4 1000Base-X SFP ports, 4 100Base-FX multi mode fiber ports, SC connector, 1310nm, 5km, 20 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193333	SICOM3024P-2M22T-SC05-HV	2 100Base-FX multi mode fiber ports, SC connector, 1310nm, 5km, 22 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3024P	300193174	SICOM3024P-4M24T-SC05-L3-L3	4 100Base-FX multi mode fiber ports, SC connector, 1310nm, 5km, 24 10/100Base-TX RJ45 ports, 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3024P	300193079	SICOM3024P-8M16T-SC05-HV	8 100Base-FX multi mode fiber ports, SC connector, 1310nm, 5km, 16 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3024P	300193045	SICOM3024P-4GX24T-HV	4 1000Base-X SFP ports, 24 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3024P	300193085	SICOM3024P-24T-HV-HV	24 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193073	SICOM3024P-4S24T-SC40-HV-HV	4 100Base-FX single mode fiber ports, SC connector, 1310nm, 40km, 24 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193278	SICOM3024P-16SFP-HV-HV	16 100Base-FX SFP ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193134	SICOM3024P-2GX8T-HV	2 1000Base-X SFP ports, 8 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3024P	300193102	SICOM3024P-2S26T-SC40-HV-HV	2 100Base-FX single mode fiber ports, SC connector, 1310nm, 40km, 26 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193140	SICOM3024P-4SFP20T-L3-L3	4 100Base-FX SFP ports, 20 10/100Base-TX RJ45 ports, 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3024P	300193141	SICOM3024P-2GX8SFP16T-HV-HV	2 1000Base-X SFP ports, 8 100Base-X SFP ports, 16 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193128	SICOM3024P-16S8T-SC40-HV-HV	16 100Base-FX single mode fiber ports, SC connector, 1310nm, 40km, 8 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD

SICOM3024P	300193083	SICOM3024P-4GX12SFP12T-HV-HV	4 100Base-X SFP ports, 12 100Base-FX SFP ports, 12 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193422	SICOM3024P-2GX8T-L1-L1	2 100Base-X SFP ports, 8 10/100Base-TX RJ45 ports, 48VDC(36-72VDC) dual redundant power supplies	RFD
SICOM3024P	300193501	SICOM3024P-2GX12SFP12T-HV	2 100Base-X SFP ports, 12 100Base-FX SFP ports, 12 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3024P	300193214	SICOM3024P-12SFP12T-HV	12 100Base-FX SFP ports, 12 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3024P	300193133	SICOM3024P-2GX8T-HV-HV	2 100Base-X SFP ports, 8 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193337	SICOM3024P-2S22T-SC40-HV	2 100Base-FX single mode fiber ports, SC connector, 1310nm, 40km, 22 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3024P	300193148	SICOM3024P-24T-L1-L1	24 10/100Base-TX RJ45 ports, 48VDC(36-72VDC) dual redundant power supplies	RFD
SICOM3024P	300193288	SICOM3024P-24M-ST05-HV	24 100Base-FX multi mode fiber ports, ST connector, 1310nm, 5km, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3024P	300193177	SICOM3024P-4S24T-SC40-L1-L1	4 100Base-FX single mode fiber ports, SC connector, 1310nm, 40km, 24 10/100Base-TX RJ45 ports, 48VDC(36-72VDC) dual redundant power supplies	RFD
SICOM3024P	300193074	SICOM3024P-4SFP20T-HV	4 100Base-FX SFP ports, 20 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3024P	300193041	SICOM3024P-12SFP12T-HV-HV	12 100Base-FX SFP ports, 12 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193276	SICOM3024P-16S8T-ST40-HV-HV	16 100Base-FX single mode fiber ports, ST connector, 1310nm, 40km, 8 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193121	SICOM3024P-4GX4M20T-SC05-HV-HV	4 100Base-X SFP ports, 4 100Base-FX multi mode fiber ports, SC connector, 1310nm, 5km, 20 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193212	SICOM3024P-4GX8S16T-SC40-L1-L1	4 100Base-X SFP ports, 8 100Base-FX single mode fiber ports, SC connector, 1310nm, 40km, 16 10/100Base-TX RJ45 ports, 48VDC(36-72VDC) dual redundant power supplies	RFD
SICOM3024P	300193488	SICOM3024P-C-8M16T-ST05-HV-HV	8 100Base-FX multi mode fiber ports, ST connector, 1310nm, 5km, 16 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies. Conformal Coating	RFD
SICOM3024P	300193054	SICOM3024P-4GX24SFP-HV	4 100Base-X SFP ports, 24 100Base-FX SFP ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3024P	300193160	SICOM3024P-2M26T-ST05-L3-L3	2 100Base-FX multi mode fiber ports, ST connector, 1310nm, 5km, 26 10/100Base-TX RJ45 ports, 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3024P	300193264	SICOM3024P-12T-HV-HV	12 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193192	SICOM3024P-4GX4S20T-SC40-L1-L1	4 100Base-X SFP ports, 4 100Base-FX single mode fiber ports, SC connector, 1310nm, 40km, 20 10/100Base-TX RJ45 ports, 48VDC(36-72VDC) dual redundant power supplies	RFD
SICOM3024P	300193092	SICOM3024P-12S12T-SC40-HV-HV	12 100Base-FX single mode fiber ports, SC connector, 1310nm, 40km, 12 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193238	SICOM3024P-16SFP8T-L1-L1	16 100Base-FX SFP ports, 8 10/100Base-TX RJ45 ports, 48VDC(36-72VDC) dual redundant power supplies	RFD
SICOM3024P	300193218	SICOM3024P-12M12T-SC05-L1-L1	12 100Base-FX multi mode fiber ports, SC connector, 1310nm, 5km, 12 10/100Base-TX RJ45 ports, 48VDC(36-72VDC) dual redundant power supplies	RFD
SICOM3024P	300193275	SICOM3024P-16S8T-ST40-HV	16 100Base-FX single mode fiber ports, ST connector, 1310nm, 40km, 8 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3024P	300193060	SICOM3024P-2M26T-SC05-HV	2 100Base-FX multi mode fiber ports, SC connector, 1310nm, 5km, 26 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3024P	300193049	SICOM3024P-4GX4S20T-SC40-HV-HV	4 100Base-X SFP ports, 4 100Base-FX single mode fiber ports, SC connector, 1310nm, 40km, 20 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193362	SICOM3024P-4GX16SFP-HV	4 100Base-X SFP ports, 16 100Base-FX SFP ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3024P	300193250	SICOM3024P-4GX16SFP8T-L3-L3	4 100Base-X SFP ports, 16 100Base-FX SFP ports, 8 10/100Base-TX RJ45 ports, 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3024P	300193210	SICOM3024P-4GX8M16T-ST05-L1-L1	4 100Base-X SFP ports, 8 100Base-FX multi mode fiber ports, ST connector, 1310nm, 5km, 16 10/100Base-TX RJ45 ports, 48VDC(36-72VDC) dual redundant power supplies	RFD

SICOM3024P	300193149	SICOM3024P-24T-L3-L3	24 10/100Base-TX RJ45 ports, 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3024P	300193287	SICOM3024P-20S4T-ST40-HV-HV	20 100Base-FX single mode fiber ports, ST connector, 1310nm, 40km, 4 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193424	SICOM3024P-2GX8T-L3-L3	2 1000Base-X SFP ports, 8 10/100Base-TX RJ45 ports, 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3024P	300193249	SICOM3024P-4GX16SFP8T-L1-L1	4 1000Base-X SFP ports, 16 100Base-FX SFP ports, 8 10/100Base-TX RJ45 ports, 48VDC(36-72VDC) dual redundant power supplies	RFD
SICOM3024P	300193384	SICOM3024P-4M20T-ST05-HV	4 100Base-FX multi mode fiber ports, ST connector, 1310nm, 5km, 20 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3024P	300193089	SICOM3024P-8S8T-SC40-HV-HV	8x100Base-FX single mode fiber ports, SC connector, 1310nm, 40km, 8x10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193062	SICOM3024P-2M14T-SC05-HV	2 100Base-FX multi mode fiber ports, SC connector, 1310nm, 5km, 14 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3024P	300193061	SICOM3024P-2M26T-SC05-HV-HV	2 100Base-FX multi mode fiber ports, SC connector, 1310nm, 5km, 26 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193055	SICOM3024P-4GX24SFP-HV-HV	4 1000Base-X SFP ports, 24 100Base-FX SFP ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193116	SICOM3024P-2S14T-SC40-HV-HV	2 100Base-FX single mode fiber ports, SC connector, 1310nm, 40km, 14 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193222	SICOM3024P-12M12T-ST05-L3-L3	12 100Base-FX multi mode fiber ports, ST connector, 1310nm, 5km, 12 10/100Base-TX RJ45 ports, 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3024P	300193129	SICOM3024P-16S8T-SC40-HV	16 100Base-FX single mode fiber ports, SC connector, 1310nm, 40km, 8 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3024P	300193356	SICOM3024P-4GX16M-ST05-HV	4 1000Base-X SFP ports, 16 100Base-FX multi mode fiber ports, ST connector, 1310nm, 5km, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3024P	300193242	SICOM3024P-16M8T-ST05-HV	16 100Base-FX multi mode fiber ports, ST connector, 1310nm, 5km, 8 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3024P	300193124	SICOM3024P-2GX24T-L1-L1	2 1000Base-X SFP ports, 24 10/100Base-TX RJ45 ports, 48VDC(36-72VDC) dual redundant power supplies	RFD
SICOM3024P	300193198	SICOM3024P-8M16T-SC05-L1-L1	8 100Base-FX multi mode fiber ports, SC connector, 1310nm, 5km, 16 10/100Base-TX RJ45 ports, 48VDC(36-72VDC) dual redundant power supplies	RFD
SICOM3024P	300193132	SICOM3024P-2S22T-ST40-HV	2 100Base-FX single mode fiber ports, ST connector, 1310nm, 40km, 22 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3024P	300193219	SICOM3024P-12M12T-SC05-L3-L3	12 100Base-FX multi mode fiber ports, SC connector, 1310nm, 5km, 12 10/100Base-TX RJ45 ports, 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3024P	300193115	SICOM3024P-2S14T-SC40-HV	2 100Base-FX single mode fiber ports, SC connector, 1310nm, 40km, 14 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3024P	300193285	SICOM3024P-20S4T-ST40-HV	20 100Base-FX single mode fiber ports, ST connector, 1310nm, 40km, 4 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3024P	300193150	SICOM3024P-2GX24T-L3-L3	2 1000Base-X SFP ports, 24 10/100Base-TX RJ45 ports, 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3024P	300193056	SICOM3024P-2GX24T-HV	2 1000Base-X SFP ports, 24 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3024P	300193086	SICOM3024P-16T-HV-HV	16 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193167	SICOM3024P-2S26T-ST40-L1-L1	2 100Base-FX single mode fiber ports, ST connector, 1310nm, 40km, 26 10/100Base-TX RJ45 ports, 48VDC(36-72VDC) dual redundant power supplies	RFD
SICOM3024P	300193075	SICOM3024P-8S16T-SC40-HV	8 100Base-FX single mode fiber ports, SC connector, 1310nm, 40km, 16 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3024P	300193494	SICOM3024P-6M22T-ST05-HV	6 100Base-FX multi mode fiber ports, ST connector, 1310nm, 5km, 22 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3024P	300193175	SICOM3024P-4S24T-ST40-L1-L1	4 100Base-FX single mode fiber ports, ST connector, 1310nm, 40km, 24 10/100Base-TX RJ45 ports, 48VDC(36-72VDC) dual redundant power supplies	RFD
SICOM3024P	300193207	SICOM3024P-4GX8M16T-SC05-L3-L3	4 1000Base-X SFP ports, 8 100Base-FX multi mode fiber ports, SC connector, 1310nm, 5km, 16 10/100Base-TX RJ45 ports, 24VDC(18-36VDC) dual redundant power supplies	RFD

SICOM3024P	300193197	SICOM3024P-8M16T-ST05-L3-L3	8 100Base-FX multi mode fiber ports, ST connector, 1310nm, 5km, 16 10/100Base-TX RJ45 ports, 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3024P	300193081	SICOM3024P-8SFP20T-HV	8x100Base-X SFP ports, 20x10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3024P	300193335	SICOM3024P-2M22T-SC05-HV-HV	2 100Base-FX multi mode fiber ports, SC connector, 1310nm, 5km, 22 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193152	SICOM3024P-4GX24T-L1-L1	4 1000Base-X SFP ports, 24 10/100Base-TX RJ45 ports, 48VDC(36-72VDC) dual redundant power supplies	RFD
SICOM3024P	300193334	SICOM3024P-2M22T-ST05-HV	2 100Base-FX multi mode fiber ports, ST connector, 1310nm, 5km, 22 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3024P	300193166	SICOM3024P-2S26T-ST40-HV-HV	2 100Base-FX single mode fiber ports, ST connector, 1310nm, 40km, 26 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193063	SICOM3024P-2M14T-SC05-HV-HV	2 100Base-FX multi mode fiber ports, SC connector, 1310nm, 5km, 14 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193289	SICOM3024P-24M-ST05-HV-HV	24 100Base-FX multi mode fiber ports, ST connector, 1310nm, 5km, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193259	SICOM3024P-12S12T-ST40-HV	12 100Base-FX single mode fiber ports, ST connector, 1310nm, 40km, 12 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3024P	300193117	SICOM3024P-4GX16M8T-SC05-HV-HV	4 1000Base-X SFP ports, 16 100Base-FX multi mode fiber ports, SC connector, 1310nm, 5km, 8 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193095	SICOM3024P-20M4T-ST05-HV-HV	20 100Base-FX multi mode fiber ports, ST connector, 1310nm, 5km, 4 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193350	SICOM3024P-4GE24T-HV-HV	4 10/100/1000Base-TX RJ45 ports, 24 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193097	SICOM3024P-16T-HV	16 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3024P	300193187	SICOM3024P-4GX4M20T-SC05-L3-L3	4 1000Base-X SFP ports, 4 100Base-FX multi mode fiber ports, SC connector, 1310nm, 5km, 20 10/100Base-TX RJ45 ports, 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3024P	300193106	SICOM3024P-24SFP-HV-HV	24 100Base-FX SFP ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193093	SICOM3024P-12M12T-SC05-HV-HV	12 100Base-FX multi mode fiber ports, SC connector, 1310nm, 5km, 12 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193038	SICOM3024P-4GX16T-HV-HV	4 1000Base-X SFP ports, 16 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3024P	300193445	SICOM3024P-4GE4M20T-SC05-HV	4 10/100/1000Base-TX RJ45 ports, 4 100Base-FX multi mode fiber ports, SC connector, 1310nm, 5km, 20 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3024P	300193221	SICOM3024P-12M12T-ST05-L1-L1	12 100Base-FX multi mode fiber ports, ST connector, 1310nm, 5km, 12 10/100Base-TX RJ45 ports, 48VDC(36-72VDC) dual redundant power supplies	RFD
SICOM3024PA	300192104	SICOM3024PA-4GX24T-HV-HV	4 1000Base-X SFP ports, 24 10/100Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3028GPT-L2	300220112	SICOM3028GPT-L2FT-MB-L1	SICOM3028GPT-L2FT chassis with 48VDC(36-72VDC) single power supply	RFD
SICOM3028GPT-L2	300220215	SICOM3028GPT-L2G-MB-L1-L1	SICOM3028GPT-L2G chassis with 48VDC(36-72VDC) dual redundant power supplies	RFD
SICOM3028GPT-L2	300220312	SICOM3028GPT-L2F-MB-L1	SICOM3028GPT-L2F chassis with 48VDC(36-72VDC) single power supply	RFD
SICOM3028GPT-L2	300220013	SICOM3028GPT-L2GT-MB-HV	SICOM3028GPT-L2GT chassis with 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3028GPT-L2	300220114	SICOM3028GPT-L2FT-MB-L3-L3	SICOM3028GPT-L2FT chassis with 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3028GPT-L2	300220016	SICOM3028GPT-L2GT-MB-HV-HV	SICOM3028GPT-L2GT chassis with 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3028GPT-L2	300220213	SICOM3028GPT-L2G-MB-HV	SICOM3028GPT-L2G chassis with 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3028GPT-L2	300220212	SICOM3028GPT-L2G-MB-L1	SICOM3028GPT-L2G chassis with 48VDC(36-72VDC) single power supply	RFD
SICOM3028GPT-L2	300220014	SICOM3028GPT-L2GT-MB-L3-L3	SICOM3028GPT-L2GT chassis with 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3028GPT-L2	300220321	SICOM3028GPT-L2F-MB	SICOM3028GPT-L2F chassis without power supplie, which need choice the Hot Swap power Module	RFS

SICOM3028GPT-L2	300220315	SICOM3028GPT-L2F-MB-L1-L1	SICOM3028GPT-L2F chassis with 48VDC(36-72VDC) dual redundant power supplies	RFD
SICOM3028GPT-L2	300220314	SICOM3028GPT-L2F-MB-L3-L3	SICOM3028GPT-L2F chassis with 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3028GPT-L2	300220015	SICOM3028GPT-L2GT-MB-L1-L1	SICOM3028GPT-L2GT chassis with 48VDC(36-72VDC) dual redundant power supplies	RFD
SICOM3028GPT-L2	300220311	SICOM3028GPT-L2F-MB-L3	SICOM3028GPT-L2F chassis with 24VDC(18-36VDC) single power supply	RFD
SICOM3028GPT-L2	300220316	SICOM3028GPT-L2F-MB-HV-HV	SICOM3028GPT-L2F chassis with 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3028GPT-L2	300220011	SICOM3028GPT-L2GT-MB-L3	SICOM3028GPT-L2GT chassis with 24VDC(18-36VDC) single power supply	RFD
SICOM3028GPT-L2	300220111	SICOM3028GPT-L2FT-MB-L3	SICOM3028GPT-L2FT chassis with 24VDC(18-36VDC) single power supply	RFD
SICOM3028GPT-L2	300220221	SICOM3028GPT-L2G-MB	SICOM3028GPT-L2G chassis without power supplie, which need choice the Hot Swap power Module	RFS
SICOM3028GPT-L2	300220211	SICOM3028GPT-L2G-MB-L3	SICOM3028GPT-L2G chassis with 24VDC(18-36VDC) single power supply	RFD
SICOM3028GPT-L2	300220214	SICOM3028GPT-L2G-MB-L3-L3	SICOM3028GPT-L2G chassis with 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3028GPT-L2	300220121	SICOM3028GPT-L2FT-MB	SICOM3028GPT-L2FT chassis without power supplie, which need choice the Hot Swap power Module	RFS
SICOM3028GPT-L2	300220115	SICOM3028GPT-L2FT-MB-L1-L1	SICOM3028GPT-L2FT chassis with 48VDC(36-72VDC) dual redundant power supplies	RFD
SICOM3028GPT-L2	300220313	SICOM3028GPT-L2F-MB-HV	SICOM3028GPT-L2F chassis with 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3028GPT-L2	300220216	SICOM3028GPT-L2G-MB-HV-HV	SICOM3028GPT-L2G chassis with 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3028GPT-L2	300220116	SICOM3028GPT-L2FT-MB-HV-HV	SICOM3028GPT-L2FT chassis with 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3028GPT-L2	300220113	SICOM3028GPT-L2FT-MB-HV	SICOM3028GPT-L2FT chassis with 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3028GPT-L2	300220021	SICOM3028GPT-L2GT-MB	SICOM3028GPT-L2GT chassis without power supplie, which need choice the Hot Swap power Module	RFS
SICOM3028GPT-L2	300220317	SICOM3028GPT-L2F-MB-L1-HV	SICOM3028GPT-L2F chassis with 48VDC(36-72VDC) and 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3028GPT-L2	300220012	SICOM3028GPT-L2GT-MB-L1	SICOM3028GPT-L2GT chassis with 48VDC(36-72VDC) single power supply	RFD
SICOM3028GPT-L3	301030216	SICOM3028GPT-L3F-MB-HV-HV	SICOM3028GPT-L3F chassis with 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3028GPT-L3	301030215	SICOM3028GPT-L3F-MB-L1-L1	SICOM3028GPT-L3F chassis with 48VDC(36-72VDC) dual redundant power supplies	RFD
SICOM3028GPT-L3	301030018	SICOM3028GPT-L3G-MC-HV-HV	SICOM3028GPT-L3G chassis with 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies, Conformal Coating	RFD
SICOM3028GPT-L3	301030017	SICOM3028GPT-L3G-MB-L1-HV	SICOM3028GPT-L3G chassis with 48VDC(36-72VDC) and 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3028GPT-L3	301030112	SICOM3028GPT-L3GT-MB-L1	SICOM3028GPT-L3GT chassis with 48VDC(36-72VDC) single power supply	RFD
SICOM3028GPT-L3	301030314	SICOM3028GPT-L3FT-MB-L3-L3	SICOM3028GPT-L3FT chassis with 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3028GPT-L3	301030116	SICOM3028GPT-L3GT-MB-HV-HV	SICOM3028GPT-L3GT chassis with 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3028GPT-L3	301030115	SICOM3028GPT-L3GT-MB-L1-L1	SICOM3028GPT-L3GT chassis with 48VDC(36-72VDC) dual redundant power supplies	RFD
SICOM3028GPT-L3	301030312	SICOM3028GPT-L3FT-MB-L1	SICOM3028GPT-L3FT chassis with 48VDC(36-72VDC) single power supply	RFD
SICOM3028GPT-L3	301030321	SICOM3028GPT-L3FT-MB	SICOM3028GPT-L3FT chassis without power supplie, which need choice the Hot Swap power Module	RFS
SICOM3028GPT-L3	301030313	SICOM3028GPT-L3FT-MB-HV	SICOM3028GPT-L3FT chassis with 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3028GPT-L3	301030015	SICOM3028GPT-L3G-MB-L1-L1	SICOM3028GPT-L3G chassis with 48VDC(36-72VDC) dual redundant power supplies	RFD
SICOM3028GPT-L3	301030214	SICOM3028GPT-L3F-MB-L3-L3	SICOM3028GPT-L3F chassis with 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3028GPT-L3	301030114	SICOM3028GPT-L3GT-MB-L3-L3	SICOM3028GPT-L3GT chassis with 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3028GPT-L3	301030012	SICOM3028GPT-L3G-MB-L1	SICOM3028GPT-L3G chassis with 48VDC(36-72VDC) single power supply	RFD
SICOM3028GPT-L3	301030213	SICOM3028GPT-L3F-MB-HV	SICOM3028GPT-L3F chassis with 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3028GPT-L3	301030315	SICOM3028GPT-L3FT-MB-L1-L1	SICOM3028GPT-L3FT chassis with 48VDC(36-72VDC) dual redundant power supplies	RFD
SICOM3028GPT-L3	301030111	SICOM3028GPT-L3GT-MB-L3	SICOM3028GPT-L3GT chassis with 24VDC(18-36VDC) single power supply	RFD

SICOM3028GPT-L3	301030316	SICOM3028GPT-L3FT-MB-HV-HV	SICOM3028GPT-L3FT chassis with 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3028GPT-L3	301030113	SICOM3028GPT-L3GT-MB-HV	SICOM3028GPT-L3GT chassis with 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3028GPT-L3	301030021	SICOM3028GPT-L3G-MB	SICOM3028GPT-L3G chassis without power supplie, which need choice the Hot Swap power Module	RFS
SICOM3028GPT-L3	301030311	SICOM3028GPT-L3FT-MB-L3	SICOM3028GPT-L3FT chassis with 24VDC(18-36VDC) single power supply	RFD
SICOM3028GPT-L3	301030016	SICOM3028GPT-L3G-MB-HV-HV	SICOM3028GPT-L3G chassis with 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3028GPT-L3	301030121	SICOM3028GPT-L3GT-MB	SICOM3028GPT-L3GT chassis without power supplie, which need choice the Hot Swap power Module	RFS
SICOM3028GPT-L3	301030212	SICOM3028GPT-L3F-MB-L1	SICOM3028GPT-L3F chassis with 48VDC(36-72VDC) single power supply	RFD
SICOM3028GPT-L3	301030014	SICOM3028GPT-L3G-MB-L3-L3	SICOM3028GPT-L3G chassis with 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3028GPT-L3	301030011	SICOM3028GPT-L3G-MB-L3	SICOM3028GPT-L3G chassis with 24VDC(18-36VDC) single power supply	RFD
SICOM3028GPT-L3	301030221	SICOM3028GPT-L3F-MB	SICOM3028GPT-L3F chassis without power supplie, which need choice the Hot Swap power Module	RFS
SICOM3028GPT-L3	301030211	SICOM3028GPT-L3F-MB-L3	SICOM3028GPT-L3F chassis with 24VDC(18-36VDC) single power supply	RFD
SICOM3028GPT-L3	301030013	SICOM3028GPT-L3G-MB-HV	SICOM3028GPT-L3G chassis with 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3416G	300112002	SICOM3416G-4X4GX8GE-L3-L3	4*10G SFP ports, 4*1000Base-X SFP ports, 8*10/100/1000Base-TX RJ45 ports, 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3416G	300112003	SICOM3416G-4X4GX8GE-HV	4*10G SFP ports, 4*1000Base-X SFP ports, 8*10/100/1000Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3416G	300112004	SICOM3416G-4X4GX4GE-L1-L1	4*10G SFP ports, 8*1000Base-X SFP ports, 4*10/100/1000Base-TX RJ45 ports, 48VDC(36-72VDC) dual redundant power supplies	RFD
SICOM3416G	300112001	SICOM3416G-4X4GX8GE-L1-L1	4*10G SFP ports, 4*1000Base-X SFP ports, 8*10/100/1000Base-TX RJ45 ports, 48VDC(36-72VDC) dual redundant power supplies	RFD
SICOM3416G	300112005	SICOM3416G-4X8GX4GE-L3-L3	4*10G SFP ports, 8*1000Base-X SFP ports, 4*10/100/1000Base-TX RJ45 ports, 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM3416G	300112006	SICOM3416G-4X8GX4GE-HV	4*10G SFP ports, 8*1000Base-X SFP ports, 4*10/100/1000Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM3432G	300211707	SICOM3432G-8G8GX16GE-HV	8*1000M combo ports of 100M/1000M SFP or 10/100/1000Base-TX,8*1000Base-X SFP ports,16*10/100/1000Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supplies	RFD
SICOM3432G	300211708	SICOM3432G-8G8GX16GE-L2	8*1000M combo ports of 100M/1000M SFP or 10/100/1000Base-TX,8*1000Base-X SFP ports,16*10/100/1000Base-TX RJ45 ports, 24-48VDC(18-72VDC) single power supplies	RFD
SICOM3432G	300211714	SICOM3432G-4X24GE-L2-L2	4*10G SFP ports,24*10/100/1000Base-TX RJ45 ports, 24-48VDC(18-72VDC) dual redundant power supplies	RFD
SICOM3432G	300211701	SICOM3432G-4X8G8GX16GE-HV-HV	4*10G SFP ports,8*1000M combo ports of 100M/1000M SFP or 10/100/1000Base-TX,8*1000Base-X SFP ports,16*10/100/1000Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3432G	300211713	SICOM3432G-4X24GE-HV-HV	4*10G SFP ports,24*10/100/1000Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3432G	300211710	SICOM3432G-4GX24GE-L2-L2	4*1000Base-X SFP ports,24*10/100/1000Base-TX RJ45 ports, 24-48VDC(18-72VDC) dual redundant power supplies	RFD
SICOM3432G	300211705	SICOM3432G-8G8GX16GE-HV-HV	8*1000M combo ports of 100M/1000M SFP or 10/100/1000Base-TX,8*1000Base-X SFP ports,16*10/100/1000Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3432G	300211709	SICOM3432G-4GX24GE-HV-HV	4*1000Base-X SFP ports,24*10/100/1000Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3432G	300211711	SICOM3432G-4GX24GE-HV	4*1000Base-X SFP ports,24*10/100/1000Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supplies	RFD
SICOM3432G	300211718	SICOM3432G-4X8G8GX16GE-L2	4*10G SFP ports,8*1000M combo ports of 100M/1000M SFP or 10/100/1000Base-TX,8*1000Base-X SFP ports,16*10/100/1000Base-TX RJ45 ports, 24-48VDC(18-72VDC) single power supplies	RFD
SICOM3432G	300211717	SICOM3432G-4X8G8GX16GE-HV	4*10G SFP ports,8*1000M combo ports of 100M/1000M SFP or 10/100/1000Base-TX,8*1000Base-X SFP ports,16*10/100/1000Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supplies	RFD
SICOM3432G	300211704	SICOM3432G-4X8G8GX16GE-L2-L2	4*10G SFP ports,8*1000M combo ports of 100M/1000M SFP or 10/100/1000Base-TX,8*1000Base-X SFP ports,16*10/100/1000Base-TX RJ45 ports, 24-48VDC(18-72VDC) dual redundant power supplies	RFD
SICOM3432G	300211716	SICOM3432G-4X24GE-L2	4*10G SFP ports,24*10/100/1000Base-TX RJ45 ports, 24-48VDC(18-72VDC) single power supplies	RFD
SICOM3432G	300211706	SICOM3432G-8G8GX16GE-L2-L2	8*1000M combo ports of 100M/1000M SFP or 10/100/1000Base-TX,8*1000Base-X SFP ports,16*10/100/1000Base-TX RJ45 ports, 24-48VDC(18-72VDC) dual redundant power supplies	RFD

SICOM3432G	300211712	SICOM3432G-4GX24GE-L2	4*1000Base-X SFP ports,24*10/100/1000Base-TX RJ45 ports, 24-48VDC(18-72VDC) single power supplies	RFD
SICOM3432G	300211715	SICOM3432G-4X24GE-HV	4*10G SFP ports,24*10/100/1000Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supplies	RFD
SICOM3448G	300212001	SICOM3448G-4X8G16GE-HV-HV	4 10G SFP ports,8 1000M combo ports of 100M/1000M SFP or 10/100/1000Base-TX, 16 10/100/1000Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3448G	300212003	SICOM3448G-4X8G24GX16GE-HV-HV	4 10G SFP ports,8 1000M combo ports of 100/1000Base-X SFP or 10/100/1000Base-TX, 24 1000Base-X SFP ports, 16 10/100/1000Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM3448G	300212004	SICOM3448G-C-4X8G24GX16GE-HV-HV	4 10G SFP ports,8 1000M combo ports of 100/1000Base-X SFP or 10/100/1000Base-TX, 24 1000Base-X SFP ports, 16 10/100/1000Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies, with protective coating for printed board assemblies	RFD
SICOM3448G	300212006	SICOM3448G-C-4X20G28GE-HV-HV	4 10G SFP ports,20 1000M combo ports of 100M/1000M SFP or 10/100/1000Base-TX, 28 10/100/1000Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies, with protective coating for printed board assemblies	RFD
SICOM3448G	300212002	SICOM3448G-C-4X8G16GE-HV-HV	4 10G SFP ports,8 1000M combo ports of 100M/1000M SFP or 10/100/1000Base-TX, 16 10/100/1000Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies, with protective coating for printed board assemblies	RFD
SICOM3448G	300212005	SICOM3448G-4X20G28GE-HV-HV	4 10G SFP ports,20 1000M combo ports of 100M/1000M SFP or 10/100/1000Base-TX, 28 10/100/1000Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM6000A	301024002	SICOM6000A-2GX8T-L2-L2	2 100/1000Base-X SFP ports, 8 10/100Base-TX ports, Console Port RS232 RJ45, 24-48VDC(18-72VDC) dual redundant power supplies	EOL
SICOM6000A	301024001	SICOM6000A-8T-L2-L2	8 10/100Base-TX ports, Console Port RS232 RJ45, 24-48VDC(18-72VDC) dual redundant power supplies	EOL
SICOM6000A	301024006	SICOM6000A-4GX8GE-L2-L2	4 100/1000Base-X SFP ports, 8 10/100/1000Base-T(X) RJ45 ports, Console Port RS232 RJ45, 24-48VDC(18-72VDC) dual redundant power supplies	EOL
SICOM6000A	301024003	SICOM6000A-4GX8T-L2-L2	4 100/1000Base-X SFP ports, 8 10/100Base-TX ports, Console Port RS232 RJ45, 24-48VDC(18-72VDC) dual redundant power supplies	EOL
SICOM6000A	301024004	SICOM6000A-8GE-L2-L2	8 10/100/1000Base-T(X) RJ45 ports, Console Port RS232 RJ45, 24-48VDC(18-72VDC) dual redundant power supplies	EOL
SICOM6000A	301024005	SICOM6000A-2GX8GE-L2-L2	2 100/1000Base-X SFP ports, 8 10/100/1000Base-T(X) RJ45 ports, Console Port RS232 RJ45, 24-48VDC(18-72VDC) dual redundant power supplies	EOL
SICOM6416G	301075003	SICOM6416G-4X4GX8GE-HV	4*10G SFP ports, 4*1000Base-X SFP ports, 8*10/100/1000Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM6416G	301075001	SICOM6416G-4X4GX8GE-L1-L1	4*10G SFP ports, 4*1000Base-X SFP ports, 8*10/100/1000Base-TX RJ45 ports, 48VDC(36-72VDC) dual redundant power supplies	RFD
SICOM6416G	301075002	SICOM6416G-4X4GX8GE-L3-L3	4*10G SFP ports, 4*1000Base-X SFP ports, 8*10/100/1000Base-TX RJ45 ports, 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM6416G	301075004	SICOM6416G-4X8GX4GE-L1-L1	4*10G SFP ports, 8*1000Base-X SFP ports, 4*10/100/1000Base-TX RJ45 ports, 48VDC(36-72VDC) dual redundant power supplies	RFD
SICOM6416G	301075006	SICOM6416G-4X8GX4GE-HV	4*10G SFP ports, 8*1000Base-X SFP ports, 4*10/100/1000Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supply	RFD
SICOM6416G	301075005	SICOM6416G-4X8GX4GE-L3-L3	4*10G SFP ports, 8*1000Base-X SFP ports, 4*10/100/1000Base-TX RJ45 ports, 24VDC(18-36VDC) dual redundant power supplies	RFD
SICOM6432G	301072618	SICOM6432G-4X8G8GX16GE-L2	4*10G SFP ports,8*1000M combo ports of 100M/1000M SFP or 10/100/1000Base-TX,8*1000Base-X SFP ports,16*10/100/1000Base-TX RJ45 ports, 24-48VDC(18-72VDC) single power supplies	RFD
SICOM6432G	301072604	SICOM6432G-4X8G8GX16GE-L2-L2	4*10G SFP ports,8*1000M combo ports of 100M/1000M SFP or 10/100/1000Base-TX,8*1000Base-X SFP ports,16*10/100/1000Base-TX RJ45 ports, 24-48VDC(18-72VDC) dual redundant power supplies	RFD
SICOM6432G	301072611	SICOM6432G-4GX24GE-HV	4*1000Base-X SFP ports,24*10/100/1000Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supplies	RFD
SICOM6432G	301072616	SICOM6432G-4X24GE-L2	4*10G SFP ports,24*10/100/1000Base-TX RJ45 ports, 24-48VDC(18-72VDC) single power supplies	RFD
SICOM6432G	301072617	SICOM6432G-4X8G8GX16GE-HV	4*10G SFP ports,8*1000M combo ports of 100M/1000M SFP or 10/100/1000Base-TX,8*1000Base-X SFP ports,16*10/100/1000Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supplies	RFD
SICOM6432G	301072613	SICOM6432G-4X24GE-HV-HV	4*10G SFP ports,24*10/100/1000Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD

SICOM6432G	301072606	SICOM6432G-8G8GX16GE-L2-L2	8*1000M combo ports of 100M/1000M SFP or 10/100/1000Base-TX,8*1000Base-X SFP ports,16*10/100/1000Base-TX RJ45 ports, 24-48VDC(18-72VDC) dual redundant power supplies	RFD
SICOM6432G	301072607	SICOM6432G-8G8GX16GE-HV	8*1000M combo ports of 100M/1000M SFP or 10/100/1000Base-TX,8*1000Base-X SFP ports,16*10/100/1000Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supplies	RFD
SICOM6432G	301072605	SICOM6432G-8G8GX16GE-HV-HV	8*1000M combo ports of 100M/1000M SFP or 10/100/1000Base-TX,8*1000Base-X SFP ports,16*10/100/1000Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM6432G	301072608	SICOM6432G-8G8GX16GE-L2	8*1000M combo ports of 100M/1000M SFP or 10/100/1000Base-TX,8*1000Base-X SFP ports,16*10/100/1000Base-TX RJ45 ports, 24-48VDC(18-72VDC) single power supplies	RFD
SICOM6432G	301072614	SICOM6432G-4X24GE-L2-L2	4*10G SFP ports,24*10/100/1000Base-TX RJ45 ports, 24-48VDC(18-72VDC) dual redundant power supplies	RFD
SICOM6432G	301072609	SICOM6432G-4GX24GE-HV-HV	4*1000Base-X SFP ports,24*10/100/1000Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM6432G	301072612	SICOM6432G-4GX24GE-L2	4*1000Base-X SFP ports,24*10/100/1000Base-TX RJ45 ports, 24-48VDC(18-72VDC) single power supplies	RFD
SICOM6432G	301072610	SICOM6432G-4GX24GE-L2-L2	4*1000Base-X SFP ports,24*10/100/1000Base-TX RJ45 ports, 24-48VDC(18-72VDC) dual redundant power supplies	RFD
SICOM6432G	301072615	SICOM6432G-4X24GE-HV	4*10G SFP ports,24*10/100/1000Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) single power supplies	RFD
SICOM6432G	301072601	SICOM6432G-4X8G8GX16GE-HV-HV	4*10G SFP ports,8*1000M combo ports of 100M/1000M SFP or 10/100/1000Base-TX,8*1000Base-X SFP ports,16*10/100/1000Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM6448G	301072106	SICOM6448G-C-8G24GX16GE-HV-HV	8 1000M combo ports of 100/1000Base-X SFP or 10/100/1000Base-TX, 24 1000Base-X SFP ports, 16 10/100/1000Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies ,with protective coating for printed board assemblies	RFD
SICOM6448G	301072105	SICOM6448G-C-20G28GE-HV-HV	20 1000M combo ports of 100M/1000M SFP or 10/100/1000Base-TX, 28 10/100/1000Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies , with protective coating for printed board assemblies	RFD
SICOM6448G	301072101	SICOM6448G-4X20G28GE-HV-HV	4 10G SFP ports,20 1000M combo ports of 100M/1000M SFP or 10/100/1000Base-TX, 28 10/100/1000Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM6448G	301072104	SICOM6448G-8G24GX16GE-HV-HV	8 1000M combo ports of 100/1000Base-X SFP or 10/100/1000Base-TX, 24 1000Base-X SFP ports, 16 10/100/1000Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM6448G	301072103	SICOM6448G-20G28GE-HV-HV	20 1000M combo ports of 100M/1000M SFP or 10/100/1000Base-TX, 28 10/100/1000Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM6448G	301072102	SICOM6448G-4X8G24GX16GE-HV-HV	4 10G SFP ports,8 1000M combo ports of 100/1000Base-X SFP or 10/100/1000Base-TX, 24 1000Base-X SFP ports, 16 10/100/1000Base-TX RJ45 ports, 100-240VAC/110-220VDC(85-264VAC/77-300VDC) dual redundant power supplies	RFD
SICOM8648X	301073501	SICOM8648X-4CX24X-HV-HV	Support 24*10G SFP+,4*100G QSFP28,1*Console CLI Port,1*MNG Port,1*USB Port, L2/L3 Ethernet Switch, 2*AC 220V Power,1U Size	RFD
SICOM8648X	301073504	SICOM8648X-4CX2QX48X-L1-L1	Support 48*10G SFP+,2*40G QSFP,4*100G QSFP28,1*Console RJ45 Port,1*MNG Port,1*USB Port, L2/L3 Ethernet Switch, 2*AC DC-48V Power,1U Size	RFD
SICOM8648X	301073502	SICOM8648X-4CX24X-L1-L1	Support 24*10G SFP+,4*100G QSFP28,1*Console CLI Port,1*MNG Port,1*USB Port, L2/L3 Ethernet Switch, 2*DC-48V Power,1U Size	RFD
SICOM8648X	301073503	SICOM8648X-4CX2QX48X-HV-HV	Support 48*10G SFP+,2*40G QSFP,4*100G QSFP28,1*Console RJ45 Port,1*MNG Port,1*USB Port, L2/L3 Ethernet Switch, 2*AC 220V Power,1U Size	RFD
SM6.6	301031066	SM6.6-TimeServer-ST1310-1U	1 satellite antenna input;1 TTL output;1 RS485 output;1 optical input and 1 optical output,1310nm;1 1000M combo port;1 console port;Web	RFD
SM6.6	301031022	SM6.6-2S2T-FC40-0.5U	0.5U Module with 2 100Base-FX single mode fiber ports, FC connector, 1310nm, 40km and 2 10/100Base-TX RJ45 ports	RFD
SM6.6	301031090	SM6.6-4SFP-DDM-0.5U	0.5U Module with 4 100Base-X SFP ports,supports DDM.	RFS
SM6.6	301031015	SM6.6-2GX2M-SC05-0.5U	0.5U Module with 2 1000Base-X SFP ports and 2 100Base-FX multi mode fiber ports,SC connector, 1310nm, 5km	RFD
SM6.6	301031062	SM6.6-TimeServer-ST850-1U-S1	1 satellite antenna input;1 TTL output;1 RS485 output;1 optical input and 1 optical output,850nm;1 1000M combo port;1 console port;Web,SNMP	RFD
SM6.6	301031075	SM6.6-C-4GE-0.5U	0.5U Module with 4 10/100/1000Base-TX RJ45 ports, Conformal Coating	RFD
SM6.6	301031084	SM6.6-Power-HV	1U Module with hot swap power supply of 100-240VAC,50/60Hz;110-220VDC	RFD

SM6.6	301031012	SM6.6-2GX2S-SC40-0.5U	0.5U Module with 2 1000Base-X SFP ports and 2 100Base-FX single mode fiber ports,SC connector, 1310nm, 40km	RFD
SM6.6	301031073	SM6.6-4GX-DDM-0.5U	0.5U Module with 4 1000Base-X SFP ports,supports DDM.	RFD
SM6.6	301031057	SM6.6-TMS-Trigger-1U	1U TMS trigger module	RFD
SM6.6	301031065	SM6.6-TimeServer-ST850-1U-S4	1 satellite antenna input;1 TTL output;1 RS485 output;1 optical input and 1 optical output,850nm;1 1000M combo port;1 console port;Web,TMS,IEC61850 MMS,IEC60870-5-104	RFD
SM6.6	301031086	SM6.6-Power-L3	1U Module with hot swap power supply of 24V(18-36VDC)	RFD
SM6.6	301031044	SM6.6-4D-232/422/485-0.5U	0.5U Serial Card Module with 4 RS232/422/485 serial port in RJ50	RFD
SM6.6	301031005	SM6.6-4S-FC40-0.5U	0.5U Module with 4 100Base-FX single mode fiber ports, FC connector, 1310nm, 40km	RFD
SM6.6	301031067	SM6.6-TimeServer-ST1310-1U-S1	1 satellite antenna input;1 TTL output;1 RS485 output;1 optical input and 1 optical output,1310nm;1 1000M combo port;1 console port;Web ,SNMP	RFD
SM6.6	301031020	SM6.6-2S2T-SC40-0.5U	0.5U Module with 2 100Base-FX single mode fiber ports, SC connector, 1310nm, 40km and 2 10/100Base-TX RJ45 ports	RFD
SM6.6	301031031	SM6.6-PTP-BO-0.5U	0.5U IRIG-B PTP Clock Convertor Output Module	RFD
SM6.6	301031068	SM6.6-TimeServer-ST1310-1U-S2	1 satellite antenna input;1 TTL output;1 RS485 output;1 optical input and 1 optical output,1310nm;1 1000M combo port;1 console port;Web,DNP3.0,IEC60870-5-104	RFD
SM6.6	301031013	SM6.6-2GX2S-ST40-0.5U	0.5U Module with 2 1000Base-X SFP ports and 2 100Base-FX single mode fiber ports,ST connector, 1310nm, 40km	RFD
SM6.6	301031017	SM6.6-2GX2M-FC05-0.5U	0.5U Module with 2 1000Base-X SFP ports and 2 100Base-FX multi mode fiber ports, FC connector, 1310nm, 5km	RFD
SM6.6	301031025	SM6.6-2M2T-FC05-0.5U	0.5U Module with 2 100Base-FX multi mode fiber ports, FC connector, 1310nm, 5km and 2 10/100Base-TX RJ45 ports	RFD
SM6.6	301031096	SM6.6-LED-0.5U	0.5U module with LEDs for SICOM3028GPT series	RFD
SM6.6	301031078	SM6.6-HSR/PRP-GE-0.5U	0.5U HSR/PRP interface module with 2 10/100/1000Base-TX RJ45 ports, support both HSR and PRP, standard version	RFD
SM6.6	301031002	SM6.6-4GX-0.5U	0.5U Module with 4 1000Base-X SFP ports	RFD
SM6.6	301031028	SM6.6-4GE-1U	1U Module with 4 10/100/1000Base-TX RJ45 ports	RFD
SM6.6	301031074	SM6.6-C-4GX-0.5U	0.5U Module with 4 1000Base-X SFP ports, Conformal Coating	RFD
SM6.6	301031027	SM6.6-2S2T-SC80-0.5U	0.5U Module with 2 100Base-FX single mode fiber ports, SC connector, 1550nm, 80km and 2 10/100Base-TX RJ45 ports	RFD
SM6.6	301031043	SM6.6-2GX2GE-0.5U	0.5U Module with 2 10/100/1000Base-TX RJ45 ports and 2 1000Base-X SFP ports	RFD
SM6.6	301031050	SM6.6-4D-A-4RS232/422/485-0.5U	0.5U Serial Card Module with 4 RS232/422/485 serial port in RJ50, new version, same hardware & firmware as SICOM3005A	RFD
SM6.6	301031007	SM6.6-4M-ST05-0.5U	0.5U Module with 4 100Base-FX multi mode fiber ports, ST connector, 1310nm, 5km	RFD
SM6.6	301031070	SM6.6-TimeServer-ST1310-1U-S4	1 satellite antenna input;1 TTL output;1 RS485 output;1 optical input and 1 optical output,1310nm;1 1000M combo port;1 console port;Web,TMS,IEC61850 MMS,IEC60870-5-104	RFD
SM6.6	301031060	SM6.6-GPS-OI-0.5U	0.5U GPS Clock Synchronization Module	RFD
SM6.6	301031014	SM6.6-2GX2S-FC40-0.5U	0.5U Module with 2 1000Base-X SFP ports and 2 100Base-FX single mode fiber ports,FC connector, 1310nm, 40km	RFD
SM6.6	301031021	SM6.6-2S2T-ST40-0.5U	0.5U Module with 2 100Base-FX single mode fiber ports, ST connector, 1310nm, 40km and 2 10/100Base-TX RJ45 ports	RFD
SM6.6	301031063	SM6.6-TimeServer-ST850-1U-S2	1 satellite antenna input;1 TTL output;1 RS485 output;1 optical input and 1 optical output,850nm;1 1000M combo port;1 console port;Web,DNP3.0,IEC60870-5-104	RFD
SM6.6	301031006	SM6.6-4S-SC40-0.5U	0.5U Module with 4 100Base-FX single mode fiber ports, SC connector, 1310nm, 40km	RFD
SM6.6	301031019	SM6.6-2GX2S-SC80-0.5U	0.5U Module with 2 1000Base-X SFP ports and 2 100Base-FX single mode fiber ports, SC connector, 1550nm, 80km	RFD
SM6.6	301031011	SM6.6-4S-SC80-0.5U	0.5U Module with 4 100Base-FX single mode fiber ports, SC connector, 1550nm, 80km	RFD
SM6.6	301031064	SM6.6-TimeServer-ST850-1U-S3	1 satellite antenna input;1 TTL output;1 RS485 output;1 optical input and 1 optical output,850nm;1 1000M combo port;1 console port;Web,IEC61850 MMS,IEC60870-5-104	RFD
SM6.6	301031004	SM6.6-4S-ST40-0.5U	0.5U Module with 4 100Base-FX single mode fiber ports, ST connector, 1310nm, 40km	RFD
SM6.6	301031026	SM6.6-2S2T-SC60-0.5U	0.5U Module with 2 100Base-FX single mode fiber ports, SC connector, 1310nm, 60km and 2 10/100Base-TX RJ45 ports	RFD
SM6.6	301031079	SM6.6-HSR/PRP-GX-0.5U	0.5U HSR/PRP interface module with 2 1000Base-X, 100Base-X SFP ports, support both HSR and PRP, standard version	RFD
SM6.6	301031029	SM6.6-4GX-1U	1U Module with 4 1000Base-X SFP ports	RFD
SM6.6	301031003	SM6.6-4T-0.5U	0.5U Module with 4 10/100Base-TX RJ45 ports	RFD
SM6.6	301031030	SM6.6-2GX2GE-1U	1U Module with 2 10/100/1000Base-TX RJ45 ports and 2 1000Base-X SFP ports	RFD
SM6.6	301031069	SM6.6-TimeServer-ST1310-1U-S3	1 satellite antenna input;1 TTL output;1 RS485 output;1 optical input and 1 optical output,1310nm;1 1000M combo port;1 console port;Web,IEC61850 MMS,IEC60870-5-104	RFD
SM6.6	301031016	SM6.6-2GX2M-ST05-0.5U	0.5U Module with 2 1000Base-X SFP ports and 2 100Base-FX multi mode fiber ports, ST connector, 1310nm, 5km	RFD
SM6.6	301031071	SM6.6-TimeServer-ST850-1U	1 satellite antenna input;1 TTL output;1 RS485 output;1 optical input and 1 optical output,850nm;1 1000M combo port;1 console port;Web	RFD

SM6.6	301031072	SM6.6-4GX-DDM-1U	1U Module with 4 1000Base-X SFP ports,supports DDM.	RFD
SM6.6	301031085	SM6.6-Power-L1	1U Module with hot swap power supply of 48V(36-72VDC)	RFD
SM6.6	301031001	SM6.6-4GE-0.5U	0.5U Module with 4 10/100/1000Base-TX RJ45 ports	RFD
SM6.6	301031024	SM6.6-2M2T-ST05-0.5U	0.5U Module with 2 100Base-FX multi mode fiber ports, ST connector, 1310nm, 5km and 2 10/100Base-TX RJ45 ports	RFD
SM6.6	301031018	SM6.6-2GX2S-SC60-0.5U	0.5U Module with 2 1000Base-X SFP ports and 2 100Base-FX single mode fiber ports,SC connector, 1310nm, 60km	RFD
SM6.6	301031010	SM6.6-4S-SC60-0.5U	0.5U Module with 4 100Base-FX single mode fiber ports, SC connector, 1310nm, 60km	RFD
SM6.6	301031023	SM6.6-2M2T-SC05-0.5U	0.5U Module with 2 100Base-FX multi mode fiber ports, SC connector, 1310nm, 5km and 2 10/100Base-TX RJ45 ports	RFD
SM6.6	301031009	SM6.6-4M-SC05-0.5U	0.5U Module with 4 100Base-FX multi mode fiber ports, SC connector, 1310nm, 5km	RFD
SM6.6	301031008	SM6.6-4M-FC05-0.5U	0.5U Module with 4 100Base-FX multi mode fiber ports, FC connector, 1310nm, 5km	RFD
USB cable	111030041	DT-XL-Mini-USB-USB-2m	2M USB Console Cable	RFD
[[[302183009	DT-DRAZ-KIEN/SICOM-L shape	L-shape plate with DIN RAIL clamp for DIN Rail devices	RFD
	410891	KGW310xA/KGW320xA-IE0-R0001	KGW-IE0. Optional upgrade driver package for KGW-A series	
	302183011	KyACB-USB-M12-A-4P-M	Automatic Configuration Backup and Restore, M12	RFD
100M SFP	302180114	IFSFP-M-LX-LC-1310-2-DDM	100M SFP module,Multi mode,1310nm, 2km, LC connector, -40 to 85°C operating temperature	RFD
100M SFP	302180116	IFSFP-S-LH-LC-1310-40-DDM	100M SFP module, Single mode,1310nm, 40km, LC connector, -40 to 85°C operating temperature	RFD
100M SFP	302180033	IFSFP-S-LH-LC-1310-60-DDM	100M SFP module, Single mode,1310nm, 60km, LC connector, -40 to 85°C operating temperature	RFD
100M SFP	302180045	IFSFP-S-LH-LC-1550-80-DDM	100M SFP module, Single mode,1550nm, 80km, LC connector, -40 to 85°C operating temperature	RFD
100M SFP	302180111	IFSFP-S-LH-LC-1550-120-DDM	100M SFP module,Single Mode,1550nm, 120km, LC connector, -40 to 85°C operating temperature	RFD
100M SFP	302180115	IFSFP-10/100BASE-T-RJ45	100BASE-T SFP Copper Transceiver Hot Pluggable, 155Mb/s,Cat-5 UTP Cable, 100m	RFD
100M SFP	302180136	IFSFP-SD-S-LC-1550T/1310R-40-DDM	SFP BIDI 155Mb/s 40km Transceiver with DDMI Hot Pluggable,1550nm TX/1310nm RX with LC	RFD
100M SFP	302180137	IFSFP-SD-S-LC-1310T/1550R-40-DDM	SFP BIDI 155Mb/s 40km Transceiver with DDMI Hot Pluggable,1310nm TX/1550nm RX with LC	RFD
100M SFP	302180140	IFSFP-SD-S-SC-1550T/1310R-40-DDM	SFP BIDI 155Mb/s 40km Transceiver with DDMI Hot Pluggable,1550nm TX/1310nm RX with SC	RFD
100M SFP	302180141	IFSFP-SD-S-SC-1310T/1550R-40-DDM	SFP BIDI 155 Mb/s 40km Transceiver with DDMI Hot Pluggable,1310nm TX/1550nm RX with SC	RFD
1G SFP	302180082	IGSFP-M-SX-LC-850-0.55-DDM	Gigabit SFP module, Multi mode, 850nm, 0.55km, LC connector, -40 to 85°C operating temperature	RFD
1G SFP	302180147	IGSFP-M-SX-LC-1310-2-DDM	SFP Duplex 1.25Gb/s Multi mode 2km Transceiver with DDMI Hot Pluggable,1310nm TX /1310nm RX with LC	RFD
1G SFP	302180011	IGSFP-S-LX-LC-1310-10-DDM	Gigabit SFP module, Single mode, 1310nm, 10km, LC connector, -40 to 85°C operating temperature	RFD
1G SFP	302180069	IGSFP-S-LH-LC-1310-40-DDM	Gigabit SFP module, Single mode, 1310nm, 40km, LC connector, -40 to 85°C operating temperature	RFD
1G SFP	302180013	IGSFP-S-ZX-LC-1550-80-DDM	Gigabit SFP module, Single mode, 1550nm, 80km, LC connector, -40 to 85°C operating temperature	RFD
1G SFP	302180049	IGSFP-S-LH-LC-1550-60-DDM	Gigabit SFP module, Single mode, 1550nm, 60km, LC connector, -40 to 86°C operating temperature	RFD
1G SFP	302180123	IGSFP-10/100/1000BASE-T-RJ45	10/100/1000BASE-T SFP Copper Transceiver Hot Pluggable, 1.25Gb/s,Cat-5 UTP Cable, 100m	RFD
1G SFP	302180119	IGSFP-SD-S-LC-1310T/1550R-40-DDM	Gigabit SFP module, Single fiber bi-direction, single mode, 1310T/1550R, 40km, LC connector, -40 to 85°C operating temperature	RFD
1G SFP	302180120	IGSFP-SD-S-LC-1550T/1310R-40-DDM	Gigabit SFP module, Single fiber bi-direction, single mode, 1550T/1310R, 40km, LC connector, -40 to 85°C operating temperature	RFD
1G SFP	302180138	IGSFP-SD-S-SC-1550T/1310R-40-DDM	SFP BIDI 1.25Gb/s 40km Transceiver with DDMI Hot Pluggable,1550nm TX/1310nm RX with SC	RFD
1G SFP	302180139	IGSFP-SD-S-SC-1310T/1550R-40-DDM	SFP BIDI 1.25Gb/s 40km Transceiver with DDMI Hot Pluggable,1310nm TX/1550nm RX with SC	RFD
1G SFP	302180145	IGSFP-SD-S-LC-1490T/1550R-120-DDM	SFP BIDI 1.25G 120km Transceiver with DDMI Hot Pluggable,1490nm TX/1550nm RX with LC	RFD
1G SFP	302180146	IGSFP-SD-S-LC-1550T/1490R-120-DDM	SFP BIDI 1.25G 120km Transceiver with DDMI Hot Pluggable,1550nm TX/1490nm RX with LC	RFD
10G SFP	302180050	IXSFP-M-LR-LC-850-0.3-DDM	10G SFP module, 850nm, 300m, LC connector, -40 to 85°C operating temperature	RFD
10G SFP	302180110	IXSFP-S-LR-LC-1310-10-DDM	10G SFP module, 1310nm, 10km, LC connector, -40 to 85°C operating temperature	RFD
10G SFP	302180148	IXSFP-S-ER-LC-1550-40-DDM	SFP+ 10Gb/s 40km Transceiver with DDMI Hot Pluggable, 1550nm TX / 1550nm RX with LC	RFD
10G SFP	302180149	IXSFP-S-LR-LC-1550-80-DDM	SFP+ 10Gb/s 80km Transceiver with DDMI Hot Pluggable, 1550nm TX / 1550nm RX with LC	RFD

10G SFP	302180132	IXSFP-1000/10000BASE-T-RJ45	10GBASE-T Copper SFP+ Transceiver Hot Pluggable, RJ-45 Connector,10Gbase-T CAT6A 30m,5G/2.5G base-T,50m,1000base-T CAT5E 100m	RFD
10G SFP	302180150	IXSFP-SD-S-LC-1270T/1330R-10-DDM	SFP+ BIDI 10Gb/s 10km Transceiver with DDMI Hot Pluggable, 1270nm TX / 1330nm RX with LC	RFD
10G SFP	302180151	IXSFP-SD-S-LC-1330T/1270R-10-DDM	SFP+ BIDI 10Gb/s 10km Transceiver with DDMI Hot Pluggable, 1330nm TX / 1270nm RX with LC	RFD
10G SFP	302180152	IXSFP-SD-S-LC-1270T/1330R-40-DDM	SFP+ BIDI 10Gb/s 40km Transceiver with DDMI Hot Pluggable, 1270nm TX / 1330nm RX with LC	RFD
10G SFP	302180153	IXSFP-SD-S-LC-1330T/1270R-40-DDM	SFP+ BIDI 10Gb/s 40km Transceiver with DDMI Hot Pluggable, 1330nm TX / 1270nm RX with LC	RFD
40G SFP	302180128	CQSFP-S-LR-LC-1310-10-DDM	QSFP+ LR4 40G 10km Transceiver with DDMI Hot Pluggable, 1310nm LC Receptacle (C Temp-20°C~70°C)	RFD
40G SFP	302180129	CQSFP-M-SR-MPO-850-300M-DDM	QSFP+ SR4 40G 300m Transceiver with DDMI Hot Pluggable, 850nm MPO Receptacle (C Temp-0°C~70°C)	RFD
100G SFP	302180130	CCSFP-S-LR-LC-1310-10-DDM	QSFP28 CWDM4 100G 10km Transceiver with DDMI Hot Pluggable, 1310nm LC Receptacle (C Temp-0°C~70°C)	RFD
100G SFP	302180131	CCSFP-M-SR-MPO-850-70M-DDM	QSFP28 SR4 100G 70m Transceiver with DDMI Hot Pluggable, 850nm MPO Receptacle (C Temp-0°C~70°C)	RFD